



Appendix—Bibliography

- ¹ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ² U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ³ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ⁴ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵ Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- ⁶ Family Caregiver Alliance. (2019, April 17). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- ⁷ Drugs.com. (2018). What are drug interactions? Retrieved August 27, 2018, from www.drugs.com/drug_interactions.html
- ⁸ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹⁰ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ¹¹ Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- ¹² U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹³ World Health Organization. (2018). Management of substance abuse: Psychoactive substances. Retrieved from www.who.int/substance_abuse/terminology/psychoactive_substances/en/
- ¹⁴ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ¹⁵ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ¹⁶ Substance Abuse and Mental Health Services Administration. (2020). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019, Data on substance abuse treatment facilities*. Retrieved from https://www.dasis.samhsa.gov/dasis2/nssats/NSSATS_2019/2019-NSSATS-R.pdf
- ¹⁷ Blazer, D. G. (2013). The Institute of Medicine report on the mental health and substance use workforce for older adults: A reflection. *American Journal of Geriatric Psychiatry*, 21(10), 1038–1042.
- ¹⁸ Substance Abuse and Mental Health Services Administration. (2020). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019, Data on substance abuse treatment facilities*. Retrieved from https://www.dasis.samhsa.gov/dasis2/nssats/NSSATS_2019/2019-NSSATS-R.pdf
- ¹⁹ Grant, B. F., Chou, S. P., Saha, T. D., Pickering, R. P., Kerridge, B. T., Ruan, W. J., ... Hasin, D. S. (2017). Prevalence of 12-month alcohol use, high-risk drinking, and DSM-IV alcohol use disorder in the United States, 2001–2002 to 2012–2013: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *JAMA Psychiatry*, 74(9), 911–923.



- ²⁰ Han, B. H. (2018). Aging, multimorbidity, and substance use disorders: The growing case for integrating the principles of geriatric care and harm reduction. *International Journal of Drug Policy, 85*, 135–136.
- ²¹ Gfroerer, J., Penne, M., Pemberton, M., & Folsom, R. (2003). Substance abuse treatment need among older adults in 2020: The impact of the aging baby-boom cohort. *Drug and Alcohol Dependence, 69*(2), 127–135.
- ²² Institute of Medicine. (2012). *The mental health and substance use workforce for older adults: In whose hands?* Washington, DC: National Academies Press.
- ²³ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ²⁴ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ²⁵ Vincent, G. K., & Velkoff, V. A. (2010). *The next four decades: The older population in the United States: 2010 to 2050*. Washington, DC: Department of Commerce, Economics and Statistics Administration, U.S. Census Bureau.
- ²⁶ Fox-Grage, W. (2016, April 18). The growing racial and ethnic diversity of older adults. Retrieved from <https://blog.aarp.org/thinking-policy/the-growing-racial-and-ethnic-diversity-of-older-adults>
- ²⁷ Gfroerer, J., Penne, M., Pemberton, M., & Folsom, R. (2003). Substance abuse treatment need among older adults in 2020: The impact of the aging baby-boom cohort. *Drug and Alcohol Dependence, 69*(2), 127–135.
- ²⁸ Wu, L.-T., & Blazer, D. G. (2011). Illicit and nonmedical drug use among older adults: A review. *Journal of Aging and Health, 23*(3), 481–504.
- ²⁹ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews, 38*(1), 115.
- ³⁰ Davies, E. A., & O'Mahony, M. S. (2015). Adverse drug reactions in special populations: The elderly. *British Journal of Clinical Pharmacology, 80*, 796–807.
- ³¹ Grant, B. F., Goldstein, R. B., Saha, T. D., Chou, S. P., Jung, J., Zhang, H., ... Hasin, D. S. (2015). The epidemiology of DSM-5 alcohol use disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions, III. *JAMA Psychiatry, 72*, 757–766.
- ³² Grant, B. F., Saha, T. D., Ruan, W. J., Goldstein, R. B., Chou, S. P., Jung, J., ... Hasin, D. S. (2016). Epidemiology of DSM-5 drug use disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. *JAMA Psychiatry, 73*, 39–47.
- ³³ Choi, N. G., DiNitto, D. M., & Marti, C. N. (2016). Older-adult marijuana users and ex-users: Comparisons of sociodemographic characteristics and mental and substance use disorders. *Drug and Alcohol Dependence, 165*, 94–102.
- ³⁴ Reynolds, K., Pietrzak, R. H., El-Gabalawy, R., Mackenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry, 14*(1), 74–81.
- ³⁵ Office of the Surgeon General. (2016). *Facing addiction in America: The Surgeon General's report on alcohol, drugs, and health*. Washington, DC: Department of Health and Human Services.
- ³⁶ Whitlock, E. P., Polen, M. R., Green, C. A., Orleans, T., & Klein, J. (2004). Behavioral counseling interventions in primary care to reduce risky/harmful alcohol use by adults: A summary of the evidence for the U.S. Preventive Services Task Force. *Annals of Internal Medicine, 140*(7), 557–568.
- ³⁷ Kuerbis, A. N., Yuan, S. E., Borok, J., LeFevre, P., Kim, G. S., Lum, D., ... Moore, A. A. (2015). Testing the initial efficacy of a mailed screening and brief feedback intervention to reduce at-risk drinking in middle-aged and older adults: The Comorbidity Alcohol Risk Evaluation Study. *Journal of the American Geriatrics Society, 63*(2), 321–326.
- ³⁸ Schonfeld, L., Hazlett, R. W., Hedgcock, D. K., Duchene, D. M., Burns, L. V., & Gum, A. M. (2015). Screening, brief intervention, and referral to treatment for older adults with substance misuse. *American Journal of Public Health, 105*(1), 205–211.
- ³⁹ Ettner, S. L., Xu, H., Duru, O. K., Ang, A., Tsengh C.-H., Tallen, L., ... Moore, A. A. (2014). The effect of an educational intervention on alcohol consumption, at-risk drinking, and health care utilization in older adults: The Project SHARE study. *Journal of Studies on Alcohol and Drugs, 75*(3), 447–457.
- ⁴⁰ Satre, D. D., Mertens, J. R., Areán, P. A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction, 99*(10), 1286–1297.
- ⁴¹ Oslin, D. W., Pettinati, H., & Volpicelli, J. R., (2002). Alcoholism treatment adherence: Older age predicts better adherence and drinking outcomes. *American Journal of Geriatric Psychiatry, 10*(6), 740–747.

- 42 Taylor, M. H., & Grossberg, G. T. (2012). The growing problem of illicit substance abuse in the elderly: A review. *Primary Care Companion for CNS Disorders*, 14(4).
- 43 Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- 44 National Institute on Alcohol Abuse and Alcoholism. (n.d.). What's a "standard" drink? Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/How-much-is-too-much/What-counts-as-a-drink/Whats-A-Standard-Drink.aspx
- 45 Callahan, C. M., & Tierney, W. M. (1995). Health services use and mortality among older primary care patients with alcoholism. *Journal of the American Geriatrics Society*, 43(12), 1378–1383.
- 46 Kirchner, J. E., Zubritsky, C., Cody, M., Coakley, E., Chen, H., Ware, J. H., ... Levkoff, S. (2007). Alcohol consumption among older adults in primary care. *Journal of General Internal Medicine*, 22(1), 92–97.
- 47 Weyerer, S., Schäufele, M., Eifflaender-Gorfer, S., Köhler, L., Maier, W., Haller, F., ... Steffi, G. (2009). At-risk alcohol drinking in primary care patients aged 75 years and older. *International Journal of Geriatric Psychiatry*, 24(12), 1376–1385.
- 48 Kirchner, J. E., Zubritsky, C., Cody, M., Coakley, E., Chen, H., Ware, J. H., ... Levkoff, S. (2007). Alcohol consumption among older adults in primary care. *Journal of General Internal Medicine*, 22(1), 92–97.
- 49 Substance Abuse and Mental Health Services Administration. (2012). *Older Americans Behavioral Health Issue Brief 2: Alcohol misuse and abuse prevention* (p. 1). Retrieved from www.acl.gov/sites/default/files/programs/2016-11/Issue%20Brief%20%20Alcohol%20Misuse.pdf
- 50 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Older adults. Retrieved from www.niaaa.nih.gov/alcohol-health/special-populations-co-occurring-disorders/older-adults
- 51 Bagnardi, V., Rota, M., Botteri, E., Tramacere, I., Islami, F., Scotti, L., ... LaVecchia, C. (2015). Alcohol consumption and site-specific cancer risk: A comprehensive dose-response meta-analysis. *British Journal of Cancer*, 112(3), 580–593.
- 52 Bagnardi, V., Rota, M., Botteri, E., Tramacere, I., Islami, F., Fedirki, L., ... LaVecchia, C. (2013). Light alcohol drinking and cancer: A meta-analysis. *Annals of Oncology*, 24(2), 301–308.
- 53 Shaw, B. A., Agahi, N., & Krause, N. (2011). Are changes in financial strain associated with changes in alcohol use and smoking among older adults? *Journal of Studies on Alcohol and Drugs*, 72(6), 917–925.
- 54 Sacco, P., Bucholz, K. K., & Harrington, D. (2014). Gender differences in stressful life events, social support, perceived stress, and alcohol use among older adults: Results from a national survey. *Substance Use and Misuse*, 49(4), 456–465.
- 55 Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, 38(1), 115–120.
- 56 Holton, A. E., Gallagher, P., Fahey, T., & Cousins, G. (2017). Concurrent use of alcohol interactive medications and alcohol in older adults: A systematic review of prevalence and associated adverse outcomes. *BMC Geriatrics*, 17(1), 148.
- 57 Breslow, R. A., Dong, C., & White, A. (2015). Prevalence of alcohol-interactive prescription medication use among current drinkers: United States, 1999 to 2010. *Alcoholism, Clinical and Experimental Research*, 39(2), 371–379.
- 58 Breslow, R. A., Dong, C., & White, A. (2015). Prevalence of alcohol-interactive prescription medication use among current drinkers: United States, 1999 to 2010. *Alcoholism, Clinical and Experimental Research*, 39(2), 371–379.
- 59 Moore, A. A., Whiteman, E. J., & Ward, K. T. (2007). Risks of combined alcohol/medication use in older adults. *American Journal of Geriatric Pharmacotherapy*, 5(1), 64–74.
- 60 National Center for Health Statistics. (2019). *Health, United States, 2018*. Retrieved from www.cdc.gov/nchs/data/hus/hus18.pdf
- 61 Qato, D. M., Wilder, J., Schumm, L. P., Gillet, V., & Alexander, G. C. (2016). Changes in prescription and over-the-counter medication and dietary supplement use among older adults in the United States, 2005 vs. 2011. *JAMA Internal Medicine*, 176(4), 473–482.
- 62 Davies, E. A., & O'Mahony, M. S. (2015). Adverse drug reactions in special populations: The elderly. *British Journal of Clinical Pharmacology*, 80, 796–807.
- 63 Bush, D. M. (2013). Emergency department visits for drug misuse or abuse involving the pain medication tramadol. *The CBHSQ Report*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/sites/default/files/report_1966/ShortReport-1966.html
- 64 Agency for Healthcare Research and Quality. (2019, September). Patient safety primer: Medication administration errors. Retrieved October 10, 2019, from <https://psnet.ahrq.gov/primer/medication-administration-errors>



- ⁶⁵ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁶⁶ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁶⁷ Aira, M., Hartikainen, S., & Sulkava, R. (2008). Drinking alcohol for medicinal purposes by people aged over 75: A community-based interview study. *Family Practice*, 25(6), 445–449.
- ⁶⁸ Levi-Minzi, M. A., Surratt, H. L., Kurtz, S. P., & Buttram, M. E. (2013). Under treatment of pain: A prescription for opioid misuse among the elderly. *Pain Medicine*, 14(11), 1719–1729.
- ⁶⁹ Christie, M. M., Bamber, D., Powell, C., Arrindell, T., & Pant, A. (2013). Older adult problem drinkers: Who presents for alcohol treatment? *Aging and Mental Health*, 17(1), 24–32.
- ⁷⁰ Colliver, J. D., Compton, W. M., Gfroerer, J. C., & Condon, T. (2006). Projecting drug use among aging baby boomers in 2020. *Annals of Epidemiology*, 16, 257–265.
- ⁷¹ Olfson, M., Wang, S., Iza, M., Crystal, S., & Blanco, C. (2013). National trends in the office-based prescription of schedule II opioids. *Journal of Clinical Psychiatry*, 74(9), 932–939.
- ⁷² Dobscha, S. K., Lovejoy, T. I., Morasco, B. J., Kovas, A. E., Peters, D. M., Hart, K., ... McFarland, B. H. (2016). Predictors of improvements in pain intensity in a national cohort of older veterans with chronic pain. *Journal of Pain*, 17(7), 824–835.
- ⁷³ Jones, C. M., Paulozzi, L. J., & Mack, K. A. (2014). Alcohol involvement in opioid pain reliever and benzodiazepine drug abuse-related emergency department visits and drug-related deaths: United States, 2010. *Morbidity and Mortal Weekly Report*, 63(40), 881–885.
- ⁷⁴ Food and Drug Administration. (2017). FDA Drug Safety Communication: FDA warns about serious risks and death when combining opioid pain or cough medicines with benzodiazepines; Requires its strongest warning. Retrieved from www.fda.gov/Drugs/DrugSafety/ucm518473.htm
- ⁷⁵ van der Schrier, R., Roozkrans, M., Olofsen, E., Aarts, L., & van Velzen, M. (2017). Influence of ethanol on oxycodone-induced respiratory depression: A dose-escalating study in young and elderly individuals. *Anesthesiology*, 126(3), 534–542.
- ⁷⁶ Centers for Disease Control and Prevention, National Center for Health Statistics. (2020). *Multiple cause of death data 1999-2018 on CDC WONDER* [Data set]. Retrieved April 14, 2020, from <https://wonder.cdc.gov/mcd.html>
- ⁷⁷ Food and Drug Administration. (2017). FDA Drug Safety Communication: FDA urges caution about withholding opioid addiction medications from patients taking benzodiazepines or CNS depressants: Careful medication management can reduce risks. Retrieved from www.fda.gov/drugs/drug-safety-and-availability/fda-drug-safety-communication-fda-urges-caution-about-withholding-opioid-addiction-medications
- ⁷⁸ Maust, D. T., Kales, H. C., Wiechers, I. R., Blow, F. C., & Olfson, M. (2016). No end in sight: Benzodiazepine use in older adults in the United States. *Journal of the American Geriatrics Society*, 64, 2546–2553.
- ⁷⁹ Woolcott, J. C., Richardson, K. J., & Wiens, M. O. (2009). Meta-analysis of the impact of 9 medication classes on falls in elderly persons. *Archives of Internal Medicine*, 169(21), 1952–1960.
- ⁸⁰ Tannenbaum, C., Paquette, A., Hilmer, S., Holroyd-Leduc, J., & Carnahan, R. (2012). A systematic review of amnestic and non-amnestic mild cognitive impairment induced by anticholinergic, antihistamine, GABAergic, and opioid drugs. *Drugs and Aging*, 29(8), 639–658.
- ⁸¹ Dassanayake, T., Michie, P., Carter G., & Jones, A. (2011). Effects of benzodiazepines, antidepressants and opioids on driving. *Drug Safety*, 34(2), 125–156.
- ⁸² Jones, C. M., Mack, K. A., & Paulozzi, L. J. (2013). Pharmaceutical overdose deaths, United States, 2010. *JAMA*, 309(7), 657–659.
- ⁸³ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁸⁴ Compton, W. M., Han, B., Hughes, A., Jones, C. M., & Blanco, C. (2017). Use of marijuana for medical purposes among adults in the United States. *JAMA*, 317, 209–211.
- ⁸⁵ Minerbi, A., Häuser, W., & Fitzcharles, M. A. (2019). Medical cannabis for older patients. *Drugs and Aging*, 36(1), 39–51.
- ⁸⁶ Minerbi, A., Häuser, W., & Fitzcharles, M. A. (2019). Medical cannabis for older patients. *Drugs and Aging*, 36(1), 39–51.
- ⁸⁷ Briscoe, J., & Casarett, D. (2018). Medical marijuana use in older adults. *Journal of the American Geriatrics Society*, 66, 859–863.

- ⁸⁸ McCance-Katz, E. F. (2019). Urgent and emerging issues in prevention: Marijuana, kratom, e-cigarettes. Retrieved from www.samhsa.gov/sites/default/files/samhsas_15th_annual_prevention_day_afternoon_plenary_recording.pdf
- ⁸⁹ Alsherbiny, M. A., & Li, C. G. (2018). Medicinal cannabis—Potential drug interactions. *Medicines (Basel)*, *6*(1), 3.
- ⁹⁰ Bolla, K. I., Brown, K., Eldreth, D., Tate, K., & Cadet, J. L. (2002). Dose-related neurocognitive effects of marijuana use. *Neurology*, *59*(9), 1337–1343.
- ⁹¹ Hayatbakhsh, M. R., Najman, J. M., Jamrozik, K., Mamun, A. A., Alati, R., & Bor, W. (2007). Cannabis and anxiety and depression in young adults: A large prospective study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *46*(3), 408–417.
- ⁹² van Laar, M., van Dorsselaer, S., Monshouwer, K., & de Graaf, R. (2007). Does cannabis use predict the first incidence of mood and anxiety disorders in the adult population? *Addiction*, *102*(8), 1251–1260.
- ⁹³ Briscoe, J., & Casarett, D. (2018). Medical marijuana use in older adults. *Journal of the American Geriatrics Society*, *66*, 859–863.
- ⁹⁴ ElSohly, M. A., Mehmedic, Z., Foster, S., Gon, C., Chandra, S., & Church, J. C. (2016). Changes in cannabis potency over the last 2 decades (1995–2014): Analysis of current data in the United States. *Biological Psychiatry*, *79*(7), 613–619.
- ⁹⁵ Substance Abuse and Mental Health Services Administration. (2014). *Results from the 2013 National Survey on Drug Use and Health: Summary of national findings*. NSDUH Series H-48. HHS Publication No. (SMA) 14-4863. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ⁹⁶ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁷ Chhatre, S., Cook, R., Mallik, E., & Jayadevappa, R. (2017). Trends in substance use admissions among older adults. *BMC Health Services Research*, *17*(1), 584.
- ⁹⁸ Qato, D. M., Wilder, J., Schumm, L. P., Gillet, V., & Alexander, G. C. (2016). Changes in prescription and over-the-counter medication and dietary supplement use among older adults in the United States, 2005 vs. 2011. *JAMA Internal Medicine*, *176*(4), 473–482.
- ⁹⁹ Qato, D. M., Wilder, J., Schumm, L. P., Gillet, V., & Alexander, G. C. (2016). Changes in prescription and over-the-counter medication and dietary supplement use among older adults in the United States, 2005 vs. 2011. *JAMA Internal Medicine*, *176*(4), 473–482.
- ¹⁰⁰ Satre, D. D., Chi, F., Mertens, J., & Weisner, C. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs*, *73*, 459–468.
- ¹⁰¹ Sajatovik, M., Blow, F., & Ignacio, R. V. (2006). Psychiatric comorbidity in older adults with bipolar disorder. *International Journal of Geriatric Psychiatry*, *21*, 582–587.
- ¹⁰² Bartels, S. J., Blow, F. C., Van Citters, A. D., & Brockmann, L. M. (2006). Dual diagnosis among older adults: Co-occurring substance abuse and psychiatric illness. *Journal of Dual Diagnosis*, *2*(3), 9–30.
- ¹⁰³ Bartels, S. J., Miles, K. M., Oxman, T. E., Zimmerman, S., Cori, L. A., Pomerantz, A. S., ... Mendolevicz, N. (2006). Correlates of co-occurring depressive symptoms and alcohol use in an older primary care clinic population. *Journal of Dual Diagnosis*, *2*(3), 57–72.
- ¹⁰⁴ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ¹⁰⁵ Satre, D. D., Chi, F., Mertens, J., & Weisner, C. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs*, *73*, 459–468.
- ¹⁰⁶ Satre, D. D., Chi, F., Mertens, J., & Weisner, C. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs*, *73*, 459–468.
- ¹⁰⁷ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS Publication No. (SMA) 03-3824. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹⁰⁸ Wu, L. T., & Blazer, D. G. (2011). Illicit and nonmedical drug use among older adults: A review. *Journal of Aging and Health*, *23*(3), 481–504.
- ¹⁰⁹ Klein, W. C., & Jess, C. (2002). One last pleasure? Alcohol use among elderly people in nursing homes. *Health and Social Work*, *27*(3), 193–203.
- ¹¹⁰ Benschhoff, J. J., Harrawood, L. K., & Koch, D. S. (2003). Substance abuse and the elderly: Unique issues and concerns. *Journal of Rehabilitation*, *69*(2), 43.
- ¹¹¹ Whitlock, E. P., Green, C. A., & Polen, M. R. (2004). Behavioral counseling interventions in primary care to reduce risky/harmful alcohol use by adults: A summary of the evidence for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*, *140*(7), 557–568.



- ¹¹² Kuerbis, A. N., Yuan, S. E., Borok, J., LeFevre, P., Kim, G. S., Lum, D., ... Moore, A. A. (2015). Testing the initial efficacy of a mailed screening and brief feedback intervention to reduce at-risk drinking in middle-aged and older adults: The Comorbidity Alcohol Risk Evaluation Study. *Journal of the American Geriatrics Society, 63*(2), 321–326.
- ¹¹³ Schonfeld, L., King-Kallimanis, B. L., Duchene, D. M., Etheridge, R. L., Herrera, J. R., Barry, K. L., & Lynn, N. (2015). Screening, brief intervention, and referral to treatment for older adults with substance misuse. *American Journal of Public Health, 105*(1), 205–211.
- ¹¹⁴ Ettner, S. L., Xu, H., Duru, O. K., Ang, A., Tseng, C.-H., Tallen, L., ... Moore, A. A. (2014). The effect of an educational intervention on alcohol consumption, at-risk drinking, and health care utilization in older adults: The Project SHARE study. *Journal of Studies on Alcohol and Drugs, 75*(3), 447–457.
- ¹¹⁵ Satre, D. D., Mertens, J. R., Areán, P. A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction, 99*(10), 1286–1297.
- ¹¹⁶ Oslin, D. W., Pettinati, H., & Volpicelli, J. R. (2002). Alcoholism treatment adherence: Older age predicts better adherence and drinking outcomes. *American Journal of Geriatric Psychiatry, 10*(6), 740–747.
- ¹¹⁷ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews, 38*(1), 115.
- ¹¹⁸ Barry, K. L., Brockmann, L., & Blow, F. C. (2010). Brief interventions for alcohol and drug problems. In N. S. Miller & M. S. Gold (Eds.), *Addictive disorders in medical populations* (pp. 557–573). Hoboken, NJ: Wiley-Blackwell.
- ¹¹⁹ Schonfeld, L., Hazlett, R. W., Hedgecock, D. K., Duchene, D. M., Burns, L. V., & Gum, A. M. (2015). Screening, brief intervention, and referral to treatment for older adults with substance misuse. *American Journal of Public Health, 105*(1), 205–211.
- ¹²⁰ Barry, K., & Fleming, M. (1990). Computerized administration of alcoholism screening tests in a primary care setting. *Journal of the American Board of Family Practice, 3*(2), 93–98.
- ¹²¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ¹²² Gfroerer, J., Penne, M., Pemberton, M., & Folsom, R. (2003). Substance abuse treatment need among older adults in 2020: The impact of the aging baby-boom cohort. *Drug and Alcohol Dependence, 69*(2), 127–135.
- ¹²³ Chhatre, S., Cook, E., Mallik, E., & Jayadevappa, R. (2017). Trends in substance use admissions among older adults. *BMC Health Services Research, 17*(1), 584.
- ¹²⁴ Chhatre, S., Cook, E., Mallik, E., & Jayadevappa, R. (2017). Trends in substance use admissions among older adults. *BMC Health Services Research, 17*(1), 584.
- ¹²⁵ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research, 38*(1), 115–120.
- ¹²⁶ Babatunde, O. T., Outlaw, K. R., Forbe, B., & Gay, T. (2014). Revisiting baby boomers and alcohol use: Emerging treatment trends. *Journal of Human Behavior in the Social Environment, 24*, 597–611.
- ¹²⁷ Kinney, J. (2011). *Loosening the grip: A handbook of alcohol information* (10th ed.). Boston, MA: McGraw-Hill.
- ¹²⁸ Bommersbach, T. J., Lapid, M. A., Rumman, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings, 90*(5), 659–666.
- ¹²⁹ Babatunde, O. T., Outlaw, K. R., Forbe, B., & Gay, T. (2014). Revisiting baby boomers and alcohol use: Emerging treatment trends. *Journal of Human Behavior in the Social Environment, 24*, 597–611.
- ¹³⁰ Jonas, D. E., Amick, H. R., Feltner, C., Bobashev, G., Thomas, K., Wines, R., ... Garbutt, J. C. (2014). Pharmacotherapy for adults with alcohol use disorders in outpatient settings: A systematic review and meta-analysis. *JAMA, 311*(18), 1889–1900.
- ¹³¹ Winslow, B. T., Onysko, M., & Hebert, M. (2016). Medications for alcohol use disorder. *American Family Physician, 93*(6), 457–465.
- ¹³² Witkiewitz, K., Saville, K., & Hamreus, K. (2012). Acamprosate for treatment of alcohol dependence: Mechanisms, efficacy, and clinical utility. *Therapeutics and Clinical Risk Management, 8*, 45–53.
- ¹³³ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ¹³⁴ Mooney, L. J., & McCance-Katz, E. F. (2016). Psychopharmacological treatments. In A. H. Mack, K. T. Brady, S. I. Miller, & R. F. Frances (Eds.), *Clinical textbook of addictive disorders* (4th ed., pp. 668–694). New York, NY: Guilford Press.
- ¹³⁵ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ¹³⁶ Winslow, B. T., Onysko, M., & Hebert, M. (2016). Medications for alcohol use disorder. *American Family Physician, 93*(6), 457–465.

- ¹³⁷ Mooney, L. J., & McCance-Katz, E. F. (2016). Psychopharmacological treatments. In A. H. Mack, K. T. Brady, S. I. Miller, & R. F. Frances (Eds.), *Clinical textbook of addictive disorders* (4th ed., pp. 668–694). New York, NY: Guilford Press.
- ¹³⁸ Hassell, C., Wilkins, K., & Trevisan, L. A. (2017). Pharmacology of geriatric substance use disorders: Considerations and future directions. *Current Treatment Options in Psychiatry*, 4(1), 102–115.
- ¹³⁹ Le Roux, C., Tang, Y., & Drexler, K. (2016). Alcohol and opioid use disorder in older adults: Neglected and treatable illnesses. *Current Psychiatry Reports*, 18, 87.
- ¹⁴⁰ Lal, R., & Pattanayak, R. D. (2017). Alcohol use among the elderly: Issues and considerations. *Journal of Geriatric Mental Health*, 4(1), 4–10.
- ¹⁴¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ¹⁴² Skinner, M. D., Lahmek, P., Pham, H., & Aubin, H. J. (2014). Disulfiram efficacy in the treatment of alcohol dependence: A meta-analysis. *PLoS One*, 9(2), e87366. doi:10.1371/journal.pone.0087366
- ¹⁴³ Winslow, B. T., Onysko, M., & Hebert, M. (2016). Medications for alcohol use disorder. *American Family Physician*, 93(6), 457–465.
- ¹⁴⁴ Sinclair, J., Chambers, S., Shiles, C., & Baldwin, D. S. (2016). Safety and tolerability of pharmacological treatment of alcohol dependence: Comprehensive review of evidence. *Drug Safety*, 39, 627–645.
- ¹⁴⁵ Connery, H. S. (2015). Medication-assisted treatment of opioid use disorder: Review of the evidence and future directions. *Harvard Review of Psychiatry*, 23(2), 63–75.
- ¹⁴⁶ Substance Abuse and Mental Health Services Administration. (2020). *Medications for opioid use disorder*. Treatment Improvement Protocol (TIP) Series 63. Publication No. PEP20-02-01-006. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ¹⁴⁷ Substance Abuse and Mental Health Services Administration. (2020). *Medications for opioid use disorder*. Treatment Improvement Protocol (TIP) Series 63. Publication No. PEP20-02-01-006. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ¹⁴⁸ Oslin, D., Liberto, J. G., O'Brien, J., & Krois, S. (1997). Tolerability of naltrexone in treating older, alcohol-dependent patients. *American Journal on Addictions*, 6(3), 266–270.
- ¹⁴⁹ Oslin, D., Liberto, J. G., O'Brien, J., Krois, S., & Norbeck, J. (1997). Naltrexone as an adjunctive treatment for older patients with alcohol dependence. *American Journal of Geriatric Psychiatry*, 5(4), 324–332.
- ¹⁵⁰ World Health Organization. (2017). *WHO model list of essential medications*. Retrieved from <https://apps.who.int/iris/bitstream/handle/10665/273826/EML-20-eng.pdf?ua=1>
- ¹⁵¹ Herget, G. (2005). Methadone and buprenorphine added to the WHO list of essential medicines. *HIV/AIDS Policy and Law Review*, 10(3), 23–24.
- ¹⁵² Joshi, P., Shah, N. K., & Kirane, H. D. (2019). Medication-assisted treatment for opioid use disorder in older adults: An emerging role for the geriatric psychiatrist. *American Journal of Geriatric Psychiatry*, 27(4), 455–457.
- ¹⁵³ Karp, J. F., Butters, M. A., Begley, A. E., Miller, M. D., Lenze, E. J., Blumberger, D. M., ... Reynolds, C. F., III. (2014). Safety, tolerability, and clinical effect of low-dose buprenorphine for treatment-resistant depression in midlife and older adults. *Journal of Clinical Psychiatry*, 75(8), e785–e793.
- ¹⁵⁴ Purdue Pharma L.P. (2017). Advisory Committee briefing materials for Joint Meeting of the Anesthetic and Analgesic Drug Products Advisory Committee and Drug Safety and Risk Management Advisory Committee. Retrieved from www.fda.gov/media/107620/download
- ¹⁵⁵ Pergolizzi, J. V., Raffa, R. B., Marcum, Z., Colucci, S., & Ripa, S. R. (2017). Safety of buprenorphine transdermal system in the management of pain in older adults. *Postgraduate Medicine*, 129(1), 92–101.
- ¹⁵⁶ Substance Abuse and Mental Health Services Administration. (2020). *Medications for opioid use disorder*. Treatment Improvement Protocol (TIP) Series 63. Publication No. PEP20-02-01-006. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ¹⁵⁷ World Health Organization. (2017). *WHO model list of essential medications*. Retrieved from <https://apps.who.int/iris/bitstream/handle/10665/273826/EML-20-eng.pdf?ua=1>
- ¹⁵⁸ Herget, G. (2005). Methadone and buprenorphine added to the WHO list of essential medicines. *HIV/AIDS Policy and Law Review*, 10(3), 23–24.
- ¹⁵⁹ Sullivan, M., & Levin, F. (2016). *Addiction in the older patient*. New York, NY: Oxford University Press.
- ¹⁶⁰ Abdulla, A., Adams, N., Bone, M., Elliott, A. M., Gaffin, J., ... Schofield, P. (2013). Guidance on management of pain in older people. *Age and Ageing*, 42, i1–i57.
- ¹⁶¹ Malec, M., & Shega, J. W. (2015). Pain management in the elderly. *Medical Clinics of North America*, 99(2), 337–350.
- ¹⁶² Gallagher, R. (2009). Methadone: An effective, safe drug of first choice for pain management in frail older adults. *Pain Medicine*, 10(2), 319–326.



- ¹⁶³ Martin, J. A., Campbell, A., Killip, T., Kotz, M., Krantz, M. J., Kreek, M. J., ... Substance Abuse and Mental Health Services Administration. (2011). QT interval screening in methadone maintenance treatment: Report of a SAMHSA expert panel. *Journal of Addictive Diseases*, 30(4), 283–306.
- ¹⁶⁴ Vu Bach, T., Pan, J., Kirstein, A., Grief, C. J., & Grossman, D. (2016). Use of methadone as an adjuvant medication to low-dose opioids for neuropathic pain in the frail elderly: A case series. *Journal of Palliative Medicine*, 19(12), 1351–1355.
- ¹⁶⁵ Lehn, J. M., & Pinderhughes, S. T. (2017, January). Methadone for treating pain in older adults. *Elder Care*. Retrieved from www.uofazcenteronaging.com/sites/default/files/methadone_for_treatment_of_pain.pdf
- ¹⁶⁶ World Health Organization. (2017). *WHO model list of essential medications*. Retrieved from <https://apps.who.int/iris/bitstream/handle/10665/273826/EML-20-eng.pdf?ua=1>
- ¹⁶⁷ Chau, D. L., Walker, V., Pai, L., & Cho, L. M. (2008). Opiates and elderly: Use and side effects. *Clinical Interventions in Aging*, 3(2), 273–278.
- ¹⁶⁸ Satre, D. D., Mertens, J. R., Areán, P. A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction*, 99(10), 1286–1297.
- ¹⁶⁹ Oslin, D. W., Pettinati, H., & Volpicelli, J. R. (2002). Alcoholism treatment adherence: Older age predicts better adherence and drinking outcomes. *American Journal of Geriatric Psychiatry*, 10(6), 740–747.
- ¹⁷⁰ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse: Research and Treatment*, 7, 13–37.
- ¹⁷¹ Lemke, S., & Moos, R. H. (2003). Treatment and outcomes of older patients with alcohol use disorders in community residential programs. *Journal of Studies on Alcohol*, 64(2), 219–226.
- ¹⁷² Substance Abuse and Mental Health Services Administration. (2020). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019, Data on substance abuse treatment facilities*. Retrieved from https://www.dasis.samhsa.gov/dasis2/nssats/NSSATS_2019/2019-NSSATS-R.pdf
- ¹⁷³ Shutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2014). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. Rao, & P. Crome (Eds.), *Substance use and older people*. West Sussex, UK: Wiley-Blackwell.
- ¹⁷⁴ D'Agostino, C. S., Blow, F. C., Barry, K., & Podgorski, C. (2006). Community interventions for older adults with comorbid substance abuse: The Geriatric Addictions Program (GAP). *Journal of Dual Diagnosis*, 2(3), 31–45.
- ¹⁷⁵ Schonfeld, L., Hazlett, R. W., Hedgecock, D. K., Duchene, D. M., Burns, L. V., & Gum, A. M. (2015). Screening, brief intervention, and referral to treatment for older adults with substance misuse. *American Journal of Public Health*, 105(1), 205–211.
- ¹⁷⁶ Han, B. H., Masukawa, K., Rosenbloom, D., Kuerbis, A., Helmuth, E., Liao, D. H., & Moore, A. A. (2018). Use of web-based screening and brief intervention for unhealthy alcohol use by older adults. *Journal of Substance Abuse Treatment*, 86, 70.
- ¹⁷⁷ Choi, N. G., DiNitto, D. M., & Marti, N. C. (2014). Treatment use, perceived need, and barriers to seeking treatment for substance abuse and mental health problems among older adults compared to younger adults. *Drug and Alcohol Dependence*, 145, 113–120.
- ¹⁷⁸ Blais, R. K., Tsai, J., Southwick, S. M., & Pietrzak, R. H. (2015). Barriers and facilitators related to mental health care use among older veterans in the United States. *Psychiatric Services*, 66(5), 500–506.
- ¹⁷⁹ Crome, I. (2013). Substance misuse in the older person: Setting higher standards. *Clinical Medicine (London)*, 13(Suppl. 6), s46–s49.
- ¹⁸⁰ Royal College of Psychiatrists. (2015). *Substance misuse in older people: An information guide*. Older Persons' Substance Misuse Working Group faculty report. Retrieved from www.researchgate.net/publication/278779731_Substance_misuse_in_Older_People_an_information_guide
- ¹⁸¹ Crome, I. (2013). Substance misuse in the older person: Setting higher standards. *Clinical Medicine (London)*, 13(Suppl. 6), s46–s49.
- ¹⁸² Substance Abuse and Mental Health Services Administration. (2020). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019, Data on substance abuse treatment facilities*. Retrieved from https://www.dasis.samhsa.gov/dasis2/nssats/NSSATS_2019/2019-NSSATS-R.pdf
- ¹⁸³ Priester, M. A., Browne, T., Iachini, A., Clone, S., DeHart, D., & Seay, K. D. (2016). Treatment access barriers and disparities among individuals with co-occurring mental health and substance use disorders: An integrative literature review. *Journal of Substance Abuse Treatment*, 61, 47–59.
- ¹⁸⁴ Sacco, P., & Kuerbis, A. (2013). Older adults. In M. G. Vaughn & B. E. Perron (Eds.), *Social work practice in the addictions*. New York, NY: Springer.
- ¹⁸⁵ Borok, J., Galier, P., Dinolfo, M., Welgreen, S., Hoffing, M., Davis, J. W., ... Moore, A. A. (2013). Why do older unhealthy drinkers decide to make changes or not in their alcohol consumption? Data from the Healthy Living as You Age study. *Journal of the American Geriatrics Society*, 61(8), 1296–1302.
- ¹⁸⁶ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.

- ¹⁸⁷ Royal College of Psychiatrists. (2015). *Substance misuse in older people: An information guide*. Older Persons' Substance Misuse Working Group faculty report. Retrieved from www.researchgate.net/publication/278779731_Substance_misuse_in_Older_People_an_information_guide
- ¹⁸⁸ Briggs, W., Magnus, V., Lassiter, P., Patterson, A., & Smith, L. (2011). Substance use, misuse, and abuse among older adults: Implications for clinical mental health counselors. *Journal of Mental Health Counseling, 33*(2), 112–127.
- ¹⁸⁹ Royal College of Psychiatrists. (2015). Substance misuse in older people: An information guide. Older Persons' Substance Misuse Working Group faculty report. Retrieved through www.researchgate.net/publication/278779731_Substance_misuse_in_Older_People_an_information_guide
- ¹⁹⁰ Chrisler, J. C., Barney, A., & Palatino, B. (2016). Ageism can be hazardous to women's health: Ageism, sexism, and stereotypes of older women in the healthcare system. *Journal of Social Issues, 72*(1), 86–104.
- ¹⁹¹ Royal College of Psychiatrists. (2015). Substance misuse in older people: An information guide. Older Persons' Substance Misuse Working Group faculty report. Retrieved through www.researchgate.net/publication/278779731_Substance_misuse_in_Older_People_an_information_guide
- ¹⁹² Choi, N. G., DiNitto, D. M., & Marti, N. C. (2014). Treatment use, perceived need, and barriers to seeking treatment for substance abuse and mental health problems among older adults compared to younger adults. *Drug and Alcohol Dependence, 145*, 113–120.
- ¹⁹³ Osborn, R., Doty, M. M., Moulds, D., Sarnak, D. O., & Shah, A. (2017). Older Americans were sicker and faced more financial barriers to health care than counterparts in other countries. *Health Affairs (Millwood), 36*(12), 2123–2132.
- ¹⁹⁴ Choi, N. G., DiNitto, D. M., & Marti, N. C. (2014). Treatment use, perceived need, and barriers to seeking treatment for substance abuse and mental health problems among older adults compared to younger adults. *Drug and Alcohol Dependence, 145*, 113–120.
- ¹⁹⁵ Hadley Strout, E., Fox, L., Castro, A., Haroun, P., Leavitt, B., Ross, C., ... Carney, J. K. (2016). Access to transportation for Chittenden County Vermont older adults. *Aging Clinical and Experimental Research, 28*(4), 769–774.
- ¹⁹⁶ Castle, N., Wagner, L., Ferguson-Rome, J., Smith, M., & Handler, S. (2012). Alcohol misuse and abuse reported by nurse aides in assisted living. *Research on Aging, 34*(3), 321–336.
- ¹⁹⁷ Klein, W. C., & Jess, C. (2002). One last pleasure? Alcohol use among elderly people in nursing homes. *Health and Social Work, 27*(3), 193–203.
- ¹⁹⁸ White, J. B., Duncan, D. F., Burr, D., Nicholson, B. T., Bonaguro, J., & Abrahamson, K. (2015). Substance abuse policies in long-term care facilities: A survey with implications for education of long-term care providers. *Educational Gerontology, 41*(7), 519–526.
- ¹⁹⁹ Moos, R. H., Schutte, K. K., Brennan, P. L., & Moos, B. S. (2011). Personal, family and social functioning among older couples concordant and discordant for high-risk alcohol consumption. *Addiction, 106*(2), 324–334.
- ²⁰⁰ Bremer, D., Inhestern, L., & von dem Knesebeck, O. (2017). Social relationships and physician utilization among older adults: A systematic review. *PLoS One, 12*(9), e0185672. <https://doi.org/10.1371/journal.pone.0185672>
- ²⁰¹ Graham, C. L., Scharlach, A. E., & Price Wolf, J. (2014). The impact of the "Village" model on health, well-being, service access, and social engagement of older adults. *Health Education Behavior, 41*(Suppl. 1), 91S–97S.
- ²⁰² Institute of Medicine. (2012). *The mental health and substance use workforce for older adults: In whose hands?* Washington, DC: National Academies Press.
- ²⁰³ Bartels, S. J., Pepin, R., & Gill, L. E. (2014). The paradox of scarcity in a land of plenty: Meeting the needs of older adults with mental health and substance use disorders. *Generations, 38*(3), 6–13.
- ²⁰⁴ Institute of Medicine. (2012). *The mental health and substance use workforce for older adults: In whose hands?* Washington, DC: National Academies Press.
- ²⁰⁵ Gage, S., & Melillo, K. D. (2011). Substance abuse in older adults: Policy issues. *Journal of Gerontology Nursing, 37*(12), 8–11.
- ²⁰⁶ Institute of Medicine. (2012). *The mental health and substance use workforce for older adults: In whose hands?* Washington, DC: National Academies Press.
- ²⁰⁷ National Research Council. (2006). When I'm 64. In L. L. Carstensen & C. R. Hartel (Eds.), *Motivation and behavior change. Committee on Aging Frontiers in Social Psychology, Personality, and Adult Developmental Psychology. Board on Behavioral, Cognitive, and Sensory Sciences, Division of Behavioral and Social Sciences and Education*. Washington, DC: National Academies Press.
- ²⁰⁸ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ²⁰⁹ Stahl, S. T., & Schulz, R. (2014). Changes in routine health behaviors following late-life bereavement: A systematic review. *Journal of Behavioral Medicine, 37*(4), 736–755.
- ²¹⁰ Kelly, S., Olanrewaju, O., Cowan, A., Brayne, C., & Lafortune, L. (2018). Alcohol and older people: A systematic review of barriers, facilitators and context of drinking in older people and implications for intervention design. *PLoS One, 13*(1), e0191189.



- ²¹¹ Levy, H., & Janke, A. (2016). Health literacy and access to care. *Journal of Health Communication, 21*(Suppl. 1), 43–50.
- ²¹² Geboers, B., Reijneveld, S. A., Jansen, C. J. M., & de Winter, A. F. (2016). Health literacy is associated with health behaviors and social factors among older adults: Results from the LifeLines Cohort Study. *Journal of Health Communication, 21*(Suppl. 2), 45–53.
- ²¹³ Findley, A. (2015). Low health literacy and older adults: Meanings, problems, and recommendations for social work. *Social Work in Health Care, 54*(1), 65–81.
- ²¹⁴ Royal College of Psychiatrists. (2015). Substance misuse in older people: An information guide. Older Persons' Substance Misuse Working Group faculty report. Retrieved through www.researchgate.net/publication/278779731_Substance_misuse_in_Older_People_an_information_guide
- ²¹⁵ Barrio, C., Palinkas, L. A., Yamada, A. M., Fuentes, D., Criado, V., Garcia, P., & Jeste, D. V. (2008). Unmet needs for mental health services for Latino older adults: Perspectives from consumers, family members, advocates, and service providers. *Community Mental Health Journal, 44*(1), 57–74.
- ²¹⁶ Jimenez, D. E., Bartels, S. J., Cardenas, V., & Alegria, M. (2013). Stigmatizing attitudes toward mental illness among racial/ethnic older adults in primary care. *International Journal of Geriatric Psychiatry, 28*(10), 1061–1068.
- ²¹⁷ De Guzman, E., Woods-Giscombe, C. L., & Beeber, L. S. (2015). Barriers and facilitators of Hispanic older adult mental health service utilization in the USA. *Issues in Mental Health Nursing, 36*(1), 11–20.
- ²¹⁸ Barrio, C., Palinkas, L. A., Yamada, A. M., Fuentes, D., Criado, V., Garcia, P., & Jeste, D. V. (2008). Unmet needs for mental health services for Latino older adults: Perspectives from consumers, family members, advocates, and service providers. *Community Mental Health Journal, 44*(1), 57–74.
- ²¹⁹ Sorkin, D. H., Murphy, M., Nguyen, H., & Biegler, K. A. (2016). Barriers to mental health care for an ethnically and racially diverse sample of older adults. *Journal of the American Geriatrics Society, 64*(10), 2138–2143.
- ²²⁰ Auldridge, A., Tamar-Mattis, A., Kennedy, S., Ames, E., & Tobin, H. J. (2012). *Improving the lives of transgender older adults: Recommendations for policy and practice*. Services and Advocacy for GLBT Elders and the National Center for Transgender Equality. Retrieved from <https://transequality.org/issues/resources/improving-lives-transgender-older-adults-full-report>
- ²²¹ Koenig, T. L., & Crisp, C. (2008). Ethical issues in practice with older women who misuse substances. *Substance Use and Misuse, 43*(8–9), 1045–1061.
- ²²² Chrisler, J. C., Barney, A., & Palatino, B. (2016). Ageism can be hazardous to women's health: Ageism, sexism, and stereotypes of older women in the healthcare system. *Journal of Social Issues, 72*(1), 86–104.
- ²²³ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ²²⁴ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ²²⁵ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ²²⁶ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ²²⁷ Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- ²²⁸ Family Caregiver Alliance. (2019, April 17). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- ²²⁹ Drugs.com. (2018). What are drug interactions? Retrieved August 27, 2018, from www.drugs.com/drug_interactions.html
- ²³⁰ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ²³¹ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ²³² National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ²³³ Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm

- ²³⁴ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ²³⁵ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ²³⁶ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ²³⁷ Moy, I., Crome, P., Crome, I., & Fisher, M. (2011). Systematic and narrative review of treatment for older people with substance problems. *European Geriatric Medicine*, *2*(4), 212–236.
- ²³⁸ Satre, D. D. (2015). Alcohol and drug use problems among older adults. *Clinical Psychology: Science and Practice*, *22*(3), 238–254.
- ²³⁹ Rothrauff, T. C., Abraham, A. J., Bride, B. E., & Roman, P. M. (2011). Substance abuse treatment for older adults in private centers. *Substance Abuse*, *32*(1), 7–15.
- ²⁴⁰ Substance Abuse and Mental Health Services Administration. (2020). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019, Data on substance abuse treatment facilities*. Retrieved from https://www.dasis.samhsa.gov/dasis2/nssats/NSSATS_2019/2019-NSSATS-R.pdf
- ²⁴¹ Benshoff, J. J., Harrawood, L. K., & Koch, D. S. (2003). Substance abuse and the elderly: Unique issues and concerns. *Journal of Rehabilitation*, *69*(2), 43–48.
- ²⁴² Babatunde, O. T., Outlaw, K. R., Forbes, B., & Gay, T. (2014). Revisiting baby boomers and alcohol use: Emerging treatment trends. *Journal of Human Behavior in the Social Environment*, *24*(5), 597–611.
- ²⁴³ National Evaluation Data Services. (2002). *Substance abuse among aging adults: A literature review*. Rockville, MD: Center for Substance Abuse Treatment. Retrieved from www.readkong.com/page/substance-abuse-among-aging-adults-a-literature-review-5220038
- ²⁴⁴ Rothrauff, T. C., Abraham, A. J., Bride, B. E., & Roman, P. M. (2011). Substance abuse treatment for older adults in private centers. *Substance Abuse*, *32*(1), 7–15.
- ²⁴⁵ Rothrauff, T. C., Abraham, A. J., Bride, B. E., & Roman, P. M. (2011). Substance abuse treatment for older adults in private centers. *Substance Abuse*, *32*(1), 7–15.
- ²⁴⁶ Substance Abuse and Mental Health Services Administration. (2014). *Improving cultural competence. Treatment Improvement Protocol (TIP) Series 59*. HHS Publication No. (SMA) 14-4849. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ²⁴⁷ American Psychological Association, Committee on Aging. (2009). *Multicultural competency in geropsychology*. Washington, DC: American Psychological Association. Retrieved from www.apa.org/pi/aging/programs/pipeline/multicultural-competency.pdf
- ²⁴⁸ American Psychological Association, Committee on Aging. (2009). *Multicultural competency in geropsychology*. Washington, DC: American Psychological Association. Retrieved from www.apa.org/pi/aging/programs/pipeline/multicultural-competency.pdf
- ²⁴⁹ American Psychological Association, Committee on Aging. (2009). *Multicultural competency in geropsychology*. Washington, DC: American Psychological Association. Retrieved from www.apa.org/pi/aging/programs/pipeline/multicultural-competency.pdf
- ²⁵⁰ American Psychological Association, Committee on Aging. (2009). *Multicultural competency in geropsychology*. Washington, DC: American Psychological Association. Retrieved from www.apa.org/pi/aging/programs/pipeline/multicultural-competency.pdf
- ²⁵¹ Shutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2014). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. Rao, & P. Crome (Eds.), *Substance use and older people*. West Sussex, UK: Wiley-Blackwell.
- ²⁵² Shutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2014). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. Rao, & P. Crome (Eds.), *Substance use and older people*. West Sussex, UK: Wiley-Blackwell.
- ²⁵³ American Psychological Association, Committee on Aging. (2009). *Multicultural competency in geropsychology*. Washington, DC: American Psychological Association. Retrieved from www.apa.org/pi/aging/programs/pipeline/multicultural-competency.pdf
- ²⁵⁴ Fung, H. H. (2013). Aging in culture. *Gerontologist*, *53*(3), 369–377.
- ²⁵⁵ Fung, H. H. (2013). Aging in culture. *Gerontologist*, *53*(3), 369–377.
- ²⁵⁶ Babatunde, O. T., Outlaw, K. R., Forbes, B., & Gay, T. (2014). Revisiting baby boomers and alcohol use: Emerging treatment trends. *Journal of Human Behavior in the Social Environment*, *24*(5), 597–611.
- ²⁵⁷ Sahker, E., Schultz, S. K., & Arndt, S. (2015). Treatment of substance use disorders in older adults: Implications for care delivery. *Journal of the American Geriatrics Society*, *63*(11), 2317–2323.




- ²⁵⁸ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, *38*(1), 115–120.
- ²⁵⁹ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, *38*(1), 115–120.
- ²⁶⁰ Kuerbis, A. N., Yuan, S. E., Borok, J., LeFevre, P. M., Kim, G. S., Lum, D., ... Moore, A. A. (2015). Testing the initial efficacy of a mailed screening and brief feedback intervention to reduce at-risk drinking in middle-aged and older adults: The Comorbidity Alcohol Risk Evaluation Study. *Journal of the American Geriatrics Society*, *63*(2), 321–326.
- ²⁶¹ Schonfeld, L., Hazlett, R. W., Hedgecock, D. K., Duchene, D. M., Burns, L. V., & Gum, A. M. (2015). Screening, brief intervention, and referral to treatment for older adults with substance misuse. *American Journal of Public Health*, *105*(1), 205–211. doi:10.2105/AJPH.2013.301859
- ²⁶² Lin, J. C., Karno, M. P., Barry, K. L., Blow, F. C., Davis, J. W., Tang, L., & Moore, A. A. (2010). Determinants of early reductions in drinking in older at-risk drinkers participating in the intervention arm of a trial to reduce at-risk drinking in primary care. *Journal of the American Geriatrics Society*, *58*(2), 227–233.
- ²⁶³ Gordon, A. J., Conigliaro, J., Maisto, S. A., McNeil, M., Kraemer, K. L., & Kelley, M. E. (2003). Comparison of consumption effects of brief interventions for hazardous drinking elderly. *Substance Use and Misuse*, *38*(8), 1017–1035.
- ²⁶⁴ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ²⁶⁵ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ²⁶⁶ Schonfeld, L., King-Kallimanis, B. L., Duchene, D. M., Etheridge, R. L., Herrera, J. R., Barry, K. L., & Lynn, N. (2010). Screening and brief intervention for substance misuse among older adults: The Florida BRITE Project. *American Journal of Public Health*, *100*(1), 108–114.
- ²⁶⁷ American Geriatrics Society Consensus Panel on Person-Centered Care. (2016). Person-centered care: A definition and essential elements. *Journal of the American Geriatrics Society*, *64*(1), 15–18.
- ²⁶⁸ American Geriatrics Society Consensus Panel on Person-Centered Care. (2016). Person-centered care: A definition and essential elements. *Journal of the American Geriatrics Society*, *64*(1), 15–18.
- ²⁶⁹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ²⁷⁰ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse*, *7*, 13–37.
- ²⁷¹ Horvath, A. O., Del Re, A., Flückiger, C., & Symonds, D. (2011). Alliance in individual psychotherapy. In J. C. Norcross (Ed.), *Psychotherapy relationships that work* (2nd ed.). New York, NY: Oxford University Press.
- ²⁷² Horvath, A. O., Del Re, A., Flückiger, C., & Symonds, D. (2011). Alliance in individual psychotherapy. In J. C. Norcross (Ed.), *Psychotherapy relationships that work* (2nd ed.). New York, NY: Oxford University Press.
- ²⁷³ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse*, *7*, 13–37.
- ²⁷⁴ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse*, *7*, 13–37.
- ²⁷⁵ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ²⁷⁶ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ²⁷⁷ Satre, D. D., Chi, F. W., Mertens, J. R., & Weisner, C. M. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs*, *73*(3), 459–468.
- ²⁷⁸ Nicholson, N. R. (2012). A review of social isolation: An important but underassessed condition in older adults. *Journal of Primary Prevention*, *33*(2–3), 137–152.
- ²⁷⁹ Mannes, Z. L., Burrell, L. E., Bryant, V. E., Dunne, E. M., Hearn, L. E., & Whitehead, N. E. (2016). Loneliness and substance use: The influence of gender among HIV+ Black/African American adults 50+. *AIDS Care*, *28*(5), 598–602.
- ²⁸⁰ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ²⁸¹ McCrady, B. S. (2006). Family and other close relationships. In W. R. Miller & K. M. Carroll (Eds.), *Rethinking substance abuse: What the science shows, and what we should do about it* (pp. 166–181). New York, NY: Guilford Press.

- 282 National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America*. Washington, DC: National Academies Press.
- 283 National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America*. Washington, DC: National Academies Press.
- 284 Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- 285 Substance Abuse and Mental Health Services Administration. (2014). *Improving cultural competence*. Treatment Improvement Protocol (TIP) Series 59. HHS Publication No. (SMA) 14-4849. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- 286 Substance Abuse and Mental Health Services Administration. (2014). *Improving cultural competence*. Treatment Improvement Protocol (TIP) Series 59. HHS Publication No. (SMA) 14-4849. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- 287 Institute of Medicine. (2012). *The mental health and substance use workforce for older adults: In whose hands?* Washington, DC: National Academies Press.
- 288 Kuerbis, A., Sacco, P., Blazer, D., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30, 629–654.
- 289 Office of the Surgeon General. (2016). *Facing addiction in America: The Surgeon General's report on alcohol, drugs, and health*. Washington, DC: Department of Health and Human Services.
- 290 Schulte, M. T., & Hser, Y. I. (2014). Substance use and associated health conditions throughout the lifespan. *Public Health Reviews*, 35(2), ii.
- 291 Institute of Medicine. (2012). *The mental health and substance use workforce for older adults: In whose hands?* Washington, DC: National Academies Press.
- 292 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- 293 U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- 294 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- 295 Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- 296 Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- 297 Family Caregiver Alliance. (2019, April 17). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- 298 Drugs.com. (2018). What are drug interactions? Retrieved August 27, 2018, from www.drugs.com/drug_interactions.html
- 299 Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- 300 U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- 301 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- 302 Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- 303 U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- 304 World Health Organization. (2018). Management of substance abuse: Psychoactive substances. Retrieved August 27, 2018, from www.who.int/substance_abuse/terminology/psychoactive_substances/en/
- 305 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- 306 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- 307 Alpert, P. T. (2014). Alcohol abuse in older adults: An invisible population. *Home Health Care Management and Practice*, 26(4), 269–272.




- ³⁰⁸ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30, 629–654.
- ³⁰⁹ Choi, N. G., DiNitto, D. M., & Marti, C. N. (2014). Treatment use, perceived need, and barriers to seeking treatment for substance abuse and mental health problems among older adults compared to younger adults. *Drug and Alcohol Dependence*, 145, 113–120.
- ³¹⁰ Kuerbis, A., Sacco, P., Blazer, D., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30, 629–654.
- ³¹¹ Pace, C. A., & Uebelacker, L. A. (2018). Addressing unhealthy substance use in primary care. *Medical Clinics of North America*, 102(4), 567–586.
- ³¹² Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ³¹³ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ³¹⁴ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ³¹⁵ West, N. A., Severtson, S. G., Green, J. L., & Dart, R. C. (2015). Trends in abuse and misuse of prescription opioids among older adults. *Drug and Alcohol Dependence*, 149, 117–121.
- ³¹⁶ Choi, N. G., DiNitto, D. M., & Marti, C. N. (2015). Treatment use, perceived need, and barriers to seeking treatment for substance abuse and mental health problems among older adults compared to younger adults. *Drug and Alcohol Dependence*, 145, 113–120.
- ³¹⁷ Kuerbis, A., Hagman, B. T., & Sacco, P. (2013). Functioning of alcohol use disorders criteria among middle-aged and older adults: Implications for DSM-5. *Substance Use and Misuse*, 48(4), 309–322.
- ³¹⁸ Office of the Surgeon General. (2016). *Facing addiction in America: The Surgeon General's report on alcohol, drugs, and health*. Washington, DC: Department of Health and Human Services.
- ³¹⁹ 2019 American Geriatrics Society Beers Criteria® Update Expert Panel. (2019). Updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 67(4), 674–694.
- ³²⁰ Tansil, K. A., Esser, M. B., Sandhu, P., Reynolds, J. A., Elder, R. W., Williamson, R. S., ... Fielding, J. E. (2016). Alcohol electronic screening and brief intervention: A community guide systematic review. *American Journal of Prevention Medicine*, 51(5), 801–811.
- ³²¹ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ³²² Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- ³²³ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ³²⁴ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ³²⁵ U.S. Preventive Services Task Force. (2018). Final recommendation statement: Unhealthy alcohol use in adolescents and adults: Screening and behavioral counseling interventions. Retrieved from www.uspreventiveservicestaskforce.org/Page/Document/RecommendationStatementFinal/unhealthy-alcohol-use-in-adolescents-and-adults-screening-and-behavioral-counseling-interventions
- ³²⁶ U.S. Preventive Services Task Force. (2018). Screening and behavioral counseling interventions to reduce unhealthy alcohol use in adolescents and adults: Recommendation statement. *JAMA*, 320(18), 1899–1909.
- ³²⁷ U.S. Preventive Services Task Force. (2018). Final recommendation statement: Unhealthy alcohol use in adolescents and adults: Screening and behavioral counseling interventions. Retrieved from www.uspreventiveservicestaskforce.org/Page/Document/RecommendationStatementFinal/unhealthy-alcohol-use-in-adolescents-and-adults-screening-and-behavioral-counseling-interventions
- ³²⁸ Aalto, M., Alho, H., Halm, J., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry*, 26, 881–885.

- ³²⁹ Selin, K. H. (2003). Test-retest reliability of the Alcohol Use Disorder Identification Test in a general population sample. *Alcoholism, Clinical and Experimental Research*, 27(9), 1428–1435.
- ³³⁰ Purcell, B., & Olmstead, M. C. (2014). The performance and feasibility of three brief alcohol screening tools in a senior population. *Canadian Psychology*, 55(2a), 19.
- ³³¹ Purcell, B., Flower, M. C., & Busto, U. (2017). Senior Alcohol Misuse Indicator (SAMI) tool. Centre for Addiction and Mental Health. Retrieved June 19, 2019, from www.porticonetwork.ca/documents/21686/0/SAMI+fillable/f6668443-559f-4ad8-9e5f-6de47a38e70a
- ³³² Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ³³³ Adamson, S. J., Kay-Lambkin, F. J., Baker, A. L., Lewin, T. J., Thornton, L., ... Sellman, J. D. (2010). An improved brief measure of cannabis misuse: The Cannabis Use Disorders Identification Test—Revised (CUDIT-R). *Drug and Alcohol Dependence*, 110, 137–143.
- ³³⁴ Adamson, S. J., Kay-Lambkin, F. J., Baker, A. L., Lewin, T. J., Thornton, L., ... Sellman, J. D. (2010). An improved brief measure of cannabis misuse: The Cannabis Use Disorders Identification Test—Revised (CUDIT-R). *Drug and Alcohol Dependence*, 110, 137–143.
- ³³⁵ McNeely, J., Strauss, S. M., Rotrosen, J., Ramautar, A., & Gourevitch, M. N. (2016). Validation of an audio computer-assisted self-interview (ACASI) version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care clients. *Addiction*, 111(2), 233–244.
- ³³⁶ Gryczynski, J., Kelly, S. M., Mitchell, S. G., Kirk, A., O’Grady, K. E., & Schwartz, R. P. (2015). Validation and performance of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) among adolescent primary care patients. *Addiction*, 110(2), 240–247.
- ³³⁷ Ali, R., Meena, S., Eastwood, B., Richards, I., & Marsden, J. (2013). Ultra-rapid screening for substance use disorders: The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST-Lite). *Drug and Alcohol Dependence*, 132, 352–361.
- ³³⁸ Cacciola, J. S., Alterman, A. I., DePhillippis, D., Drapkin, M. L., Valadez, C., Jr., Fala, N. C., ... McKay, J. R. (2013). Development and initial evaluation of the Brief Addiction Monitor (BAM). *Journal of Substance Abuse Treatment*, 44(3), 256–263.
- ³³⁹ Cacciola, J. S., Alterman, A. I., DePhillippis, D., Drapkin, M. L., Valadez, C., Jr., Fala, N. C., ... McKay, J. R. (2013). Development and initial evaluation of the Brief Addiction Monitor (BAM). *Journal of Substance Abuse Treatment*, 44(3), 256–263.
- ³⁴⁰ Brown, R. L., & Rounds, L. A. (1995). Conjoint screening questionnaires for alcohol and other drug abuse: Criterion validity in a primary care practice. *Wisconsin Medical Journal*, 94(3), 135–140.
- ³⁴¹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ³⁴² Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ³⁴³ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ³⁴⁴ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing*, 36(2), 104–111.
- ³⁴⁵ Hendrie, H. C., Lindgren, D., Hay, D. P., Lane, K. A., Gao, S., Purnell, C., ... Callahan, C. M. (2013). Comorbidity profile and healthcare utilization in elderly patients with serious mental illnesses. *American Journal of Geriatric Psychiatry*, 21(12), 1267–1276.
- ³⁴⁶ Lane, S. D., Costa, S. C., Teixeira, A. L., Reynolds, C. F., & Diniz, B. S. (2018). The impact of substance use disorders on clinical outcomes in older-adult psychiatric inpatients. *International Journal of Geriatric Psychiatry*, 33(2), 323–329.
- ³⁴⁷ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing*, 36(2), 104–111.
- ³⁴⁸ Sacco, P., Unick, G. J., Zanjani, F., & Camlin, E. A. S. (2015). Hospital outcomes in major depression among older adults: Differences by alcohol comorbidity. *Journal of Dual Diagnosis*, 11(1), 83–92.
- ³⁴⁹ Cleary, M., Sayers, J., Bramble, M., Jackson, D., & Lopez, V. (2017). Overview of substance use and mental health among the “baby boomers” generation. *Issues in Mental Health Nursing*, 38(1), 61–65.
- ³⁵⁰ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2015). Associations of mental health and substance use disorders with presenting problems and outcomes in older adults’ emergency department visits. *Academic Emergency Medicine*, 22(11), 1316–1326.
- ³⁵¹ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2015). Associations of mental health and substance use disorders with presenting problems and outcomes in older adults’ emergency department visits. *Academic Emergency Medicine*, 22(11), 1316–1326.




- ³⁵² Bartels, S. J., Blow, F. C., Van Citters, A. D., & Brockmann, L. M. (2006). Dual diagnosis among older adults: Co-occurring substance abuse and psychiatric illness. *Journal of Dual Diagnosis, 2*(3), 9–30.
- ³⁵³ Moore, A. A., Beck, J. C., Barbor, T. F., Hays, R. D., & Reuben, D. B. (2002). Beyond alcoholism: Identifying older, at-risk drinkers in primary care. *Journal of Studies on Alcohol, 63*, 316–324.
- ³⁵⁴ Ettner, S. L., Xu, H., Duru, O. K., Ang, A., Tseng, C. H., Tallen L., ... Moore A. A. (2014). The effect of an educational intervention on alcohol consumption, at-risk drinking, and health care utilization in older adults: The Project SHARE study. *Journal of Studies on Alcohol and Drugs, 75*(3), 447–457.
- ³⁵⁵ Barnes, A. J., Moore, A. A., Xu, H., Ang, A., Tallen, L., Mirkin, M., & Ettner, S. L. (2010). Prevalence and correlates of at-risk drinking among older adults: The Project SHARE study. *Journal of General Internal Medicine, 25*(8), 840–846.
- ³⁵⁶ Barnes, A. J., Moore, A. A., Xu, H., Ang, A., Tallen, L., Mirkin, M., & Ettner, S. L. (2010). Prevalence and correlates of at-risk drinking among older adults: The Project SHARE study. *Journal of General Internal Medicine, 25*(8), 840–846.
- ³⁵⁷ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing, 36*(2), 104–111.
- ³⁵⁸ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ³⁵⁹ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing, 36*(2), 104–111.
- ³⁶⁰ Wu, L. T., & Blazer, D. G. (2014). Substance use disorders and psychiatric comorbidity in mid and later life: A review. *International Journal of Epidemiology, 43*(2), 304–317.
- ³⁶¹ Yesavage, J. A. (n.d.). Geriatric Depression Scale. Retrieved from <https://web.stanford.edu/~yesavage/GDS.html>
- ³⁶² Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing, 41*(11), 15–21.
- ³⁶³ Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing, 41*(11), 15–21.
- ³⁶⁴ Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing, 41*(11), 15–21.
- ³⁶⁵ Yesavage, J. A. (n.d.). Geriatric Depression Scale. Retrieved from <https://web.stanford.edu/~yesavage/GDS.html>
- ³⁶⁶ U.S. Preventive Services Task Force. (2019). *Final recommendation statement: Depression in adults: Screening*. Retrieved from www.uspreventiveservicestaskforce.org/Page/Document/RecommendationStatementFinal/depression-in-adults-screening1
- ³⁶⁷ Phelan, E., Williams, B., Meeker, K., Bonn, K., Frederick, J., Logerfo, J., & Snowden, M. (2010). A study of the diagnostic accuracy of the PHQ-9 in primary care elderly. *BMC Family Practice, 11*, 63.
- ³⁶⁸ Richardson, T. M., He, H., Podgorski, C., Tu, X., & Conwell, Y. (2010). Screening for depression in aging services clients. *American Journal of Geriatric Psychiatry, 18*(12), 1116–1123.
- ³⁶⁹ Richardson, T. M., He, H., Podgorski, C., Tu, X., & Conwell, Y. (2010). Screening for depression in aging services clients. *American Journal of Geriatric Psychiatry, 18*(12), 1116–1123.
- ³⁷⁰ Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine, 16*(9), 606–613.
- ³⁷¹ Kroene, K., & Spitzer, R. L. (2002). The PHQ-9: A new depression diagnostic and severity measure. *Psychiatric Annals, 32*, 509–521.
- ³⁷² Richardson, T. M., He, H., Podgorski, C., Tu, X., & Conwell, Y. (2010). Screening for depression in aging services clients. *American Journal of Geriatric Psychiatry, 18*(12), 1116–1123.
- ³⁷³ Bower, E. S., Wetherell, J. L., Mon, T., & Lenze, E. J. (2015). Treating anxiety disorders in older adults: Current treatments and future directions. *Harvard Review of Psychiatry, 23*(5), 329–342.
- ³⁷⁴ Reynolds, K., Pietrzak, R. H., El-Gabalawy, R., Mackenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry, 14*(1), 74–81.
- ³⁷⁵ Bower, E. S., Wetherell, J. L., Mon, T., & Lenze, E. J. (2015). Treating anxiety disorders in older adults: Current treatments and future directions. *Harvard Review of Psychiatry, 23*(5), 329–342.
- ³⁷⁶ Reynolds, K., Pietrzak, R. H., El-Gabalawy, R., Mackenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry, 14*(1), 74–81.
- ³⁷⁷ Koychev, I., & Ebmeier, K. P. (2016). Anxiety in older adults often goes undiagnosed. *Practitioner, 260*(1789), 17–20, 2–3.

- ³⁷⁸ Wolitzky-Taylor, K. B., Castriotta, N., Lenze, E. J., Stanley, M. A., & Craske, M. G. (2010). Anxiety disorders in older adults: A comprehensive review. *Depression and Anxiety, 27*(2), 190–211.
- ³⁷⁹ Koychev, I., & Ebmeier, K. P. (2016). Anxiety in older adults often goes undiagnosed. *Practitioner, 260*(1789), 17–20, 2–3.
- ³⁸⁰ Bower, E. S., Wetherell, J. L., Mon, T., & Lenze, E. J. (2015). Treating anxiety disorders in older adults: Current treatments and future directions. *Harvard Review of Psychiatry, 23*(5), 329–342.
- ³⁸¹ Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H.-U. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *International Journal of Methods in Psychiatric Research, 21*(3), 169–184.
- ³⁸² Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H.-U. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *International Journal of Methods in Psychiatric Research, 21*(3), 169–184.
- ³⁸³ Reynolds, K., Pietrzak, R. H., Mackenzie, C. S., Chou, K. L., Sareen, J. (2016). Post-traumatic stress disorder across the adult lifespan: Findings from a nationally representative survey. *American Journal of Geriatric Psychiatry, 24*(1), 81–93.
- ³⁸⁴ Bryant, C., Jackson, H., & Ames, D. (2008). The prevalence of anxiety in older adults: Methodological issues and a review of the literature. *Journal of Affective Disorders, 109*(3), 233–250.
- ³⁸⁵ Lin, J. C., Karno, M. P., Grella, C. E., Ray, L. A., Liao, D. H., & Moore, A. A. (2014). Psychiatric correlates of alcohol and tobacco use disorders in U.S. adults aged 65 years and older: Results from the 2001–2002 National Epidemiologic Survey of Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry, 22*(11), 1356–1363.
- ³⁸⁶ Lin, J. C., Karno, M. P., Grella, C. E., Ray, L. A., Liao, D. H., & Moore, A. A. (2014). Psychiatric correlates of alcohol and tobacco use disorders in U.S. adults aged 65 years and older: Results from the 2001–2002 National Epidemiologic Survey of Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry, 22*(11), 1356–1363.
- ³⁸⁷ Christie, M. M., Bamber, D., Powell, C., Arrindell, T., & Pant, A. (2013). Older adult problem drinkers: Who presents for alcohol treatment? *Aging and Mental Health, 17*(1), 24–32.
- ³⁸⁸ Mackenzie, C. S., Reynolds, K., Chou, K. L., Pagura, J., & Sareen, J. (2011). Prevalence and correlates of generalized anxiety disorder in a national sample of older adults. *American Journal of Geriatric Psychiatry, 19*(4), 305–315.
- ³⁸⁹ Blazer, D. G., & Wu, L. T. (2012). Patterns of tobacco use and tobacco-related psychiatric morbidity and substance use among middle-aged and older adults in the United States. *Aging and Mental Health, 16*(3), 296–304.
- ³⁹⁰ Therrien, Z., & Hunsley, J. (2012). Assessment of anxiety in older adults: A systematic review of commonly used measures. *Aging and Mental Health, 16*(1), 1–16.
- ³⁹¹ Gould, C. E., Segal, D. L., Yochim, B. P., Pachana, N. A., Byrne, G. J., & Beaudreau, S. A. (2014). Measuring anxiety in late life: A psychometric examination of the Geriatric Anxiety Inventory and Geriatric Anxiety Scale. *Journal of Anxiety Disorder, 28*(8), 804–811.
- ³⁹² Mueller, A. E., Segal, D. L., Gavett, B., Marty, M. A., Yochim, B., June, A., & Coolidge, F. L. (2015). Geriatric Anxiety Scale: Item response theory analysis, differential item functioning, and creation of a ten-item short form (GAS-10). *International Psychogeriatrics, 27*(7), 1099–1111.
- ³⁹³ Balsamo, M., Cataldi, F., Carlucci, L., & Fairfield, B. (2018). Assessment of anxiety in older adults: A review of self-report measures. *Clinical Interventions in Aging, 13*, 573–593.
- ³⁹⁴ Segal, D. L., June, A., Payne, M., Coolidge, F. L., & Yochim, B. (2010). Development and initial validation of a self-report assessment tool for anxiety among older adults: The Geriatric Anxiety Scale. *Journal of Anxiety Disorders, 24*, 709–714.
- ³⁹⁵ Meyer, T., Miller, M., Metzger, R., & Borkovec, T. D. (1990). Development and validation of the Penn State Worry Scale. *Behaviour Research and Therapy, 28*, 487–495.
- ³⁹⁶ Therrien, Z., & Hunsley, J. (2012). Assessment of anxiety in older adults: A systematic review of commonly used measures. *Aging and Mental Health, 16*(1), 1–16.
- ³⁹⁷ Flanagan, J. C., Korte, K. J., Killeen, T. K., & Back, S. E. (2016). Concurrent treatment of substance use and PTSD. *Current Psychiatry Reports, 18*(8), 70.
- ³⁹⁸ Forman-Hoffman, V. L., Bose, J., Batts, K. R., Glasheen, C., Hirsch, E., Karg, R. S., ... Hedden, S. L. (2016). Correlates of lifetime exposure to one or more potentially traumatic events and subsequent posttraumatic stress among adults in the United States: Results from the Mental Health Surveillance Study, 2008–2012. *CBHSQ Data Review*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ³⁹⁹ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2017). Association of adverse childhood experiences with lifetime mental and substance use disorders among men and women aged 50+ years. *International Psychogeriatrics, 29*(3), 359–372.




- ⁴⁰⁰ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2017). Association of adverse childhood experiences with lifetime mental and substance use disorders among men and women aged 50+ years. *International Psychogeriatrics*, *29*(3), 359–372.
- ⁴⁰¹ Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H.-U. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *International Journal of Methods in Psychiatric Research*, *21*(3), 169–184.
- ⁴⁰² Reynolds, K., Pietrzak, R. H., Mackenzie, C. S., Chou, K. L., & Sareen, J. (2016). Post-traumatic stress disorder across the adult lifespan: Findings from a nationally representative survey. *American Journal of Geriatric Psychiatry*, *24*(1), 81–93.
- ⁴⁰³ Cukor, J., Wyka, K., Jayasinghe, N., & Difede, J. (2010). The nature and course of subthreshold PTSD. *Journal of Anxiety Disorder*, *24*(8), 918–923.
- ⁴⁰⁴ Centers for Disease Control and Prevention. (2017). Elder abuse prevention. Retrieved April 9, 2019, from www.cdc.gov/features/elderabuse/index.html
- ⁴⁰⁵ Hall, J. E., Karch, D. L., & Crosby, A. E. (2016). *Elder abuse surveillance: Uniform definitions and recommended core data elements for use in elder abuse surveillance, version 1.0*. Atlanta, GA: National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. Retrieved from www.cdc.gov/violenceprevention/pdf/ea_book_revised_2016.pdf
- ⁴⁰⁶ Knight, L., & Hester, M. (2016). Domestic violence and mental health in older adults. *International Review of Psychiatry*, *28*(5), 464–474.
- ⁴⁰⁷ Dong, X. Q. (2015). Elder abuse: Systematic review and implications for practice. *Journal of the American Geriatrics Society*, *63*(6), 1214–1238.
- ⁴⁰⁸ Dong, X. Q. (2015). Elder abuse: Systematic review and implications for practice. *Journal of the American Geriatrics Society*, *63*(6), 1214–1238.
- ⁴⁰⁹ Acierno, R., Hernandez-Tejada, M. A., Anetzberger, G. J., Loew, D., & Muzzy, W. (2017). The National Elder Mistreatment Study: An 8-year longitudinal study of outcomes. *Journal of Elder Abuse and Neglect*, *29*, 254–269.
- ⁴¹⁰ Dong, X. Q. (2015). Elder abuse: Systematic review and implications for practice. *Journal of the American Geriatrics Society*, *63*(6), 1214–1238.
- ⁴¹¹ Pless Kaiser, A., Cook, J. M., Glick, D. M., & Moye, J. (2019). Posttraumatic stress disorder in older adults: A conceptual review. *Clinical Gerontologist*, *42*(4), 359–376.
- ⁴¹² Substance Abuse and Mental Health Services Administration. (2014). *Trauma-informed care in behavioral health services*. Treatment Improvement Protocol (TIP) Series 57. HHS Publication No. (SMA) 13-4801. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ⁴¹³ Tsai, J., Armour, C., Southwick, S. M., & Pietrzak, R. H. (2015). Dissociative subtype of DSM-5 posttraumatic stress disorder in U.S. veterans. *Journal of Psychiatric Research*, *66*, 67–74.
- ⁴¹⁴ Ho, C. L., Schlenger, W. E., Kulka, R. A., & Marmar, C. R. (2017). The influence of different criteria for establishing optimal cutoff scores on performance of two self-report measures for warzone PTSD. *Psychological Assessment*, *29*(2), 232–237.
- ⁴¹⁵ Shrira, A. (2016). A youthful age identity mitigates the effect of post-traumatic stress disorder symptoms on successful aging. *American Journal of Geriatric Psychiatry*, *24*(2), 174–175.
- ⁴¹⁶ Ho, C. L., Schlenger, W. E., Kulka, R. A., & Marmar, C. R. (2017). The influence of different criteria for establishing optimal cutoff scores on performance of two self-report measures for warzone PTSD. *Psychological Assessment*, *29*(2) 232–237.
- ⁴¹⁷ Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). PTSD Checklist for DSM-5 (PCL-5). Retrieved from www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp
- ⁴¹⁸ Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). The PTSD Checklist for DSM-5 (PCL-5). Scale available from the National Center for PTSD at www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp
- ⁴¹⁹ Prins, A., Bovin, M. J., Smolenski, D. J., Marx, B. P., Kimerling, R., Jenkins-Guarnieri, M. A., ... Tiet, Q. Q. (2016). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5): Development and evaluation within a veteran primary care sample. *Journal of General Internal Medicine*, *31*(10), 1206–1211.
- ⁴²⁰ Prins, A., Bovin, M. J., Smolenski, D. J., Marx, B. P., Kimerling, R., Jenkins-Guarnieri, M. A., ... Tiet, Q. Q. (2016). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5): Development and evaluation within a veteran primary care sample. *Journal of General Internal Medicine*, *31*(10), 1206–1211.
- ⁴²¹ Prins, A., Bovin, M. J., Smolenski, D. J., Marx, B. P., Kimerling, R., Jenkins-Guarnieri, M. A., ... Tiet, Q. Q. (2016). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5): Development and evaluation within a veteran primary care sample. *Journal of General Internal Medicine*, *31*(10), 1206–1211.
- ⁴²² Yaffe, M. J., & Tazkarji, B. (2012). Understanding elder abuse in family practice. *Canadian Family Physician*, *58*(12), 1336–1340.

- ⁴²³ Langa, K. M., Larson, E. B., Crimmins, E. M., Faul, J. D., Levine, D. A., Kabeto, M. U., & Weir, D. R. (2017). A comparison of the prevalence of dementia in the United States in 2000 and 2012. *JAMA Internal Medicine*, *177*(1), 51–58.
- ⁴²⁴ Langa, K. M., Larson, E. B., Crimmins, E. M., Faul, J. D., Levine, D. A., Kabeto, M. U., & Weir, D. R. (2017). A comparison of the prevalence of dementia in the United States in 2000 and 2012. *JAMA Internal Medicine*, *177*(1), 51–58.
- ⁴²⁵ Petersen, R. C. (2011). Clinical practice: Mild cognitive impairment. *New England Journal of Medicine*, *364*(23), 2227–2234.
- ⁴²⁶ Petersen, R. C. (2016). Mild cognitive impairment. *Continuum (Minneapolis, Minnesota)*, *22*(2 Dementia), 404–408.
- ⁴²⁷ Petersen, R. C., Caracciolo, B., Brayne, C., Gauthier, S., Jelic, V., & Fratiglioni, L. (2014). Mild cognitive impairment: A concept in evolution. *Journal of Internal Medicine*, *275*(3), 214–228.
- ⁴²⁸ González-Reimers, E., Santolaria-Fernández, F., Martín-González, M. C., Fernández-Rodríguez, C. M., & Quintero-Platt, G. (2014). Alcoholism: A systemic proinflammatory condition. *World Journal of Gastroenterology*, *20*(40), 14660–14671.
- ⁴²⁹ Bjork, J. M., & Gilman, J. M. (2014). The effects of acute alcohol administration on the human brain: Insights from neuroimaging. *Neuropharmacology*, *84*, 101–110.
- ⁴³⁰ Downer, B., Zanjani, F., & Fardo, D. W. (2014). The relationship between midlife and late life alcohol consumption, APOE e4 and the decline in learning and memory among older adults. *Alcohol and Alcoholism*, *49*(1), 17–22.
- ⁴³¹ Gongvatana, A., Morgan, E. E., Iudicello, J. E., Letendre, S. L., Grant, I., & Woods, S. P. (2014). A history of alcohol dependence augments HIV-associated neurocognitive deficits in persons aged 60 and older. *Journal of Neurovirology*, *20*(5), 505–513.
- ⁴³² Kuźma, E., Llewellyn, D. J., Langa, K. M., Wallace, R. B., & Lang, I. A. (2014). History of alcohol use disorders and risk of severe cognitive impairment: A 19-year prospective cohort study. *American Journal of Geriatric Psychiatry*, *22*(10), 1047–1054.
- ⁴³³ de la Monte, S. M., & Kril, J. J. (2014). Human alcohol-related neuropathology. *Acta Neuropathologica*, *127*(1), 71–90.
- ⁴³⁴ Topiwala, A., Allan, C. L., Valkanova, V., Zsoldos, E., Filippini, N., Sexton, C., ... Ebmeier, K. P. (2017). Moderate alcohol consumption as risk factor for adverse brain outcomes and cognitive decline: Longitudinal cohort study. *BMJ*, *357*, j2353.
- ⁴³⁵ Woods, A. J., Porges, E. C., Bryant, V. E., Seider, T., Gongvatana, A., Kahler, C. W., ... Cohen, R. A. (2016). Current heavy alcohol consumption is associated with greater cognitive impairment in older adults. *Alcoholism, Clinical and Experimental Research*, *40*(11), 2435–2444.
- ⁴³⁶ Zhong, G., Wang, Y., Zhang, Y., & Zhao, Y. (2015). Association between benzodiazepine use and dementia: A meta-analysis. *PLoS One*, *10*(5), e0127836.
- ⁴³⁷ Billioti de Gage, S., Pariente, A., & Bégaud, B. (2015). Is there really a link between benzodiazepine use and the risk of dementia? *Expert Opinion on Drug Safety*, *14*(5), 733–747.
- ⁴³⁸ Puustinen, J., Lähteenmäki, R., Polo-Kantola, P., Salo, P., Vahlberg, T., Lyles, A., ... & Kivelä, S. L. (2014). Effect of withdrawal from long-term use of temazepam, zopiclone or zolpidem as hypnotic agents on cognition in older adults. *European Journal of Clinical Pharmacology*, *70*(3), 319–329.
- ⁴³⁹ Curran, H. V., Freeman, T. P., Mokrysz, C., Lewis, D. A., Morgan, C. J., & Parsons, L. H. (2016). Keep off the grass? Cannabis, cognition and addiction. *National Reviews: Neuroscience*, *17*(5), 293–306.
- ⁴⁴⁰ Volkow, N. D., Swanson, J. M., Evins, A. E., DeLisi, L. E., Meier, M. H., Gonzalez, R., ... & Baler R. (2016). Effects of cannabis use on human behavior, including cognition, motivation, and psychosis: A review. *JAMA Psychiatry*, *73*(3), 292–297.
- ⁴⁴¹ Broyd, S. J., van Hell, H. H., Beale, C., Yücel, M., & Solowij, N. (2016). Acute and chronic effects of cannabinoids on human cognition: A systematic review. *Biological Psychiatry*, *79*(7), 557–567.
- ⁴⁴² Mahoney, J. J. (2019). Cognitive dysfunction in individuals with cocaine use disorder: Potential moderating factors and pharmacological treatments. *Experimental and Clinical Psychopharmacology*, *27*(3), 203–214.
- ⁴⁴³ Zhong, G., Wang, Y., Zhang, Y., Guo, J. J., & Zhao, Y. (2015). Smoking is associated with an increased risk of dementia: A meta-analysis of prospective cohort studies with investigation of potential effect modifiers. *PLoS One*, *10*(3), e0118333.
- ⁴⁴⁴ National Institute on Aging. (n.d.). Assessing cognitive impairment in older patients. Retrieved from www.nia.nih.gov/health/assessing-cognitive-impairment-older-patients#bunn
- ⁴⁴⁵ Alzheimer's Association. (n.d.). Cognitive assessment. Retrieved from www.alz.org/professionals/health-systems-clinicians/cognitive-assessment




- ⁴⁴⁶ Fage, B. A., Chan, C. C., Gill, S. S., Noel-Storr, A. H., Herrmann, N., Smailagic, N., ... Seitz, D. P. (2015). Mini-Cog for the diagnosis of Alzheimer's disease dementia and other dementias within a community setting. *Cochrane Database of Systematic Reviews*, 2015(2), 1–33. doi:10.1002/14651858.CD010860.pub2.
- ⁴⁴⁷ Yokomizo, J. E., Simon, S. S., & Bottino, C. M. (2014). Cognitive screening for dementia in primary care: A systematic review. *International Psychogeriatrics*, 26(11), 1783–1804.
- ⁴⁴⁸ Tsoi, K. K., Chan, J. Y., Hirai, H. W., Wong, S. Y., & Kwok, T. C. (2015). Cognitive tests to detect dementia: A systematic review and meta-analysis. *JAMA Internal Medicine*, 175(9), 1450–1458.
- ⁴⁴⁹ Montreal Cognitive Assessment. (n.d.). FAQ. Retrieved from www.mocatest.org/faq
- ⁴⁵⁰ PAR. (n.d.). MMSE. Retrieved from www.parinc.com/Products/Pkey/237
- ⁴⁵¹ Shapiro, B., Coffa, D., & McCance-Katz, E. F. (2013). A primary care approach to substance misuse. *American Family Physician*, 88(2), 113–121.
- ⁴⁵² Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York, NY: Guilford Press.
- ⁴⁵³ Substance Abuse and Mental Health Services Administration. (1999). *Brief interventions and brief therapies for substance abuse*. Treatment Improvement Protocol (TIP) Series. 34. HHS Publication No. (SMA) 12-3952. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ⁴⁵⁴ Boucek, L., Kane, I., Lindsay, D. L., Hagle, H., Salvio, K., & Mitchell, A. M. (2019). Screening, brief intervention, and referral to treatment (SBIRT) education of residential care nursing staff: Impact on staff and residents. *Geriatric Nursing*, 40(6), 553–557.
- ⁴⁵⁵ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse*, 7, 13–37.
- ⁴⁵⁶ National Institute on Drug Abuse. (2014). *Principles of drug abuse treatment for criminal justice populations: A research-based guide*. Retrieved from www.drugabuse.gov/publications/principles-drug-abuse-treatment-criminal-justice-populations/legally-mandated-treatment-effective
- ⁴⁵⁷ Schonfeld, L., King-Kallimanis, B. L., Duchene, D. M., Etheridge, R. L., Herrera, J. R., Barry, K. L., & Lynn, N. (2010). Screening and brief intervention for substance misuse among older adults: The Florida BRITE project. *American Journal of Public Health*, 100(1), 108–114.
- ⁴⁵⁸ Schonfeld, L., Hazlett, R. W., Hedgecock, D. K., Duchene, D. M., Burns, L. V., & Gum, A. M. (2015). Screening, brief intervention, and referral to treatment for older adults with substance misuse. *American Journal of Public Health*, 105(1), 205–211.
- ⁴⁵⁹ Schonfeld, L., King-Kallimanis, B. L., Duchene, D. M., Etheridge, R. L., Herrera, J. R., Barry, K. L., & Lynn, N. (2010). Screening and brief intervention for substance misuse among older adults: The Florida BRITE project. *American Journal of Public Health*, 100(1), 108–114.
- ⁴⁶⁰ Colrain, I. M., Nicholas, C. L., & Baker, F. C. (2014). Alcohol and the sleeping brain. *Handbook of Clinical Neurology*, 125, 415–431.
- ⁴⁶¹ Garcia, A. N., & Salloum, I. M. (2015). Polysomnographic sleep disturbances in nicotine, caffeine, alcohol, cocaine, opioid, and cannabis use: A focused review. *American Journal on Addictions*, 24(7), 590–598.
- ⁴⁶² Canham, S. L., Kaufmann, C. N., Mauro, P. M., Mojtabai, R., & Spira, A. P. (2015). Binge drinking and insomnia in middle-aged and older adults: The Health and Retirement Study. *International Journal of Geriatric Psychiatry*, 30(3), 284–291.
- ⁴⁶³ Cohrs, S., Rodenbeck, A., Riemann, D., Szagun, B., Jaehne, A., Brinkmeyer, J., ... Winterer, G. (2014). Impaired sleep quality and sleep duration in smokers—Results from the German Multicenter Study on Nicotine Dependence. *Addiction Biology*, 19(3), 486–496.
- ⁴⁶⁴ Garcia, A. N., & Salloum, I. M. (2015). Polysomnographic sleep disturbances in nicotine, caffeine, alcohol, cocaine, opioid, and cannabis use: A focused review. *American Journal on Addictions*, 24(7), 590–598.
- ⁴⁶⁵ Correa, D., Farney, R. J., Chung, F., Prasad, A., Lam, D., & Wong, J. (2015). Chronic opioid use and central sleep apnea: A review of the prevalence, mechanisms, and perioperative considerations. *Anesthesia and Analgesia*, 120(6), 1273–1285.
- ⁴⁶⁶ Substance Abuse and Mental Health Services Administration. (2014). Treating sleep problems of people in recovery from substance use disorders. *In Brief*, 8(2). Retrieved from <https://store.samhsa.gov/product/Treating-Sleep-Problems-of-People-in-Recovery-From-Substance-Use-Disorders/SMA14-4859>
- ⁴⁶⁷ Wu, L., & Sun, D. (2017). Sleep duration and falls: A systemic review and meta-analysis of observational studies. *Journal of Sleep Research*, 26(3), 293–301.
- ⁴⁶⁸ Stone, K. L., Blackwell, T. L., Ancoli-Israel, S., Cauley, J. A., Redline, S., Marshall, L. M., & Ensrud, K. E. (2014). Sleep disturbances and risk of falls in older community-dwelling men: The outcomes of Sleep Disorders in Older Men (MrOS Sleep) Study. *Journal of the American Geriatrics Society*, 62(2), 299–305.

- ⁴⁶⁹ da Silva, A. A., de Mello, R. G. B., Schaan, C. W., Fuchs, F. D., Redline, S., & Fuchs, S. C. (2016). Sleep duration and mortality in the elderly: A systematic review with meta-analysis. *BMJ Open*, *6*(2), e008119.
- ⁴⁷⁰ Saccomano, S. J. (2014). Sleep disorders in older adults. *Journal of Gerontological Nursing*, *40*(3), 38–45.
- ⁴⁷¹ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2017). Association between nonmedical marijuana and pain reliever uses among individuals aged 50+. *Psychoactive Drugs*, *49*(4), 267–278.
- ⁴⁷² Brennan, P. L., & Soohoo, S. (2013). Pain and use of alcohol in later life: Prospective evidence from the Health and Retirement Study. *Journal of Aging and Health*, *25*(4), 656–677.
- ⁴⁷³ Brennan, P. L., & Soohoo, S. (2013). Pain and use of alcohol in later life: Prospective evidence from the Health and Retirement Study. *Journal of Aging and Health*, *25*(4), 656–677.
- ⁴⁷⁴ Gilson, K. M., Bryant, C., & Judd, F. (2014). The hidden harms of using alcohol for pain relief in older adults. *International Psychogeriatrics*, *26*(11), 1929–1930.
- ⁴⁷⁵ Kang, Y., & Demiris, G. (2017). Self-report pain assessment tools for cognitively intact older adults: Integrative review. *International Journal of Older People Nursing*, *13*(2), e12170.
- ⁴⁷⁶ Schofield, P., & Abdulla, A. (2018). Pain assessment in the older population: What the literature says. *Age and Ageing*, *47*(3), 324–327.
- ⁴⁷⁷ Schofield, P., & Abdulla, A. (2018). Pain assessment in the older population: What the literature says. *Age and Ageing*, *47*(3), 324–327.
- ⁴⁷⁸ Horgas, A. L. (2017). Pain assessment in older adults. *Nursing Clinics of North America*, *52*(3), 375–385.
- ⁴⁷⁹ Horgas, A. L. (2017). Pain assessment in older adults. *Nursing Clinics of North America*, *52*(3), 375–385.
- ⁴⁸⁰ Booker, S. Q., & Herr, K. A. (2016). Assessment and measurement of pain in adults in later life. *Clinics in Geriatric Medicine*, *32*(4), 677–692.
- ⁴⁸¹ Booker, S. Q., & Herr, K. A. (2016). Assessment and measurement of pain in adults in later life. *Clinics in Geriatric Medicine*, *32*(4), 677–692.
- ⁴⁸² Booker, S. Q., & Herr, K. A. (2016). Assessment and measurement of pain in adults in later life. *Clinics in Geriatric Medicine*, *32*(4), 677–692.
- ⁴⁸³ Kang, Y., & Demiris, G. (2017). Self-report pain assessment tools for cognitively intact older adults: Integrative review. *International Journal of Older People Nursing*, *13*(2), e12170.
- ⁴⁸⁴ Kang, Y., & Demiris, G. (2017). Self-report pain assessment tools for cognitively intact older adults: Integrative review. *International Journal of Older People Nursing*, *13*(2), e12170.
- ⁴⁸⁵ Shega, J., W., Tiedt, A. D., Grant, K., & Dale, W. (2014). Pain measurement in the National Social Life, Health, and Aging Project: Presence, intensity, and location. *Journals of Gerontology, Series B: Psychological Sciences and Social Sciences*, *69*(8), S191–S197.
- ⁴⁸⁶ American Geriatrics Society Panel on the Pharmacological Management of Persistent Pain in Older Persons. (2009). Pharmacological management of persistent pain in older persons. *Journal of the American Geriatrics Society*, *57*, 1331–1346.
- ⁴⁸⁷ American Geriatrics Society Panel on the Pharmacological Management of Persistent Pain in Older Persons. (2009). Pharmacological management of persistent pain in older persons. *Journal of the American Geriatrics Society*, *57*, 1331–1346.
- ⁴⁸⁸ American Geriatrics Society Panel on the Pharmacological Management of Persistent Pain in Older Persons. (2009). Pharmacological management of persistent pain in older persons. *Journal of the American Geriatrics Society*, *57*, 1331–1346.
- ⁴⁸⁹ American Geriatrics Society Panel on the Pharmacological Management of Persistent Pain in Older Persons. (2009). Pharmacological Management of Persistent Pain in Older Persons. *Journal of the American Geriatrics Society*, *57*, 1331–1346.
- ⁴⁹⁰ Centers for Disease Control and Prevention, National Center for Health Statistics. (2020). *Multiple cause of death data 1999-2018 on CDC WONDER* [Data set]. Retrieved April 14, 2020, from <https://wonder.cdc.gov/mcd.html>
- ⁴⁹¹ Centers for Disease Control and Prevention, National Center for Health Statistics. (2020). *Multiple cause of death data 1999-2018 on CDC WONDER* [Data set]. Retrieved April 14, 2020, from <https://wonder.cdc.gov/mcd.html>
- ⁴⁹² McGuire, B. E., Nicholas, M. K., Asghari, A., Wood, B. M., & Main, C. J. (2014). The effectiveness of psychological treatments for chronic pain in older adults: Cautious optimism and an agenda for research. *Current Opinion in Psychiatry*, *27*(5), 380–384.
- ⁴⁹³ Reid, M. C., Ong, A. D., & Henderson, C. R. (2016). Why we need nonpharmacologic approaches to manage chronic low back pain in older adults. *JAMA Internal Medicine*, *176*(3), 338–339. doi: 10.1001/jamainternmed.2015.8348.
- ⁴⁹⁴ Davies, P. S. (2017). Opioids for pain management in older adults: Strategies for safe prescribing. *Nurse Practitioner*, *42*(2), 20–26.
- ⁴⁹⁵ Dowell, D., Haegerich, T. M., & Chou, R. (2016). CDC guideline for prescribing opioids for chronic pain: United States, 2016. *JAMA*, *315*(15), 1624–1645.
- ⁴⁹⁶ Dowell, D., Haegerich, T. M., & Chou, R. (2016). CDC guideline for prescribing opioids for chronic pain: United States, 2016. *JAMA*, *315*(15), 1624–1645.




- ⁴⁹⁷ Ali, A., Arif, A. W., Bhan, C., Kumar, D., Malik, M. B., Sayyed, Z., ... Ahmad, M. Q. (2018). Managing chronic pain in the elderly: An overview of the recent therapeutic advancements. *Cureus*, *10*(9), e3293.
- ⁴⁹⁸ Makris, U. E., Abrams, R. C., Gurland, B., & Reid, M. C. (2014). Management of persistent pain in the older patient: A clinical review. *JAMA*, *312*(8), 825–836.
- ⁴⁹⁹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵⁰⁰ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵⁰¹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵⁰² Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵⁰³ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵⁰⁴ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁵⁰⁵ Lai, H. M., Cleary, M., Sitharthan, T., & Hunt, G. E. (2015). Prevalence of comorbid substance use, anxiety and mood disorders in epidemiological surveys, 1990–2014: A systematic review and meta-analysis. *Drug and Alcohol Dependence*, *154*, 1–13.
- ⁵⁰⁶ Fink, D. S., Hu, R., Cerdá, M., Keyes, K. M., Marshall, B. D., Galea, S., & Martins, S. S. (2015). Patterns of major depression and nonmedical use of prescription opioids in the United States. *Drug and Alcohol Dependence*, *153*, 258–264.
- ⁵⁰⁷ Dworkin, E. R., Wanklyn, S., Stasiewicz, P. R., & Coffey, S. F. (2018). PTSD symptom presentation among people with alcohol and drug use disorders: Comparisons by substance of abuse. *Addictive Behaviors*, *76*, 188–194.
- ⁵⁰⁸ Pietrzak, R. H., Goldstein, R. B., Southwick, S. M., & Grant, B. F. (2011). Prevalence and Axis I comorbidity of full and partial posttraumatic stress disorder in the United States: Results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Anxiety Disorders*, *25*(3), 456–465.
- ⁵⁰⁹ Espinoza, R., & Kaufman, A. H. (2014). Diagnosis and treatment of late-life depression. *Psychiatric Times*, *31*(10), 1–8.
- ⁵¹⁰ Lagana, L. (2009). Pilot testing a new short screen for the assessment of older women's PTSD symptomatology. *Educational Gerontology*, *35*(8), 732–751.
- ⁵¹¹ Jeste, D. V., Peschin, S., Buckwalter, K., Blazer, D. G., McGuire, M., Moutier, C., ... Reynolds, C. F. (2018). Promoting wellness in older adults with mental illnesses and substance use disorders: Call to action to all stakeholders. *American Journal of Geriatric Psychiatry*, *26*(6), 617–630.
- ⁵¹² Soper, R. G. (2014, October 6). Intimate partner violence and co-occurring substance abuse/addiction. *ASAM Magazine*. Retrieved from www.asam.org/resources/publications/magazine/read/article/2014/10/06/intimate-partner-violence-and-co-occurring-substance-abuse-addiction
- ⁵¹³ Lachs, M., & Pillemer, K. (2015). Elder abuse. *New England Journal of Medicine*, *373*, 1947–1956.
- ⁵¹⁴ Stone, A. L., Becker, L. G., Huber, A. M., & Catalano, R. F. (2012). Review of risk and protective factors of substance use and problem use in emerging adulthood. *Addictive Behaviors*, *37*(7), 747–775.
- ⁵¹⁵ Urbanoski, K. A., & Kelly, J. F. (2012). Understanding genetic risk for substance use and addiction: A guide for non-geneticists. *Clinical Psychology Reviews*, *32*(1), 60–70.
- ⁵¹⁶ Urbanoski, K. A., & Kelly, J. F. (2012). Understanding genetic risk for substance use and addiction: A guide for non-geneticists. *Clinical Psychology Reviews*, *32*(1), 60–70.
- ⁵¹⁷ Hummel, A., Shelton, K. H., Heron, J., Moore, L., & van den Bree, M. B. (2013). A systematic review of the relationships between family functioning, pubertal timing and adolescent substance use. *Addiction*, *108*(3), 487–496.
- ⁵¹⁸ Katz, S., Ford, A. B., Moskowitz, R. W., Jackson, B. A., & Jaffe, M. W. (1963). Studies of illness in the aged: The Index of ADL; a standardized measure of biological and psychosocial function. *JAMA*, *185*(12), 914–919.

- ⁵¹⁹ Mahoney, F., & Barthel, D. (1965). Functional evaluation: The Barthel Index. *Maryland State Medical Journal*, *14*, 61–65.
- ⁵²⁰ NINDS Common Data Elements. (n.d.). Report Viewer [for Barthel Index]. Retrieved from www.commondataelements.ninds.nih.gov/report-viewer/23804/www.mapi-trust.org
- ⁵²¹ Pfeffer, R. I., Kurosaki, T. T., Harrah, C. H., Chance, J. M., & Filos, S. (1982). Measurement of functional activities in older adults in the community. *Journal of Gerontology*, *37*(3), 323–329.
- ⁵²² Marshall, G. A., Zoller, A. S., Lorus, N., Amariglio, R. E., Locascio, J. J., Johnson, K. A., ... Alzheimer's Disease Neuroimaging Initiative. (2015). Functional Activities Questionnaire items that best discriminate and predict progression from clinically normal to mild cognitive impairment. *Current Alzheimer Research*, *12*(5), 493.
- ⁵²³ Centers for Disease Control and Prevention. (2016, September 22). Falls are leading cause of injury and death in older Americans. Retrieved April 11, 2019, from www.cdc.gov/media/releases/2016/p0922-older-adult-falls.html
- ⁵²⁴ Centers for Disease Control and Prevention. (2016). Older adult falls data. Retrieved February 12, 2018, from www.cdc.gov/homeandrecreationalafety/falls/fallcost.html
- ⁵²⁵ Bergen, G., Stevens, M. R., & Burns, E. R. (2016). Falls and fall injuries among adults aged ≥65 years — United States, 2014. *MMWR: Morbidity and Mortality Weekly Report*, *65*(37), 993–998.
- ⁵²⁶ Burns, E. B., Stevens, J. A., & Lee, R. L. (2016). The direct costs of fatal and non-fatal falls among older adults: United States. *Journal of Safety Research*, *58*, 99–103.
- ⁵²⁷ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2015). Associations of mental health and substance use disorders with presenting problems and outcomes in older adults' emergency department visits. *Academic Emergency Medicine*, *22*(11), 1316–1326.
- ⁵²⁸ Ambrose, A. F., Paul, G., & Hausdorff, J. M. (2013). Risk factors for falls among older adults: A review of the literature. *Maturitas* *75*(1), 51–61.
- ⁵²⁹ Arora, A., O'Neill, A., Crome, P., & Martin, F. C. (2015). Clinical medicine and substance misuse: Research, assessments and treatment. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 35–55). Hoboken, NJ: Wiley-Blackwell.
- ⁵³⁰ Richardson, K., Bennett, K., & Kenny, R. A. (2015). Polypharmacy including falls risk-increasing medications and subsequent falls in community-dwelling middle-aged and older adults. *Age and Ageing*, *44*(1), 90–96.
- ⁵³¹ Stone, K. L., Blackwell, T. L., Ancoli-Israel, S., Cauley, J. A., Redline, S., Marshall, L. M., & Ensrud, K. E. (2014). Sleep disturbances and risk of falls in older community-dwelling men: The outcomes of Sleep Disorders in Older Men (MrOS Sleep) Study. *Journal of the American Geriatrics Society*, *62*(2), 299–305.
- ⁵³² Hayley, A. C., Williams, L. J., Kennedy, G. A., Holloway, K. L., Berk, M., Brennan-Olsen, S. L., & Pasco, J. A. (2015). Excessive daytime sleepiness and falls among older men and women: Cross-sectional examination of a population-based sample. *BMC Geriatrics*, *15*, 74.
- ⁵³³ Panel on Prevention of Falls in Older Persons, American Geriatrics Society and British Geriatrics Society. (2011). Summary of the updated American Geriatrics Society/ British Geriatrics Society clinical practice guideline for prevention of falls in older persons. *Journal of the American Geriatrics Society*, *59*(1), 148–157.
- ⁵³⁴ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁵³⁵ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁵³⁶ American Association of Community Psychiatrists. (2016). *LOCUS: Level of Care Utilization System for Psychiatric and Addiction Services Adult Version 20*. Retrieved from www.communitypsychiatry.org/resources/locus
- ⁵³⁷ National Guardianship Association. (2013). *Standards of practice* (4th ed.). Retrieved from www.guardianship.org/wp-content/uploads/2017/07/NGA-Standards-with-Summit-Revisions-2017.pdf
- ⁵³⁸ Wilkins, J. M. (2017). Dementia, decision making, and quality of life. *AMA Journal of Ethics*, *19*, 637–639.
- ⁵³⁹ Friedrichs, A., Spies, M., Härter, M., & Buchholz, A. (2016). Patient preferences and shared decision making in the treatment of substance use disorders: A systematic review of the literature. *PLoS One*, *11*(1), e0145817.
- ⁵⁴⁰ Friedrichs, A., Spies, M., Härter, M., & Buchholz, A. (2016). Patient preferences and shared decision making in the treatment of substance use disorders: A systematic review of the literature. *PLoS One*, *11*(1), e0145817.
- ⁵⁴¹ Elwyn, G., Dehlendorf, C., Epstein, R. M., Marrin, K., White, J., & Frosch, D. L. (2014). Shared decision making and motivational interviewing: Achieving patient-centered care across the spectrum of health care problems. *Annals of Family Medicine*, *12*(3), 270–275.



- ⁵⁴² Substance Abuse and Mental Health Services Administration. (2019). *Enhancing motivation for change in substance use disorder treatment*. Treatment Improvement Protocol (TIP) Series 35. HHS Publication No. PEP19-02-01-003. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ⁵⁴³ Purath, J., Keck, A., & Fitzgerald, C. (2014). Motivational interviewing for older adults in primary care: A systematic review. *Geriatric Nursing, 35*(3), 219–224.
- ⁵⁴⁴ Elwyn, G., Dehlendorf, C., Epstein, R. M., Marrin, K., White, J., & Frosch, D. L. (2014). Shared decision making and motivational interviewing: Achieving patient-centered care across the spectrum of health care problems. *Annals of Family Medicine, 12*(3), 270–275.
- ⁵⁴⁵ Sahker, E., Schultz, S. K., & Arndt, S. (2015). Treatment of substance use disorders in older adults: Implications for care delivery. *Journal of the American Geriatrics Society, 63*(11), 2317–2323.
- ⁵⁴⁶ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁵⁴⁷ Sahker, E., Schultz, S. K., & Arndt, S. (2015). Treatment of substance use disorders in older adults: Implications for care delivery. *Journal of the American Geriatrics Society, 63*(11), 2317–2323.
- ⁵⁴⁸ Carew, A. M., & Comiskey, C. (2018). Treatment for opioid use and outcomes in older adults: A systematic literature review. *Drug and Alcohol Dependence, 182*, 48–57.
- ⁵⁴⁹ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁵⁵⁰ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁵⁵¹ Moy, I., Crome, P., Crome, I., & Fisher, M. (2011). Systematic and narrative review of treatment for older people with substance problems. *European Geriatric Medicine, 358*, 212–236.
- ⁵⁵² Bhatia, U., Nadkarni, A., Murthy, P., Rao, R., & I. Crome. (2015). Recent advances in treatment for older people with substance use problems: An updated systematic and narrative review. *European Geriatric Medicine, 358*, 580–586.
- ⁵⁵³ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁵⁵⁴ Aalto, M., Alho, H., Halme, J. T., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry, 26*(9), 881–885.
- ⁵⁵⁵ Barbor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test: Guidelines for use in primary care* (2nd ed., p. 17). Geneva, Switzerland: World Health Organization.
- ⁵⁵⁶ Bush, K., Kivlahan, D. R., McDonnell, M. B., Fihn, S. D., & Bradley, K. A. (1998). The AUDIT alcohol consumption questions (AUDIT-C): An effective brief screening test for problem drinking. Ambulatory Care Quality Improvement Project (ACQUIP). *Archives of Internal Medicine, 158*, 1789–1795.
- ⁵⁵⁷ U.S. Department of Veterans Affairs. (n.d.). AUDIT-C Frequently Asked Questions. Retrieved from www.queri.research.va.gov/tools/alcohol-misuse/alcohol-faqs.cfm#top
- ⁵⁵⁸ Blow, F. C., et al. (1998). Brief screening for alcohol problems in elderly populations using the Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G). Hilton Head Island, SC: Research Society on Alcoholism Annual Scientific Meeting.
- ⁵⁵⁹ Purcell, B. (2003). *Senior Alcohol Misuse Indicator*. Toronto, Canada: Centre for Addiction and Mental Health, University of Toronto.
- ⁵⁶⁰ Adamson, S. J., Kay-Lambkin, F. J., Baker, A. L., Lewin, T. J., Thornton, L., Kelly, B. J., & Sellman, J. D. (2010). An improved brief measure of cannabis misuse: The Cannabis Use Disorders Identification Test–Revised (CUDIT-R). *Drug and Alcohol Dependence, 110*, 137–143.
- ⁵⁶¹ Meyer, T., Miller, M., Metzger, R., & Borkovec, T. D. (1990). Development and validation of the Penn State Worry Questionnaire. *Behaviour Research and Therapy, 28*, 487–495.
- ⁵⁶² Therrien, Z., & Hunsley, J. (2012). Assessment of anxiety in older adults: A systematic review of commonly used measures. *Aging and Mental Health, 16*(1), 1–16.
- ⁵⁶³ Prins, A., Bovin, M. J., Kimerling, R., Kaloupek, D. G., Marx, B. P., Pless Kaiser, A., & Schnurr, P. P. (2015). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5). Retrieved from www.ptsd.va.gov/professional/assessment/screens/pc-ptsd.asp
- ⁵⁶⁴ Prins, A., Bovin, M. J., Smolenski, D. J., Marx, B. P., Kimerling, R., Jenkins-Guarnieri, M. A., ... Tiet, Q. Q. (2016). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5): Development and evaluation within a veteran primary care sample. *Journal of General Internal Medicine, 31*(10), 1206–1211.

- 565 Ware, L. J., Herr, K. A., Booker, S. S., Dotson, K., Key, J., Poindexter, N., ... Packard, A. (2015). Psychometric evaluation of the revised Iowa Pain Thermometer (IPT-R) in a sample of diverse cognitively intact and impaired older adults: A pilot study. *Pain Management Nursing, 16*(4), 475–482.
- 566 Katz, S., Down, T. D., Cash, H. R., & Grotz, R. C. (1970). Progress in the development of the index of ADL. *Gerontologist, 10*, 20–30.
- 567 Grant, B. F., Chou, S. P., Saha, T. D., Pickering, R. P., Kerridge, B. T., Ruan, W. J., ... Hasin, D. S. (2017). Prevalence of 12-month alcohol use, high-risk drinking, and DSM-IV Alcohol Use Disorder in the United States, 2001–2002 to 2012–2013: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *JAMA Psychiatry, 74*(9), 911–923.
- 568 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- 569 U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- 570 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- 571 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- 572 Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- 573 Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- 574 Family Caregiver Alliance. (2019). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- 575 Drugs.com. (2018). What are drug interactions? Retrieved August 27, 2018, from www.drugs.com/drug_interactions.html
- 576 World Health Organization. (2018). Lexicon of alcohol and drug terms published by the World Health Organization, Management of Substance Abuse. Retrieved from www.who.int/substance_abuse/terminology/who_lexicon/en/
- 577 World Health Organization. (2018). Lexicon of alcohol and drug terms published by the World Health Organization, Management of Substance Abuse. Retrieved from www.who.int/substance_abuse/terminology/who_lexicon/en/
- 578 Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- 579 U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- 580 National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- 581 Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- 582 U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- 583 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- 584 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- 585 Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- 586 Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews, 38*(1), 115–120.
- 587 DiBartolo, M. C., & Jarosinski, J. M. (2017). Alcohol use disorder in older adults: Challenges in assessment and treatment. *Issues in Mental Health Nursing, 38*(1), 25–32.
- 588 Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews, 38*(1), 115–120.
- 589 Arndt, S., & Schultz, S. K. (2015). Epidemiology and demography of alcohol and the older person. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people*. (pp. 75–90). West Sussex, UK: Wiley-Blackwell.



- ⁵⁹⁰ Wilson, S. R., Knowles, S. B., Huang, Q., & Fink, A. (2014). The prevalence of harmful and hazardous alcohol consumption in older U.S. adults: Data from the 2005–2008 National Health and Nutrition Examination Survey (NHANES). *Journal of General Internal Medicine*, 29(2), 312–319.
- ⁵⁹¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁵⁹² Simou, E., Britton, J., & Leonardi-Bee, J. (2018). Alcohol and the risk of sleep apnoea: A systematic review and meta-analysis. *Sleep Medicine*, 42(2018), 38–46.
- ⁵⁹³ Grant, B. F., Chou, S. P., Saha, T. D., Pickering, R. P., Kerridge, B. T., Ruan, W. J., ... Hasin, D. S. (2017). Prevalence of 12-month alcohol use, high-risk drinking, and DSM-IV alcohol use disorder in the United States, 2001–2002 to 2012–2013: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *JAMA Psychiatry*, 74(9), 911–923. doi:10.1001/jamapsychiatry.2017.2161
- ⁵⁹⁴ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁵⁹⁵ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁵⁹⁶ Ramchandani, V. A., Slattum, P. W., Patkar, A. A., Wu, L.-T., Lee, J. C., Mohanty, M., ... Li, T.-K. (2014). Psychopharmacology and the consequences of alcohol and drug interactions. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 149–170). West Sussex, UK: Wiley-Blackwell.
- ⁵⁹⁷ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁵⁹⁸ Chernick, R., & Kuerbis, A. (2016). Social and familial contexts for drinking among older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 149–166). New York, NY: Springer.
- ⁵⁹⁹ Schonfeld, L. (2016). Adapting SBIRT for older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 215–232). New York, NY: Springer.
- ⁶⁰⁰ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁶⁰¹ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ⁶⁰² Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁶⁰³ Arndt, S., & Schultz, S. K. (2015). Epidemiology and demography of alcohol and the older person. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 75–90). West Sussex, UK: Wiley-Blackwell.
- ⁶⁰⁴ Han, B. H., Moore, A. A., Sherman, S., Keyes, K. M., & Palamar, J. J. (2017). Demographic trends of binge alcohol use and alcohol use disorders among older adults in the United States, 2005–2014. *Drug and Alcohol Dependence*, 170, 198–207.
- ⁶⁰⁵ Arndt, S., & Schultz, S. K. (2015). Epidemiology and demography of alcohol and the older person. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 75–90). West Sussex, UK: Wiley-Blackwell.
- ⁶⁰⁶ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁶⁰⁷ Chou, K. L., Liang, K., & Mackenzie, C. S. (2011). Binge drinking and Axis I psychiatric disorders in community-dwelling middle-aged and older adults: Results from the National Epidemiology Survey on Alcohol and Related Conditions (NESARC). *Journal of Clinical Psychiatry*, 72(5), 640–647.
- ⁶⁰⁸ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁶⁰⁹ Grant, B. F., Chou, S. P., Saha, T. D., Pickering, R. P., Kerridge, B. T., Ruan, W. J., ... Hasin, D. S. (2017). Prevalence of 12-month alcohol use, high-risk drinking, and DSM-IV alcohol use disorder in the United States, 2001–2002 to 2012–2013: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *JAMA Psychiatry*, 74(9), 911–923.
- ⁶¹⁰ U.S. Census Bureau. (2017). *2017 national population projections tables: Main series* (Table 2). Retrieved April 17, 2020, from www.census.gov/data/tables/2017/demo/popproj/2017-summary-tables.html

- ⁶¹¹ U.S. Census Bureau. (2019, October 8). *Older people projected to outnumber children for first time in U.S. history* [Revised press release]. Retrieved April 14, 2020, from www.census.gov/newsroom/press-releases/2018/cb18-41-population-projections.html
- ⁶¹² Arndt, S., & Schultz, S. K. (2015). Epidemiology and demography of alcohol and the older person. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 75–90). West Sussex, UK: Wiley-Blackwell.
- ⁶¹³ Caputo, F., Vignoli, T., Leggio, L., Addolorato, G., Zoli, G., & Bernardi, M. (2012). Alcohol use disorders in the elderly: A brief overview from epidemiology to treatment options. *Experimental Gerontology*, *47*(6), 411–416.
- ⁶¹⁴ Arndt, S., & Schultz, S. K. (2015). Epidemiology and demography of alcohol and the older person. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people*. (pp. 75–90). West Sussex, UK: Wiley-Blackwell.
- ⁶¹⁵ Bryant, C., Jackson, H., & Ames, D. (2008). The prevalence of anxiety in older adults: Methodological issues and a review of the literature. *Journal of Affective Disorders*, *109*(3), 233–250.
- ⁶¹⁶ Wolitzky-Taylor, K. B., Castriotta, N., Lenze, E. J., Stanley, M. A., & Craske, M. G. (2010). Anxiety disorders in older adults: A comprehensive review. *Depression and Anxiety*, *27*(2), 190–211.
- ⁶¹⁷ Bryant, C., Jackson, H., & Ames, D. (2008). The prevalence of anxiety in older adults: Methodological issues and a review of the literature. *Journal of Affective Disorders*, *109*(3), 233–250.
- ⁶¹⁸ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁶¹⁹ Meeks, T. W., Vahia, I. V., Lavretsky, H., Kulkarni, G., & Jeste, D. V. (2011). A tune in “A minor” can “B major”: A review of epidemiology, illness course, and public health implications of subthreshold depression in older adults. *Journal of Affective Disorders*, *129*(1–3), 126–142.
- ⁶²⁰ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶²¹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶²² Wilson, D., Jackson, S., Crome, I. B., Rao, R. T., & Crome, P. (2015). Comprehensive geriatric assessment and the special needs of older people. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 171–191). West Sussex, UK: Wiley-Blackwell.
- ⁶²³ Osterweil, N. (2012, November 12). Older adults with schizophrenia can achieve remission. *Clinical Psychiatry News*. Retrieved from www.mdedge.com/clinicalpsychiatrynews/article/56692/schizophrenia-other-psychotic-disorders/older-adults
- ⁶²⁴ Lane, S. D., da Costa, S. C., Teixeira, A. L., Reynolds, C. F., & Diniz, B. S. (2018). The impact of substance use disorders on clinical outcomes in older-adult psychiatric inpatients. *International Journal of Geriatric Psychiatry*, *33*(2), e323–e329.
- ⁶²⁵ Patel, K. V., Guralnik, J. M., Dansie, E. J., & Turk, D. C. (2013). Prevalence and impact of pain among older adults in the United States: Findings from the 2011 National Health and Aging Trends Study. *Pain*, *154*(12), 2649–2657.
- ⁶²⁶ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶²⁷ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, *38*(1), 115–120.
- ⁶²⁸ DiBartolo, M. C., & Jarosinski, J. M. (2017). Alcohol use disorder in older adults: Challenges in assessment and treatment. *Issues in Mental Health Nursing*, *38*(1), 25–32.
- ⁶²⁹ Klein, W. C., & Jess, C. (2002). One last pleasure? Alcohol use among elderly people in nursing homes. *Health and Social Work*, *27*(3), 193–203.
- ⁶³⁰ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, *38*(1), 115–120.
- ⁶³¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ⁶³² Massachusetts Department of Public Health, Bureau of Substance Abuse Services. (2015). Alcohol and medication issues for older adults. Retrieved from <http://files.hria.org/files/SA1003.pdf>
- ⁶³³ Blow, F. C., et al. (1998). Brief screening for alcohol problems in elderly populations using the Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G). Hilton Head Island, SC: Research Society on Alcoholism Annual Scientific Meeting.




- ⁶³⁴ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁶³⁵ Barbor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test: Guidelines for use in primary care* (2nd ed.). Geneva, Switzerland: World Health Organization. Retrieved from http://apps.who.int/iris/bitstream/10665/67205/1/WHO_MSD_MSB_01.6a.pdf
- ⁶³⁶ Aalto, M., Alho, H., Halme, J. T., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry*, 26(9), 881–885. doi:10.1002/gps.2498
- ⁶³⁷ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁶³⁸ Blow, F. C., & Barry, K. L. (2012). Alcohol and substance misuse in older adults. *Current Psychiatry Reports*, 14(4), 310–319.
- ⁶³⁹ Arndt, S., & Schultz, S. K. (2015). Epidemiology and demography of alcohol and the older person. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 75–90). West Sussex, UK: Wiley-Blackwell.
- ⁶⁴⁰ Substance Abuse and Mental Health Services Administration. (2017). *A guide to preventing older adult alcohol and psychoactive medication misuse/abuse: Screening and brief interventions*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.ncoa.org/wp-content/uploads/SBIRT-Older-Adult-Manual-Final.pdf
- ⁶⁴¹ Substance Abuse and Mental Health Services Administration. (2017). *A guide to preventing older adult alcohol and psychoactive medication misuse/abuse: Screening and brief interventions*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.ncoa.org/wp-content/uploads/SBIRT-Older-Adult-Manual-Final.pdf
- ⁶⁴² Sacco, P. (2016). Understanding alcohol consumption patterns among older adults: Continuity and change. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 19–34). New York, NY: Springer.
- ⁶⁴³ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁶⁴⁴ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ⁶⁴⁵ Barry, K. L., Blow, F. C., & Oslin, D. W. (2002). Substance abuse in older adults: Review and recommendations for education and practice in medical settings. *Substance Abuse*, 23(3 Suppl.), 105–131.
- ⁶⁴⁶ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁶⁴⁷ Satre, D. D. (2015). Alcohol and drug use problems among older adults. *Clinical Psychology: Science and Practice*, 22(3), 238–254.
- ⁶⁴⁸ Alpert, P. T. (2014). Alcohol abuse in older adults: An invisible population. *Home Health Care Management and Practice*, 26(4), 269–272.
- ⁶⁴⁹ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁶⁵⁰ Fink, A., Morton, S. C., Beck, J. C., Hays, R. D., Spritzer, K., Oishi, S. M., & Moore, A. A. (2002). The Alcohol-Related Problems Survey: Identifying hazardous and harmful drinking in older primary care patients. *Journal of American Geriatrics Society*, 50, 1717–1722.
- ⁶⁵¹ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ⁶⁵² Barnes, A. J., Moore, A. A., Xu, H., Ang, A., Tallen, L., Mirkin, M., & Ettner, S. L. (2010). Prevalence and correlates of at-risk drinking among older adults: The Project SHARE study. *Journal of General Internal Medicine*, 25(8), 840–846.
- ⁶⁵³ Cummings, S. M., Bride, B., Cassie, K. M., & Rawlins-Shaw, A. (2009). Substance abuse. In S. M. Cummings & N. P. Kropf (Eds.), *Handbook of psychosocial interventions with older adults: Evidence-based approaches* (pp. 215–241). New York, NY: Haworth Press.
- ⁶⁵⁴ Emiliussen, J., Søggaard Nielsen, A., & Andersen, K. (2017). Identifying risk factors for late-onset (50+) alcohol use disorder and heavy drinking: A systematic review. *Substance Use and Misuse*, 52(12), 1575–1588.
- ⁶⁵⁵ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁶⁵⁶ Slattum, P. W., & Hassan, O. E. (2016). Medications, alcohol, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 117–129). New York, NY: Springer.

- ⁶⁵⁷ Barnes, A. J., Moore, A. A., Xu, H., Ang, A., Tallen, L., Mirkin, M., & Ettner, S. L. (2010). Prevalence and correlates of at-risk drinking among older adults: The Project SHARE study. *Journal of General Internal Medicine, 25*(8), 840–846.
- ⁶⁵⁸ Gilson, K. M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ⁶⁵⁹ Breslow, R., Dong, C., & White, A. (2015). Prevalence of alcohol-interactive prescription medication use among current drinkers: United States, 1999 to 2010. *Alcoholism, 39*, 371–379.
- ⁶⁶⁰ Slattum, P. W., & Hassan, O. E. (2016). Medications, alcohol, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 117–129). New York, NY: Springer.
- ⁶⁶¹ DiBartolo, M. C., & Jarosinski, J. M. (2017). Alcohol use disorder in older adults: Challenges in assessment and treatment. *Issues in Mental Health Nursing, 38*(1), 25–32.
- ⁶⁶² Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ⁶⁶³ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁶⁴ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ⁶⁶⁵ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁶⁶ Moore, A. A., Blow, F. C., Hoffing, M., Welgreen, S., Davis, J. W., Lin, J. C., ... Barry, K. L. (2011). Primary care-based intervention to reduce at-risk drinking in older adults: A randomized controlled trial. *Addiction, 106*(1), 111–120.
- ⁶⁶⁷ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ⁶⁶⁸ Blow, F. C., & Barry, K. L. (2000). Older patients with at-risk and problem drinking patterns: New developments in brief interventions. *Journal of Geriatric Psychiatry and Neurology, 13*(3), 115–123.
- ⁶⁶⁹ Moore, A. A., Blow, F. C., Hoffing, M., Welgreen, S., Davis, J. W., Lin, J. C., ... Barry, K. L. (2011). Primary care-based intervention to reduce at-risk drinking in older adults: A randomized controlled trial. *Addiction, 106*(1), 111–120.
- ⁶⁷⁰ Moore, A. A., Blow, F. C., Hoffing, M., Welgreen, S., Davis, J. W., Lin, J. C., ... Barry, K. L. (2011). Primary care-based intervention to reduce at-risk drinking in older adults: A randomized controlled trial. *Addiction, 106*(1), 111–120.
- ⁶⁷¹ Miller, W. R., Forcehimes, A., & Zweben, A. (2011). *Treating addiction: A guide for professionals*. New York, NY: Guilford Press.
- ⁶⁷² Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁷³ Satre, D. D., & Leibowitz, A. (2015). Brief alcohol and drug interventions and motivational interviewing for older adults. In P. A. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma, and substance abuse* (pp. 163–180). Washington, DC: American Psychological Association.
- ⁶⁷⁴ Serdarevic, M. (2016). Literature review: Motivational interviewing with the older adult. *Journal of Psychology and Clinical Psychiatry, 6*(7), 00409. doi:10.15406/jpcpy.2016.06.00409
- ⁶⁷⁵ Satre, D. D., & Leibowitz, A. (2015). Brief alcohol and drug interventions and motivational interviewing for older adults. In P. A. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma, and substance abuse* (pp. 163–180). Washington, DC: American Psychological Association.
- ⁶⁷⁶ Cummings, S. M., Cooper, R. L., & Cassie, K. M. (2009). Motivational interviewing to affect behavioral change in older adults. *Research on Social Work Practice, 19*(2), 195–204.
- ⁶⁷⁷ Lundahl, B., Moleni, T., Burke, B., Butters, R., Tollefson, D., Butler, C., & Rollnick, S. (2013). Motivational interviewing in medical care settings: A systematic review and meta-analysis of randomized controlled trials. *Patient Education and Counseling, 93*(2), 157–168.
- ⁶⁷⁸ Kuerbis, A., Treloar Padovano, H., Shao, S., Houser, J., Muench, F., & Morgenstern, J. (2018). Comparing daily drivers of problem drinking among older and younger adults: An electronic daily diary study using smartphones. *Drug and Alcohol Dependence, 183*, 240–246.




- ⁶⁷⁹ Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York, NY: Guilford Press.
- ⁶⁸⁰ Miller, W. R., Forcehimes, A., & Zweben, A. (2011). *Treating addiction: A guide for professionals*. New York, NY: Guilford Press.
- ⁶⁸¹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁸² Miller, W. R., Forcehimes, A., & Zweben, A. (2011). *Treating addiction: A guide for professionals*. New York, NY: Guilford Press.
- ⁶⁸³ Blow, F. C., & Barry, K. L. (2000). Older patients with at-risk and problem drinking patterns: New developments in brief interventions. *Journal of Geriatric Psychiatry and Neurology*, 13(3), 115–123.
- ⁶⁸⁴ National Institute on Alcohol Abuse and Alcoholism. (n.d.). What's a "standard" drink? Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/How-much-is-too-much/What-counts-as-a-drink/Whats-A-Standard-Drink.aspx
- ⁶⁸⁵ Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York, NY: Guilford Press.
- ⁶⁸⁶ Magill, M., Stout, R. L., & Apodaca, T. R. (2013). Therapist focus on ambivalence and commitment: A longitudinal analysis of motivational interviewing treatment ingredients. *Psychology of Addictive Behaviors*, 27(3), 754–762.
- ⁶⁸⁷ Magill, M., Kiluk, B. D., McCrady, B. S., Tonigan, J. S., & Longabaugh, R. (2015). Active ingredients of treatment and client mechanisms of change in behavioral treatments for alcohol use disorders: Progress 10 years later. *Alcoholism, Clinical and Experimental Research*, 39(10), 1852–1862.
- ⁶⁸⁸ Magill, M., Gaume, J., Apodaca, T. R., Walthers, J., Mastroleo, N. R., Borsari, B., & Longabaugh, R. (2014). The technical hypothesis of motivational interviewing: A meta-analysis of MI's key causal model. *Journal of Consulting and Clinical Psychology*, 82(6), 973–983.
- ⁶⁸⁹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹⁰ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹¹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹² Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹³ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹⁴ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ⁶⁹⁵ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS Publication No. (SMA) 03-3824. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ⁶⁹⁶ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹⁷ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁶⁹⁸ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse*, 7, 13–37.
- ⁶⁹⁹ Satre, D. D., Knight, B. G., & David, S. (2006). Cognitive-behavioral interventions with older adults: Integrating clinical and gerontological research. *Professional Psychology: Research and Practice*, 37(5), 489–498.
- ⁷⁰⁰ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.

- ⁷⁰¹ Satre, D. D., Knight, B. G., & David, S. (2006). Cognitive-behavioral interventions with older adults: Integrating clinical and gerontological research. *Professional Psychology: Research and Practice, 37*(5), 489–498.
- ⁷⁰² Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ⁷⁰³ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷⁰⁴ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁷⁰⁵ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁷⁰⁶ Satre, D. D. (2015). Alcohol and drug use problems among older adults. *Clinical Psychology: Science and Practice, 22*(3), 238–254.
- ⁷⁰⁷ Satre, D. D., Knight, B. G., & David, S. (2006). Cognitive-behavioral interventions with older adults: Integrating clinical and gerontological research. *Professional Psychology: Research and Practice, 37*(5), 489–498.
- ⁷⁰⁸ Substance Abuse and Mental Health Services Administration. (2005). *Substance abuse relapse prevention for older adults: A group treatment approach*. HHS Publication No. (SMA) 05-4053. Rockville, MD: Substance Abuse and Mental Health Services Administration. <https://preventionlane.org/wp-content/uploads/2018/01/SMA05-4053.pdf>
- ⁷⁰⁹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷¹⁰ Center for Substance Abuse Treatment. (2005). *Substance abuse relapse prevention for older adults: A group treatment approach* (p. 23). HHS Publication No. (SMA) 05-4053. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://preventionlane.org/wp-content/uploads/2018/01/SMA05-4053.pdf>
- ⁷¹¹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷¹² Kiosses, D. N., & Alexopoulos, G. S. (2014). Problem-solving therapy in the elderly. *Current Treatment Options in Psychiatry, 1*(1), 15–26.
- ⁷¹³ Kiosses, D. N., & Alexopoulos, G. S. (2014). Problem-solving therapy in the elderly. *Current Treatment Options in Psychiatry, 1*(1), 15–26.
- ⁷¹⁴ Kiosses, D. N., & Alexopoulos, G. S. (2014). Problem-solving therapy in the elderly. *Current Treatment Options in Psychiatry, 1*(1), 15–26.
- ⁷¹⁵ Kiosses, D. N., & Alexopoulos, G. S. (2014). Problem-solving therapy in the elderly. *Current Treatment Options in Psychiatry, 1*(1), 15–26.
- ⁷¹⁶ Donovan, D. M., Ingalsbe, M. H., Benbow, J., & Daley, D. C. (2013). 12-Step interventions and mutual support programs for substance use disorders: An overview. *Social Work in Public Health, 28*(3–4), 313–332.
- ⁷¹⁷ Donovan, D. M., Ingalsbe, M. H., Benbow, J., & Daley, D. C. (2013). 12-Step interventions and mutual support programs for substance use disorders: An overview. *Social Work in Public Health, 28*(3–4), 313–332.
- ⁷¹⁸ Kelly, J. F., Stout, R. L., Magill, M., & Tonigan, J. S. (2011). The role of Alcoholics Anonymous in mobilizing adaptive social network changes: A prospective lagged mediational analysis. *Drug and Alcohol Dependence, 114*(2–3), 119–126.
- ⁷¹⁹ Kelly, J. F., Stout, R. L., Magill, M., Tonigan, J. S., & Pagano, M. E. (2011). Spirituality in recovery: A lagged mediational analysis of Alcoholics Anonymous' principal theoretical mechanism of behavior change. *Alcoholism, Clinical and Experimental Research, 35*(3), 454–463.
- ⁷²⁰ Montes, K. S., & Tonigan, J. S. (2017). Does age moderate the effect of spirituality/religiousness in accounting for Alcoholics Anonymous benefit? *Alcoholism Treatment Quarterly, 35*(2), 96–112.
- ⁷²¹ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷²² Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁷²³ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ⁷²⁴ Klotz, U. (2009). Pharmacokinetics and drug metabolism in the elderly. *Drug Metabolism Reviews, 41*(2), 67–76.




- ⁷²⁵ Lal, R., & Pattanayak, R. D. (2017). Alcohol use among the elderly: Issues and considerations. *Journal of Geriatric Mental Health*, 4(1), 4–10.
- ⁷²⁶ Ramchandani, V. A., Slattum, P. W., Patkar, A. A., Li-Tzy, W., Lee, J. C., Mohanty, M., ... Ting-Kai, L. (2015). Psychopharmacology and the consequences of alcohol and drug interactions. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 149–170). West Sussex, UK: Wiley-Blackwell.
- ⁷²⁷ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁷²⁸ Witkiewitz, K., Saville, K., & Hamreus, K. (2012). Acamprosate for treatment of alcohol dependence: Mechanisms, efficacy, and clinical utility. *Therapeutics and Clinical Risk Management*, 8, 45–53.
- ⁷²⁹ Hassell, C., Wilkins, K., & Trevisan, L. A. (2017). Pharmacology of geriatric substance use disorders: Considerations and future directions. *Current Treatment Options in Psychiatry*, 4(1), 102–115.
- ⁷³⁰ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ⁷³¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁷³² Sinclair, J., Chambers, S., Shiles, C., & Baldwin, D. S. (2016). Safety and tolerability of pharmacological treatment of alcohol dependence: Comprehensive review of evidence. *Drug Safety*, 39, 627–645.
- ⁷³³ Hassell C., Wilkins, K., & Trevisan, L. A. (2017). Pharmacology of geriatric substance use disorders: Considerations and future directions. *Current Treatment Options in Psychiatry*, 4(1), 102–115.
- ⁷³⁴ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁷³⁵ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ⁷³⁶ Substance Abuse and Mental Health Services Administration. (2015). *Clinical use of extended-release injectable naltrexone in the treatment of opioid use disorder: A brief guide*. HHS Publication No. (SMA) 14-4892. Retrieved from <https://store.samhsa.gov/product/Clinical-Use-of-Extended-Release-Injectable-Naltrexone-in-the-Treatment-of-Opioid-Use-Disorder-A-Brief-Guide/SMA14-4892R>
- ⁷³⁷ Substance Abuse and Mental Health Services Administration. (2015). *Clinical use of extended-release injectable naltrexone in the treatment of opioid use disorder: A brief guide*. HHS Publication No. (SMA) 14-4892. Retrieved from <https://store.samhsa.gov/product/Clinical-Use-of-Extended-Release-Injectable-Naltrexone-in-the-Treatment-of-Opioid-Use-Disorder-A-Brief-Guide/SMA14-4892R>
- ⁷³⁸ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ⁷³⁹ Hassell, C., Wilkins, K., & Trevisan, L. A. (2017). Pharmacology of geriatric substance use disorders: Considerations and future directions. *Current Treatment Options in Psychiatry*, 4(1), 102–115.
- ⁷⁴⁰ Le Roux, C., Tang, Y., & Drexler, K. (2016). Alcohol and opioid use disorder in older adults: Neglected and treatable illnesses. *Current Psychiatry Reports*, 18, 87.
- ⁷⁴¹ Lal, R., & Pattanayak, R. D. (2017). Alcohol use among the elderly: Issues and considerations. *Journal of Geriatric Mental Health*, 4(1), 4–10.
- ⁷⁴² Lal, R., & Pattanayak, R. D. (2017). Alcohol use among the elderly: Issues and considerations. *Journal of Geriatric Mental Health*, 4(1), 4–10.
- ⁷⁴³ Friedmann, P. D. (2013). Alcohol use in adults. *New England Journal of Medicine*, 368(17), 1655–1656.
- ⁷⁴⁴ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ⁷⁴⁵ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ⁷⁴⁶ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ⁷⁴⁷ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.

- ⁷⁴⁸ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ⁷⁴⁹ Taheri, A., Dahri, K., Chan, P., Shaw, M., Aulakh, A., & Tashakkor, A. (2014). Evaluation of a symptom-triggered protocol approach to the management of alcohol withdrawal syndrome in older adults. *Journal of the American Geriatrics Society, 62*(8), 1551–1555.
- ⁷⁵⁰ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings, 90*(5), 659–666.
- ⁷⁵¹ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings, 90*(5), 659–666.
- ⁷⁵² Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷⁵³ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷⁵⁴ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁷⁵⁵ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁷⁵⁶ Substance Abuse and Mental Health Services Administration. (2012). *SAMHSA's working definition of recovery* (p. 3). Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/SAMHSA-s-Working-Definition-of-Recovery/PEP12-RECDEF>
- ⁷⁵⁷ Kelly, J. F., & White, W. L. (2011). Addiction recovery management: Theory, research and practice. In W. L. White & J. F. Kelly (Eds.), *Addiction recovery management: Theory, research and practice* (pp. xi, 326). Totowa, NJ: Humana Press.
- ⁷⁵⁸ McKay, J. R. (2011). Continuing care and recovery. In J. F. Kelly & W. L. White (Eds.), *Addiction recovery management: Theory, research and practice* (pp. 163–183). Totowa, NJ: Humana Press.
- ⁷⁵⁹ Atkinson, R. M., & Misra, S. (2002). Further strategies in the treatment of aging alcoholics. In A. M. Gurnack, R. Atkinson, & N. J. Osgood (Eds.), *Treating alcohol and drug abuse in the elderly* (pp. 131–154). New York, NY: Springer.
- ⁷⁶⁰ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁷⁶¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁷⁶² McCrady, B. S. (2006). Family and other close relationships. In W. R. Miller & K. M. Carroll (Eds.), *Rethinking substance abuse: What the science shows, and what we should do about it* (pp. 166–181). New York, NY: Guilford Press.
- ⁷⁶³ McCrady, B. S. (2006). Family and other close relationships. In W. R. Miller & K. M. Carroll (Eds.), *Rethinking substance abuse: What the science shows, and what we should do about it* (pp. 166–181). New York, NY: Guilford Press.
- ⁷⁶⁴ National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America* (p. 366). Washington, DC: National Academies Press.
- ⁷⁶⁵ National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America* (p. 366). Washington, DC: National Academies Press.
- ⁷⁶⁶ National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America* (p. 366). Washington, DC: National Academies Press.
- ⁷⁶⁷ National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America* (p. 366). Washington, DC: National Academies Press.
- ⁷⁶⁸ Satre, D. D., Chi, F. W., Mertens, J. R., & Weisner, C. M. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs, 73*(3), 459–468.
- ⁷⁶⁹ Satre, D. D., Chi, F. W., Mertens, J. R., & Weisner, C. M. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs, 73*(3), 459–468.
- ⁷⁷⁰ Satre, D. D., Chi, F. W., Mertens, J. R., & Weisner, C. M. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs, 73*(3), 459–468.



- ⁷⁷¹ Donovan, D. M., Ingallsbe, M. H., Benbow, J., & Daley, D. C. (2013). 12-Step interventions and mutual support programs for substance use disorders: An overview. *Social Work in Public Health, 28*(3–4), 313–332.
- ⁷⁷² Timko, C. (2008). Outcomes of AA for special populations. In M. Galanter & L. A. Kaskutas (Eds.), *Research on Alcoholics Anonymous and spirituality in addiction recovery* (pp. 373–392). New York, NY: Springer.
- ⁷⁷³ Kelly, J. F., Stout, R. L., Magill, M., & Tonigan, J. S. (2011). The role of Alcoholics Anonymous in mobilizing adaptive social network changes: A prospective lagged mediational analysis. *Drug and Alcohol Dependence, 114*(2–3), 119–126.
- ⁷⁷⁴ Moos, R., & Timko, C. (2008). Outcome research on 12-Step and other self-help programs. In M. Galanter & H. O. Kleber (Eds.), *Textbook of substance abuse treatment* (pp. 511–521). Washington, DC: American Psychiatric Press.
- ⁷⁷⁵ Moos, R., & Timko, C. (2008). Outcome research on 12-Step and other self-help programs. In M. Galanter & H. O. Kleber (Eds.), *Textbook of substance abuse treatment* (pp. 511–521). Washington, DC: American Psychiatric Press.
- ⁷⁷⁶ Satre, D. D., Mertens, J. R., Areán, P. A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction, 99*(10), 1286–1297.
- ⁷⁷⁷ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁷⁷⁸ Lemke, S., & Moos, R. H. (2003). Outcomes at 1 and 5 years for older patients with alcohol use disorders. *Journal of Substance Abuse Treatment, 24*(1), 43–50.
- ⁷⁷⁹ Alcoholics Anonymous World Services, Inc. (2015). Reaching the older alcoholics: The “Invisible Epidemic.” *Box 459, 61*(4), 6–7.
- ⁷⁸⁰ Satre, D. D., Blow, F. C., Chi, F. W., & Weisner, C. (2007). Gender differences in seven-year alcohol and drug treatment outcomes among older adults. *American Journal on Addictions, 16*(3), 216–221.
- ⁷⁸¹ Timko, C. (2008). Outcomes of AA for special populations. In M. Galanter & L. A. Kaskutas (Eds.), *Research on Alcoholics Anonymous and spirituality in addiction recovery* (pp. 373–392). New York, NY: Springer.
- ⁷⁸² Montes, K. S., & Tonigan, J. S. (2017). Does age moderate the effect of spirituality/religiousness in accounting for Alcoholics Anonymous benefit? *Alcoholism Treatment Quarterly, 35*(2), 96–112.
- ⁷⁸³ Satre, D. D., Mertens, J. R., Areán, P. A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction, 99*(10), 1286–1297.
- ⁷⁸⁴ SMART Recovery. (2017). *Five year strategic plan: Freedom from addiction*. Mentor, OH: SMART Recovery. Retrieved from http://smartrecovery.org/wp-content/uploads/2017/11/2017_SMART_Strategic_Plan_Final.pdf
- ⁷⁸⁵ Beck, A. K., Forbes, E., Baker, A. L., Kelly, P. J., Deane, F. P., Shakeshaft, A., ... Kelly, J. F. (2017). Systematic review of SMART Recovery: Outcomes, process variables, and implications for research. *Psychology of Addictive Behaviors, 31*(1), 1–20.
- ⁷⁸⁶ Valentine, P., White, W., & Taylor, P. (2007). *The recovery community organization: Toward a definition and description* (p. 1). Retrieved from www.williamwhitepapers.com/pr/2007DefiningRecoveryCommunityOrganization.pdf
- ⁷⁸⁷ Substance Abuse and Mental Health Services Administration. (2011). *Screening, brief intervention, and referral to treatment (SBIRT) in behavioral healthcare*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/sites/default/files/sbirtwhitepaper_0.pdf
- ⁷⁸⁸ Friedmann, P. D. (2013). Alcohol use in adults. *New England Journal of Medicine, 368*(17), 1655–1656.
- ⁷⁸⁹ Babor, T. F., & Higgins-Biddle, J. C. (2001). *Brief intervention for hazardous and harmful drinking: A manual for use in primary care*. Retrieved from <https://apps.who.int/iris/handle/10665/67210>
- ⁷⁹⁰ Fishleder, S., Schonfeld, L., Corvin, J., Tyler, S., & VandeWeerd, C. (2016). Drinking behavior among older adults in a planned retirement community: Results from the Villages survey. *International Journal of Geriatric Psychiatry, 31*(5), 536–543.
- ⁷⁹¹ Sacco, P., Burruss, K., Smith, C. A., Kuerbis, A., Harrington, D., Moore, A. A., & Resnick, B. (2015). Drinking behavior among older adults at a continuing care retirement community: Affective and motivational influences. *Aging and Mental Health, 19*(3), 279–289.
- ⁷⁹² Linehan, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York, NY: Guilford Press.
- ⁷⁹³ Valentine, S. E., Bankoff, S. M., Poulin, R. M., Reidler, E. B., & Pantalone, D. W. (2015). The use of dialectical behavior therapy skills training as stand-alone treatment: A systematic review of the treatment outcome literature. *Journal of Clinical Psychology, 71*(1), 1–20.
- ⁷⁹⁴ Chapman, A. L. (2006). Dialectical behavior therapy: Current indications and unique elements. *Psychiatry, 3*(9), 62–68.

- ⁷⁹⁵ Drossel, C., Fisher, J. E., & Mercer, V. (2011). A DBT skills training group for family caregivers of persons with dementia. *Behavior Therapy, 42*(1), 109–119.
- ⁷⁹⁶ Aalto, M., Alho, H., Halme, J. T., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry, 26*(9), 881–885.
- ⁷⁹⁷ Barbor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test: Guidelines for use in primary care* (2nd ed., p. 17). Geneva, Switzerland: World Health Organization.
- ⁷⁹⁸ Barbor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test: Guidelines for use in primary care* (2nd ed., p. 31). Geneva, Switzerland: World Health Organization.
- ⁷⁹⁹ Aalto, M., Alho, H., Halme, J. T., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry, 26*(9), 881–885.
- ⁸⁰⁰ Blow, F. C., et al. (1998). Brief screening for alcohol problems in elderly populations using the Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G). Hilton Head Island, SC: Research Society on Alcoholism Annual Scientific Meeting.
- ⁸⁰¹ Smith, M., Robinson, L., & Segal, J. (2019). Coping with grief and loss: Understanding the grieving process and learning to heal. Retrieved from <https://staging.helpguide.org/articles/grief/coping-with-grief-and-loss.htm>
- ⁸⁰² Substance Abuse and Mental Health Services Administration. (2017). *A guide to preventing older adult alcohol and psychoactive medication misuse/abuse: Screening and brief interventions* (p. 83). Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.ncoa.org/wp-content/uploads/SBIRT-Older-Adult-Manual-Final.pdf
- ⁸⁰³ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁸⁰⁴ Outlaw, F. H., Marquart, J. M., Roy, A., Luellen, J. K., Moran, M., Willis, A., & Doub, T. (2010). Treatment outcomes for older adults who abuse substances. *Journal of Applied Gerontology, 31*(1), 78–100.
- ⁸⁰⁵ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁸⁰⁶ Mowbray, O., & Quinn, A. (2015). A scoping review of treatments for older adults with substance use problems. *Research on Social Work Practice, 26*(1), 74–87.
- ⁸⁰⁷ Mowbray, O., & Quinn, A. (2015). A scoping review of treatments for older adults with substance use problems. *Research on Social Work Practice, 26*(1), 74–87.
- ⁸⁰⁸ Carew, A. M., & Comiskey, C. (2018). Treatment for opioid use and outcomes in older adults: A systematic literature review. *Drug and Alcohol Dependence, 182*, 48–57.
- ⁸⁰⁹ Family Caregiver Alliance. (2019). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- ⁸¹⁰ Drugs.com. (2018). What are drug interactions? Retrieved August 27, 2018, from www.drugs.com/drug_interactions.html
- ⁸¹¹ World Health Organization. (2018). Management of substance abuse: Psychoactive substances. Retrieved from www.who.int/substance_abuse/terminology/psychoactive_substances/en/
- ⁸¹² American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁸¹³ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁸¹⁴ U.S. Census Bureau. (2019, October 8). *Older people projected to outnumber children for first time in U.S. history* [Revised press release]. Retrieved April 14, 2020, from www.census.gov/newsroom/press-releases/2018/cb18-41-population-projections.html
- ⁸¹⁵ Cleary, M., Sayers, J., Bramble, M., Jackson, D., & Lopez, V. (2017). Overview of substance use and mental health among the “baby boomers” generation. *Issues in Mental Health Nursing, 38*(1), 61–65.
- ⁸¹⁶ Wu, L.-T., & Blazer, D. G. (2011). Illicit and nonmedical drug use among older adults: A review. *Journal of Aging and Health, 23*(3), 481–504.
- ⁸¹⁷ Han, B. H., Sherman, S., Mauro, P. M., Martins, S. S., Rotenberg, J., & Palamar, J. J. (2017). Demographic trends among older cannabis users in the United States, 2006–13. *Addiction (Abingdon, England), 112*(3), 516–525.
- ⁸¹⁸ National Drug Intelligence Center. (2011). *The economic impact of illicit drug use on American society*. Retrieved from www.justice.gov/archive/ndic/pubs44/44731/44731p.pdf
- ⁸¹⁹ Florence, C. S., Zhou, C., Luo, F., & Xu, L. (2016). The economic burden of prescription opioid overdose, abuse, and dependence in the United States, 2013. *Medical Care, 54*(10), 901–906.




- ⁸²⁰ Buttorff, C., Rudder, T., & Bauman, M. (2017). *Multiple chronic conditions in the United States*. Santa Monica, CA: RAND Corporation.
- ⁸²¹ Rich, P. B., & Adams, S. D. (2015). Health care: Economic impact of caring for geriatric patients. *Surgical Clinics of North America*, *95*(1), 11–21.
- ⁸²² Sambamoorthi, U., Tan, X., & Deb, A. (2015). Multiple chronic conditions and healthcare costs among adults. *Expert Review of Pharmacoeconomics and Outcomes Research*, *15*(5), 823–832.
- ⁸²³ Alpert, P. T. (2014). Alcohol abuse in older adults: An invisible population. *Home Health Care Management and Practice*, *26*(4), 269–272.
- ⁸²⁴ Benshoff, J. J., Harrawood, L. K., & Koch, D. S. (2003). Substance abuse and the elderly: Unique issues and concerns. *Journal of Rehabilitation*, *69*(2), 43.
- ⁸²⁵ Alpert, P. T. (2014). Alcohol abuse in older adults: An invisible population. *Home Health Care Management and Practice*, *26*(4), 269–272.
- ⁸²⁶ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse*, *7*, 13–37.
- ⁸²⁷ Mowbray, O., & Quinn, A. (2016). A scoping review of treatments for older adults with substance use problems. *Research on Social Work Practice*, *26*(1), 74–87.
- ⁸²⁸ Moy, I., Crome, P., Crome, I., & Fisher, M. (2011). Systematic and narrative review of treatment for older people with substance problems. *European Geriatric Medicine*, *2*(4), 212–236.
- ⁸²⁹ Bhatia, U., Nadkarni, A., Murthy, P., Rao, R., & Crome, I. (2015). Recent advances in treatment for older people with substance use problems: An updated systematic and narrative review. *European Geriatric Medicine*, *6*(6), 580–586.
- ⁸³⁰ Satre, D. D. (2015). Alcohol and drug use problems among older adults. *Clinical Psychology: Science and Practice*, *22*(3), 238–254.
- ⁸³¹ National Center for Health Statistics. (2019). *Health, United States, 2018*. Retrieved from www.cdc.gov/nchs/data/hus/hus18.pdf
- ⁸³² Milton, J. C., Hill-Smith, I., & Jackson, S. H. (2008). Prescribing for older people. *BMJ*, *336*(7644), 606–609.
- ⁸³³ 2019 American Geriatrics Society Beers Criteria® Update Expert Panel. (2019). Updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, *67*(4), 674–694.
- ⁸³⁴ Milton, J. C., Hill-Smith, I., & Jackson, S. H. (2008). Prescribing for older people. *BMJ*, *336*(7644), 606–609.
- ⁸³⁵ Rochon, P. A. (2020). Drug prescribing for older adults. In J. Givens (Ed.), *UpToDate*. Retrieved from www.uptodate.com/contents/drug-prescribing-for-older-adults
- ⁸³⁶ Aira, M., Hartikainen, S., & Sulkava, R. (2008). Drinking alcohol for medicinal purposes by people aged over 75: A community-based interview study. *Family Practice*, *25*(6), 44–59.
- ⁸³⁷ Levi-Minzi, M. A., Surratt, H. L., Kurtz, S. P., & Buttram, M. E. (2013). Under treatment of pain: A prescription for opioid misuse among the elderly? *Pain Medicine*, *14*(11), 1719–1729.
- ⁸³⁸ Christie, M. M., Bamber, D., Powell, C., Arrindell, T., & Pant, A. (2013). Older adult problem drinkers: Who presents for alcohol treatment? *Aging and Mental Health*, *17*(1), 24–32.
- ⁸³⁹ West, N. A., Severtson, S. G., Green, J. L., & Dart, R. C. (2015). Trends in abuse and misuse of prescription opioids among older adults. *Drug and Alcohol Dependence*, *149*, 117–121.
- ⁸⁴⁰ Institute of Medicine. (2011). *Relieving pain in America: A blueprint for transforming prevention, care, education, and research*. Washington, DC: The National Academies Press.
- ⁸⁴¹ Wick, J. Y. (2013). The history of benzodiazepines. *Consultant Pharmacist*, *28*(9), 538–548.
- ⁸⁴² Tannenbaum, C., Paquette, A., Hilmer, S., Holroyd-Leduc, J., & Carnahan, R. (2012). A systematic review of amnestic and non-amnestic mild cognitive impairment induced by anticholinergic, antihistamine, GABAergic, and opioid drugs. *Drugs and Aging*, *29*(8), 639–658.
- ⁸⁴³ Wang, R., Chen, L., Fan, L., Gao, D., Liang, Z., He, J., ... Gao, L. (2015). Incidence and effects of polypharmacy on clinical outcome among patients aged 80+: A five-year follow-up study. *PLoS One*, *10*(11), e0142123.
- ⁸⁴⁴ Alomar, M. J. (2014). Factors affecting the development of adverse drug reactions (Review article). *Saudi Pharmaceutical Journal*, *22*(2), 83–94.
- ⁸⁴⁵ Maher, R. L., Hanlon, J. T., & Hajjar, E. R. (2014). Clinical consequences of polypharmacy in elderly. *Expert Opinion on Drug Safety*, *13*(1), 57–65.
- ⁸⁴⁶ Park, T. W., Saitz, R., Ganoczy, D., Ilgen, M. A., & Bohnert, A. S. (2015). Benzodiazepine prescribing patterns and deaths from drug overdose among US veterans receiving opioid analgesics: Case-cohort study. *BMJ*, *350*. doi:10.1136/bmj.h2698
- ⁸⁴⁷ Food and Drug Administration. (2016). FDA Drug Safety Communication: *FDA warns about serious risks and death when combining opioid pain or cough medicines with benzodiazepines; Requires its strongest warning*. Retrieved from www.fda.gov/Drugs/DrugSafety/ucm518473.htm

- ⁸⁴⁸ Food and Drug Administration. (2017). FDA Drug Safety Communication: *FDA urges caution about withholding opioid addiction medications from patients taking benzodiazepines or CNS depressants: Careful medication management can reduce risks*. Retrieved from www.fda.gov/drugs/drug-safety-and-availability/fda-drug-safety-communication-fda-urges-caution-about-withholding-opioid-addiction-medications
- ⁸⁴⁹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁸⁵⁰ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁸⁵¹ Chhatre, S., Cook, R., Mallik, E., & Jayadevappa, R. (2017). Trends in substance use admissions among older adults. *BMC Health Services Research*, 17(1), 584.
- ⁸⁵² Black, P., & Joseph, L. J. (2014). Still dazed and confused: Midlife marijuana use by the baby boom generation. *Deviant Behavior*, 35(10), 822–841.
- ⁸⁵³ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁸⁵⁴ Curran, H. V., Freeman, T. P., Mokrysz, C., Lewis, D. A., Morgan, C. J., & Parsons, L. H. (2016). Keep off the grass? Cannabis, cognition and addiction. *National Reviews: Neuroscience*, 17(5), 293–306.
- ⁸⁵⁵ Lev-Ran, S., Roerecke, M., Le Foll, B., George, T. P., McKenzie, K., & Rehm, J. (2014). The association between cannabis use and depression: A systematic review and meta-analysis of longitudinal studies. *Psychological Medicine*, 44(4), 797–810.
- ⁸⁵⁶ Armentano, P. (2013). Cannabis and psychomotor performance: A rational review of the evidence and implications for public policy. *Drug Testing and Analysis*, 5(1), 52–56.
- ⁸⁵⁷ Mechoulam, R., & Parker, L. A. (2013). The endocannabinoid system and the brain. *Annual Review of Psychology*, 64, 21–47.
- ⁸⁵⁸ ElSohly, M. A., Mehmedic, Z., Foster, S., Gon, C., Chandra, S., & Church, J. C. (2016). Changes in cannabis potency over the last 2 decades (1995–2014): Analysis of current data in the United States. *Biological Psychiatry*, 79(7), 613–619.
- ⁸⁵⁹ Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34(1), 117–129.
- ⁸⁶⁰ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁸⁶¹ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing*, 36(2), 104–111.
- ⁸⁶² Sacco, P., Unick, G. J., Zanjani, F., & Camlin, E. A. S. (2015). Hospital outcomes in major depression among older adults: Differences by alcohol comorbidity. *Journal of Dual Diagnosis*, 11(1), 83–92.
- ⁸⁶³ Schulte, M. T., & Hser, Y.-I. (2014). Substance use and associated health conditions throughout the lifespan. *Public Health Reviews*, 35(2).
- ⁸⁶⁴ Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34(1), 117–129.
- ⁸⁶⁵ Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34(1), 117–129.
- ⁸⁶⁶ Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34(1), 117–129.
- ⁸⁶⁷ Agency for Healthcare Research and Quality. (2015). *Health Literacy Universal Precautions Toolkit* (2nd ed.). Retrieved from www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html
- ⁸⁶⁸ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ⁸⁶⁹ Weiss, B. D., Brega, A. G., LeBlanc, W. G., Mabachi, N. M., Barnard, J., Albright, K., ... West, D. R. (2016). Improving the effectiveness of medication review: Guidance from the Health Literacy Universal Precautions Toolkit. *Journal of the American Board of Family Medicine*, 29(1), 18–23.
- ⁸⁷⁰ Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34(1), 117–129.
- ⁸⁷¹ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.



- ⁸⁷² Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34(1), 117–129.
- ⁸⁷³ Barry, K. L., Blow, F. C., & Oslin, D. W. (2002). Substance abuse in older adults: Review and recommendations for education and practice in medical settings. *Substance Abuse*, 23(Suppl. 3), 105–131.
- ⁸⁷⁴ Kuerbis, A., Sacco, P., Blazer, D., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30, 629–654.
- ⁸⁷⁵ Office of the Surgeon General. (2016). *Facing addiction in America: The Surgeon General's report on alcohol, drugs, and health*. Washington, DC: Department of Health and Human Services.
- ⁸⁷⁶ National Institute on Drug Abuse. (2018). *Principles of drug addiction treatment: A research-based guide* (3rd ed.). Bethesda, MD: National Institute on Drug Abuse. Retrieved from www.drugabuse.gov/publications/principles-drug-addiction-treatment-research-based-guide-third-edition/preface
- ⁸⁷⁷ Mee-Lee, D., Shulman, G. D., Fishman, M. J., Gastfriend, D. R., & Miller, M. M. (Eds.). (2013). Application to adult special populations: Older adults. In *The ASAM criteria: Treatment criteria for addictive, substance-related, and co-occurring conditions* (3rd ed., pp. 307–317). Carson City, NV: The Change Companies.
- ⁸⁷⁸ Mee-Lee, D., Shulman, G. D., Fishman, M. J., Gastfriend, D. R., & Miller, M. M. (Eds.). (2013). Level of care placement (3rd ed., pp. 174–306). In *The ASAM criteria: Treatment criteria for addictive, substance-related, and co-occurring conditions* (3rd ed., pp. 307–317). Carson City, NV: The Change Companies.
- ⁸⁷⁹ Satre, D. D. & Leibowitz, A. (2015). Brief alcohol and drug interventions and motivational interviewing. In P. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma and substance abuse* (pp. 163–280). Washington, DC: American Psychological Association.
- ⁸⁸⁰ Substance Abuse and Mental Health Services Administration. (2017). *A guide to preventing older adult alcohol and psychoactive medication misuse/abuse: Screening and brief interventions*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.ncoa.org/wp-content/uploads/SBIRT-Older-Adult-Manual-Final.pdf
- ⁸⁸¹ Mercadante, S. (2015). Opioid metabolism and clinical aspects. *European Journal of Pharmacology*, 769, 71–78.
- ⁸⁸² Martin, C. M., & Forrester, C. S. (2013). Anticipating and managing opioid side effects in the elderly. *Consultant Pharmacist*, 28(3), 150–159.
- ⁸⁸³ Dowell, D., Haegerich, T. M., & Chou, R. (2016). CDC guideline for prescribing opioids for chronic pain: United States, 2016. *MMWR Recommendations and Reports*, 65(No. RR-1), 1–49.
- ⁸⁸⁴ Substance Abuse and Mental Health Services Administration. (2018). *SAMHSA opioid overdose prevention toolkit*. HHS Publication No. (SMA) 18-4742. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Opioid-Overdose-Prevention-Toolkit/SMA18-4742>
- ⁸⁸⁵ Bommersbach, T. J., Lapid, M. A., Rumman, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ⁸⁸⁶ Substance Abuse and Mental Health Services Administration. (2020). *Medications for opioid use disorder*. Treatment Improvement Protocol (TIP) Series 63. Publication No. PEP20-02-01-006. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- ⁸⁸⁷ Kahan, M., Srivastava, A., Ordean, A., & Cirone, S. (2011). Buprenorphine: New treatment of opioid addiction in primary care. *Canadian Family Physician*, 57(3), 281–289.
- ⁸⁸⁸ Whelan, P. J., & Remski, K. (2012). Buprenorphine vs. methadone treatment: A review of evidence in both developed and developing worlds. *Journal of Neurosciences in Rural Practice*, 3(1), 45–50.
- ⁸⁸⁹ Karp, J. F., Butters, M. A., Begley, A. E., Miller, M. D., Lenze, E. J., Blumberger, D. M., ... Reynolds, C. F., III. (2014). Safety, tolerability, and clinical effect of low-dose buprenorphine for treatment-resistant depression in midlife and older adults. *Journal of Clinical Psychiatry*, 75(8), e785–e793.
- ⁸⁹⁰ Le Roux, C., Tang, Y., & Drexler, K. (2016). Alcohol and opioid use disorder in older adults: Neglected and treatable illnesses. *Current Psychiatry Reports*, 18(9), 87.
- ⁸⁹¹ Dugosh, K., Abraham, A., Seymour, B., McLoyd, K., Chalk, M., & Festinger, D. (2016). A systematic review on the use of psychosocial interventions in conjunction with medications for the treatment of opioid addiction. *Journal of Addiction Medicine*, 10(2), 93–103.
- ⁸⁹² Makris, U. E., Abrams, R. C., Gurland, B., & Reid, M. C. (2014). Management of persistent pain in the older patient: A clinical review. *JAMA*, 312(8), 825–836.
- ⁸⁹³ Makris, U. E., Abrams, R. C., Gurland, B., & Reid, M. C. (2014). Management of persistent pain in the older patient: A clinical review. *JAMA*, 312(8), 825–836.
- ⁸⁹⁴ Keilman, L. (2015). *Compendium of evidence-based nonpharmacologic interventions for pain in older adults*. East Lansing, MI: Michigan State University, College of Nursing.
- ⁸⁹⁵ Bicket, M. C., & Mao, J. (2015). Chronic pain in older adults. *Anesthesiology Clinics*, 33(3), 577–590.

- ⁸⁹⁶ Makris, U. E., Abrams, R. C., Gurland, B., & Reid, M. C. (2014). Management of persistent pain in the older patient: A clinical review. *JAMA*, *312*(8), 825–836.
- ⁸⁹⁷ Schroeck, J. L., Ford, J., Conway, E. L., Kurtzhals, K. E., Gee, M. E., Vollmer, K. A., & Mergenhagen, K. A. (2016). Review of safety and efficacy of sleep medicines in older adults. *Clinical Therapeutics*, *38*(11), 2340–2372.
- ⁸⁹⁸ Hood, S. D., Norman, A., Hince, D. A., Melichar, J. K., & Hulse, G. K. (2014). Benzodiazepine dependence and its treatment. *British Journal of Clinical Pharmacology*, *77*, 285–294.
- ⁸⁹⁹ Gould, R. L., Coulson, M. C., Patel, N., Highton-Williamson, E., & Howard, R. J. (2014). Interventions for reducing benzodiazepine use in older people: Meta-analysis of randomised controlled trials. *British Journal of Psychiatry*, *204*(2), 98–107.
- ⁹⁰⁰ Markota, M., Rummans, T., Bostwick, M., & Lapid, M. (2016). Benzodiazepine use in older adults: Dangers, management, and alternative therapies. *Mayo Clinic Proceedings*, *91*(11), 1632–1639.
- ⁹⁰¹ Tannenbaum, C., Martin, P., Tamblyn, R., Benedetti, A., & Ahmed, S. (2014). Reduction of inappropriate benzodiazepine prescriptions among older adults through direct patient education: The EMPOWER cluster randomized trial. *JAMA Internal Medicine*, *174*(6), 890–898.
- ⁹⁰² Paquin, A. M., Zimmerman, K., & Rudolph, J. L. (2014). Risk versus risk: A review of benzodiazepine reduction in older adults. *Expert Opinion on Drug Safety*, *13*(7), 919–934.
- ⁹⁰³ Tannenbaum, C. (2015). Inappropriate benzodiazepine use in elderly patients and its reduction. *Journal of Psychiatry and Neuroscience*, *40*(3), E27–E28.
- ⁹⁰⁴ Lovato, N., Lack, L., Wright, H., & Kennaway, D. J. (2014). Evaluation of a brief treatment program of cognitive behavior therapy for insomnia in older adults. *Sleep*, *37*(1), 117–126.
- ⁹⁰⁵ Rybarczyk, B., Lund, H. G., Garroway, A. M., & Mack, L. (2013). Cognitive behavioral therapy for insomnia in older adults: Background, evidence, and overview of treatment protocol. *Clinical Gerontologist*, *36*(1), 70–93.
- ⁹⁰⁶ McMurry, S. M., Logsdon, R. G., Teri, L., & Vitiello, M. V. (2007). Evidence-based psychological treatments for insomnia in older adults. *Psychology and Aging*, *22*(1), 18–27.
- ⁹⁰⁷ Belanger, L., LeBlanc, M., & Morin, C. M. (2012). Cognitive behavioral therapy for insomnia in older adults. *Cognitive and Behavioral Practice*, *19*(1), 101–115.
- ⁹⁰⁸ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁹⁰⁹ Bonnet, U., & Preuss, U. W. (2017). The cannabis withdrawal syndrome: Current insights. *Substance Abuse and Rehabilitation*, *8*, 9–37.
- ⁹¹⁰ National Institute on Drug Abuse. (2019). Marijuana Research Report. www.drugabuse.gov/publications/research-reports/marijuana
- ⁹¹¹ Stern, T. A., Celano, C. M., Gross, A. F., Huffman, J. C., Freudenreich, O., Kontos, N., ... Thompson, B. T. (2010). The assessment and management of agitation and delirium in the general hospital. *Primary Care Companion to the Journal of Clinical Psychiatry*, *12*(1), PCC.09r00938.
- ⁹¹² Kim, J. H., & Lawrence, A. J. (2014). Drugs currently in Phase II clinical trials for cocaine addiction. *Expert Opinion on Investigational Drugs*, *23*(8), 1105–1122.
- ⁹¹³ Haile, C. N., & Kosten, T. R. (2013). Pharmacotherapy for stimulant-related disorders. *Current Psychiatry Reports*, *15*(11), 10.1007/s11920-013-0415-y.
- ⁹¹⁴ Lee, N. K., & Rawson, R. A. (2008). A systematic review of cognitive and behavioural therapies for methamphetamine dependence. *Drug and Alcohol Review*, *27*(3), 309–317.
- ⁹¹⁵ Jhanjee, S. (2014). Evidence-based psychosocial interventions in substance use. *Indian Journal of Psychological Medicine*, *36*(2), 112–118.
- ⁹¹⁶ Jhanjee, S. (2014). Evidence-based psychosocial interventions in substance use. *Indian Journal of Psychological Medicine*, *36*(2), 112–118.
- ⁹¹⁷ Bhatia, U., Nadkarni, A., Murthy, P., Rao, R., & Crome, I. (2015). Recent advances in treatment for older people with substance use problems: An updated systematic and narrative review. *European Geriatric Medicine*, *6*, 580–586.
- ⁹¹⁸ Kiosses, D. N., & Alexopoulos, G. S. (2014). Problem-solving therapy in the elderly. *Current Treatment Options in Psychiatry*, *1*(1), 15–26.
- ⁹¹⁹ Zbikowski, S. M., Magnusson, B., Pockey, J. R., Tindle, H. A., & Weaver, K. E. (2012). A review of smoking cessation interventions for smokers aged 50 and over. *Maturitas*, *71*, 131–141.
- ⁹²⁰ Kropf, N. P., & Cummings, S. M. (2017). *Evidence-based treatment with older adults: Theory, Practice, and Research*. New York, NY: Oxford University Press.
- ⁹²¹ Moy, I., Crome, P., Crome, I., & Fisher, M. (2011). Systematic and narrative review of treatment for older people with substance problems. *European Geriatric Medicine*, *2*(4), 212–236.
- ⁹²² Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.




- ⁹²³ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁹²⁴ Oslin, D. W., Slaymaker, V. J., Blow, F. C., Owen, P. L., & Colleran, C. (2005). Treatment outcomes for alcohol dependence among middle-aged and older adults. *Addictive Behaviors, 30*(7), 1431–1436.
- ⁹²⁵ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse, 7*, 13–37.
- ⁹²⁶ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS Publication No. (SMA) 03-3824. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ⁹²⁷ Kelly, J. F., & White, W. L. (2011). Addiction recovery management: Theory, research and practice. In J. F. White & W. L. White (Eds.), *Current clinical psychiatry* (pp. xi, 326). Totowa, NJ: Humana Press.
- ⁹²⁸ Kelly, J. F., & White, W. L. (2011). Addiction recovery management: Theory, research and practice. In J. F. White & W. L. White (Eds.), *Current clinical psychiatry* (pp. xi, 326). Totowa, NJ: Humana Press.
- ⁹²⁹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁹³⁰ Oslin, D. W., Grantham, S., Coakley, E., Maxwell, J., Miles, K., Ware, J., ... Levkoff, S. (2006). PRISM-E: Comparison of integrated care and enhanced specialty referral in managing at-risk alcohol use. *Psychiatric Services, 57*(7), 954–958.
- ⁹³¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁹³² McCrady, B. S. (2006). Family and other close relationships. In W. R. Miller & K. M. Carroll (Eds.), *Rethinking substance abuse: What the science shows, and what we should do about it* (pp. 166–181). New York, NY: Guilford Press.
- ⁹³³ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁹³⁴ Donovan, D. M., Ingalsbe, M. H., Benbow, J., & Daley, D. C. (2013). 12-Step Interventions and mutual support programs for substance use disorders: An overview. *Social Work in Public Health, 28*(3–4), 313–332.
- ⁹³⁵ Donovan, D. M., Ingalsbe, M. H., Benbow, J., & Daley, D. C. (2013). 12-Step interventions and mutual support programs for substance use disorders: An overview. *Social Work in Public Health, 28*(3–4), 313–332.
- ⁹³⁶ Beck, A. K., Forbes, E., Baker, A. L., Kelly, P. J., Deane, F. P., Shakeshaft, A., ... Kelly, J. F. (2017). Systematic review of SMART Recovery: Outcomes, process variables, and implications for research. *Psychology of Addictive Behaviors, 31*(1), 1–20.
- ⁹³⁷ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁹³⁸ Kelly, J. F., Greene, M. C., & Bergman, B. G. (2014). Do drug-dependent patients attending Alcoholics Anonymous rather than Narcotics Anonymous do as well? A prospective, lagged, matching analysis. *Alcohol and Alcoholism, 49*(6), 645–653.
- ⁹³⁹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ⁹⁴⁰ Kelly, J. F., Stout, R. L., Magill, M., & Tonigan, J. S. (2011). The role of Alcoholics Anonymous in mobilizing adaptive social network changes: A prospective lagged mediational analysis. *Drug and Alcohol Dependence, 114*(2–3), 119–126.
- ⁹⁴¹ Wolitzky-Taylor, K. B., Castriotta, N., Lenze, E. J., Stanley, M. A., & Craske, M. G. (2010). Anxiety disorders in older adults: A comprehensive review. *Depression and Anxiety, 27*(2), 190–211.
- ⁹⁴² Wolitzky-Taylor, K. B., Castriotta, N., Lenze, E. J., Stanley, M. A., & Craske, M. G. (2010). Anxiety disorders in older adults: A comprehensive review. *Depression and Anxiety, 27*(2), 190–211.
- ⁹⁴³ Chernick, R., & Kuerbis, A. (2016). Social and familial contexts for drinking among older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 149–166). New York, NY: Springer.
- ⁹⁴⁴ Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., Perl, H. I., Forcehimes, A. A., Crandall, C., ... Douaihy, A. (2014). Brief intervention for drug users presenting in emergency departments (NIDA CTN Protocol 0047: SMART-ED). *JAMA Internal Medicine, 174*(11), 1736–1745.
- ⁹⁴⁵ Lofwall, M. R., Schuster, A., & Strain, E. C. (2008). Changing profile of abused substances by older persons entering treatment. *Journal of Nervous and Mental Disease, 196*(12), 898–905.
- ⁹⁴⁶ Yarnell, S. C. (2015). Cocaine abuse in later life: A case series and review of the literature. *Primary Care Companion for CNS Disorders, 17*(2), 10.4088/PCC.14r01727.

- ⁹⁴⁷ Yarnell, S. C. (2015). Cocaine abuse in later life: A case series and review of the literature. *Primary Care Companion for CNS Disorders*, 17(2), 10.4088/PCC.14r01727.
- ⁹⁴⁸ Mee-Lee, D., Shulman, G. D., Fishman, M. J., Gastfriend, D. R., & Miller, M. M. (Eds.). (2013). Application to adult special populations: Older adults. In *The ASAM criteria: Treatment criteria for addictive, substance-related, and co-occurring conditions* (3rd ed., pp. 307–317). Carson City, NV: The Change Companies.
- ⁹⁴⁹ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁹⁵⁰ Rooney, R. F. (2014). Preventing dementia: How lifestyle in midlife affects risk. *Current Opinion in Psychiatry*, 27(2), 149–157.
- ⁹⁵¹ Baumgart, M., Snyder, H. M., Carrillo, M. C., Fazio, S., Kim, H., & Johns, H. (2015). Summary of the evidence on modifiable risk factors for cognitive decline and dementia: A population-based perspective. *Alzheimer's and Dementia*, 11(6), 718–726.
- ⁹⁵² National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ⁹⁵³ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ⁹⁵⁴ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁹⁵⁵ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ⁹⁵⁶ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁵⁷ Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- ⁹⁵⁸ Family Caregiver Alliance. (2019). Caregiver statistics: Demographic. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- ⁹⁵⁹ Drugs.com. (2018). What are drug interactions? Retrieved August 27, 2018, from www.drugs.com/drug_interactions.html
- ⁹⁶⁰ World Health Organization. (2018). Lexicon of alcohol and drug terms published by the World Health Organization. Retrieved from www.who.int/substance_abuse/terminology/who_lexicon/en/
- ⁹⁶¹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁶² U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ⁹⁶³ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ⁹⁶⁴ Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- ⁹⁶⁵ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ⁹⁶⁶ World Health Organization. (2018). Management of substance abuse: Psychoactive substances. Retrieved August 27, 2018, from www.who.int/substance_abuse/terminology/psychoactive_substances/en/
- ⁹⁶⁷ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁹⁶⁸ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ⁹⁶⁹ Chhatre, S., Cook, R., Mallik, E., & Jayadevappa, R. (2017). Trends in substance use admissions among older adults. *BMC Health Services Research*, 17(1), 584.
- ⁹⁷⁰ Alpert, P. (2014). Alcohol abuse in older adults: An invisible population. *Home Health Care Management and Practice*, 26(4), 269–272.
- ⁹⁷¹ American Psychiatric Association. (2015). Position statement on substance use disorders in older adults. www.psychiatry.org/File%20Library/About-APA/Organization-Documents-Policies/Policies/Position-Substance-Use-Disorders-in-Older-Adults.pdf



- ⁹⁷² Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁹⁷³ Qato, D. M., Manzoor, B. S., & Lee, T. A. (2015). Drug-alcohol interactions in older U.S. adults. *Journal of the American Geriatrics Society*, 63(11), 2324–2331.
- ⁹⁷⁴ Mattson, M., Lipari, R. N., Hays, C., & Van Horn, S. L. (2017). A day in the life of older adults: Substance use facts. *The CBHSQ Report*. Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved March 10, 2018, from www.samhsa.gov/data/sites/default/files/report_2792/ShortReport-2792.html
- ⁹⁷⁵ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁷⁶ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁷⁷ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁷⁸ National Institute on Alcohol Abuse and Alcoholism. (2016). *Rethinking drinking*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- ⁹⁷⁹ Breslow, R. A., Castle, I. P., Chen, C. M., & Graubard, B. I. (2017). Trends in alcohol consumption among older Americans: National Health Interview Surveys, 1997 to 2014. *Alcoholism, Clinical and Experimental Research*, 41(5), 976–986.
- ⁹⁸⁰ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁸¹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁸² National Institute on Drug Abuse. (2018). Misuse of prescription drugs. Retrieved from www.drugabuse.gov/publications/research-reports/misuse-prescription-drugs
- ⁹⁸³ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ⁹⁸⁴ Blazer, D. G., & Wu, L. T. (2012). Patterns of tobacco use and tobacco-related psychiatric morbidity and substance use among middle-aged and older adults in the United States. *Aging and Mental Health*, 16(3), 296–304.
- ⁹⁸⁵ American Geriatrics Society. (2019). Updated AGS Beers Criteria[®] for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 67(4), 674–694.
- ⁹⁸⁶ Markota, M., Rummans, T. A., Bostwick, J. M., & Lapid, M. I. (2016). Benzodiazepine use in older adults: Dangers, management, and alternative therapies. *Mayo Clinic Proceedings*, 91(11), 1632–1639.
- ⁹⁸⁷ Choi, N. G., DiNitto, D. M., & Marti, C. N. (2016). Older marijuana users: Life stressors and perceived social support. *Drug and Alcohol Dependence*, 169, 56–63.
- ⁹⁸⁸ Bolla, K. I., Brown, K., Eldreth, D., Tate, K., & Cadet, J. L. (2002). Dose-related neurocognitive effects of marijuana use. *Neurology*, 59(9), 1337–1343.
- ⁹⁸⁹ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, 38(1), 115–120.
- ⁹⁹⁰ Moore, A. A., Whiteman, E. J., & Ward, K. T. (2007). Risks of combined alcohol/medication use in older adults. *American Journal of Geriatric Pharmacotherapy*, 5(1), 64–74.
- ⁹⁹¹ Holton, A. E., Gallagher, P., Fahey, T., & Cousins, G. (2017). Concurrent use of alcohol interactive medications and alcohol in older adults: A systematic review of prevalence and associated adverse outcomes. *BMC Geriatrics*, 17(1), 148.
- ⁹⁹² Zanjani, F., Smith, R., Slavova, S., Charnigo, R., Schoenberg, N., ... Clayton, R. (2016). Concurrent alcohol and medication poisoning hospital admissions among older rural and urban residents. *American Journal of Drug and Alcohol Abuse*, 42(4), 422–430.
- ⁹⁹³ Clausen, T., Martinez, P., Towers, A., Greenfield, T., & Kowal, P. (2016). Alcohol consumption at any level increases risk of injury caused by others: Data from the Study on Global AGEing and Adult Health. *Substance Abuse*, 9(Suppl. 2), 125–132.

- ⁹⁹⁴ Thompson, H. J., Dikmen, S., & Temkin, N. (2012). Prevalence of comorbidity and its association with traumatic brain injury and outcomes in older adults. *Research in Gerontological Nursing*, *5*(1), 17–24.
- ⁹⁹⁵ Grossbard, J., Malte, C. A., Lapham, G., Pagulayan, K., Turner, A. P., Rubinsky, A. D., ... Hawkins, E. J. (2017). Prevalence of alcohol misuse and follow-up care in a national sample of OEF/OIF VA patients with and without TBI. *Psychiatric Services*, *68*(1), 48–55.
- ⁹⁹⁶ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Nonsuicidal self-injury and suicide attempts among ED patients older than 50 years: Comparison of risk factors and ED visit outcomes. *American Journal of Emergency Medicine*, *34*(6), 1016–1021.
- ⁹⁹⁷ Blow, F. C., & Barry, K. L. (2012). Alcohol and substance misuse in older adults. *Current Psychiatry Reports*, *14*(4), 310–319.
- ⁹⁹⁸ Mayo Clinic. (2019). Alcohol: Does it affect blood pressure? Retrieved June 17, 2019, from www.mayoclinic.org/diseases-conditions/high-blood-pressure/expert-answers/blood-pressure/faq-20058254
- ⁹⁹⁹ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, *90*(5), 659–666.
- ¹⁰⁰⁰ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, *38*(1), 115–120.
- ¹⁰⁰¹ Harada, C. N., Natelson Love, M. C., & Triebel, K. L. (2013). Normal cognitive aging. *Clinics in Geriatric Medicine*, *29*(4), 737–752.
- ¹⁰⁰² National Institute on Aging. (2017). How the aging brain affects thinking. Retrieved June 17, 2019, from www.nia.nih.gov/health/how-aging-brain-affects-thinking
- ¹⁰⁰³ Harada, C. N., Natelson Love, M. C., & Triebel, K. L. (2013). Normal cognitive aging. *Clinics in Geriatric Medicine*, *29*(4), 737–752.
- ¹⁰⁰⁴ Sudhinaraset, M., Wigglesworth, C., & Takeuchi, D. T. (2016). Social and cultural contexts of alcohol use: Influences in a social-ecological framework. *Alcohol Research*, *38*(1), 35–45.
- ¹⁰⁰⁵ GBD 2016 Alcohol Collaborators. (2018). Alcohol use and burden for 195 countries and territories, 1990–2016: A systematic analysis for the Global Burden of Disease Study 2016. *Lancet*, *392*(10152), 1015–1035.
- ¹⁰⁰⁶ Piazza-Gardner, A. K., Gaffud, T. J., & Barry, A. E. (2013). The impact of alcohol on Alzheimer's disease: A systematic review. *Aging and Mental Health*, *17*(2), 133–146.
- ¹⁰⁰⁷ Downer, B., Zanjani, F., & Fardo, D. W. (2014). The relationship between midlife and late life alcohol consumption, APOE e4 and the decline in learning and memory among older adults. *Alcohol and Alcoholism*, *49*(1), 17–22.
- ¹⁰⁰⁸ Kužma, E., Llewellyn, D. J., Langa, K. M., Wallace, R. B., & Lang, I. A. (2014). History of alcohol use disorders and risk of severe cognitive impairment: A 19-year prospective cohort study. *American Journal of Geriatric Psychiatry*, *22*(10), 1047–1054.
- ¹⁰⁰⁹ González-Reimers, E., Santolaria-Fernández, F., Martín-González, M. C., Fernández-Rodríguez, C. M., & Quintero-Platt, G. (2014). Alcoholism: A systemic proinflammatory condition. *World Journal of Gastroenterology*, *20*(40), 14660–14671.
- ¹⁰¹⁰ Bjork, J. M., & Gilman, J. M. (2014). The effects of acute alcohol administration on the human brain: Insights from neuroimaging. *Neuropharmacology*, *84*, 101–110.
- ¹⁰¹¹ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews*, *38*(1), 115–120.
- ¹⁰¹² Qato, D. M., Manzoor, B. S., & Lee, T. A. (2015). Drug-alcohol interactions in older U.S. adults. *Journal of the American Geriatrics Society*, *63*(11), 2324–2331.
- ¹⁰¹³ Stavro, K., Pelletier, J., & Potvin, S. (2013). Widespread and sustained cognitive deficits in alcoholism: A meta-analysis. *Addiction Biology*, *18*(2), 203–213.
- ¹⁰¹⁴ Bates, M. E., Buckman, J. F., & Nguyen, T. T. (2013). A role for cognitive rehabilitation in increasing the effectiveness of treatment for alcohol use disorders. *Neuropsychology Review*, *23*(1), 27–47.
- ¹⁰¹⁵ de la Monte, S. M., & Kril, J. J. (2014). Human alcohol-related neuropathology. *Acta Neuropathology*, *127*(1), 71–90.
- ¹⁰¹⁶ Kim, J. W., Lee, D. Y., Lee, B. C., Jung, M. H., Kim, H., Choi, Y. S., & Choi, I. G. (2012). Alcohol and cognition in the elderly: A review. *Psychiatry Investigation*, *9*(1), 8–16.
- ¹⁰¹⁷ Topiwala, A., Allan, C. L., Valkanova, V., Zsoldos, E., Filippini, N., Sexton, C., ... Ebmeier, K. P. (2017). Moderate alcohol consumption as risk factor for adverse brain outcomes and cognitive decline: Longitudinal cohort study. *BMJ*, *357*, j2353.
- ¹⁰¹⁸ Huang, W.-J., Zhang, X., & Chen, W.-W. (2016). Association between alcohol and Alzheimer's disease. *Experimental and Therapeutic Medicine*, *12*(3), 1247–1250.
- ¹⁰¹⁹ Piazza-Gardner, A. K., Gaffud, T. J., & Barry, A. E. (2013). The impact of alcohol on Alzheimer's disease: A systematic review. *Aging and Mental Health*, *17*(2), 133–146.
- ¹⁰²⁰ Downer, B., Zanjani, F., & Fardo, D. W. (2014). The relationship between midlife and late life alcohol consumption, APOE e4 and the decline in learning and memory among older adults. *Alcohol and Alcoholism*, *49*(1), 17–22.




- ¹⁰²¹ Kuźma, E., Llewellyn, D. J., Langa, K. M., Wallace, R. B., & Lang, I. A. (2014). History of alcohol use disorders and risk of severe cognitive impairment: A 19-year prospective cohort study. *American Journal of Geriatric Psychiatry, 22*(10), 1047–1054.
- ¹⁰²² Xue, H., Sun, Q., Liu, L., Zhou, L., Liang, R., He, R., & Yu, H. (2017). Risk factors of transition from mild cognitive impairment to Alzheimer's disease and death: A cohort study. *Comprehensive Psychiatry, 78*, 91–97.
- ¹⁰²³ Nordstrom, P., Nordstrom, A., Eriksson, M., Wahlund, L. O., & Gustafson, Y. (2013). Risk factors in late adolescence for young-onset dementia in men: A nationwide cohort study. *JAMA Internal Medicine, 173*(17), 1612–1618.
- ¹⁰²⁴ Anttila, T., Helkala, E. L., Viitanen, M., Kareholt, I., Fratiglioni, L., Winblad, B., ... Kivipelto, M. (2004). Alcohol drinking in middle age and subsequent risk of mild cognitive impairment and dementia in old age: A prospective population-based study. *BMJ, 329*(7465), 539.
- ¹⁰²⁵ de Oliveira, F. F., Wajman, J. R., Bertolucci, P. H., Chen, E. S., & Smith, M. C. (2015). Correlations among cognitive and behavioural assessments in patients with dementia due to Alzheimer's disease. *Clinical Neurology and Neurosurgery, 135*, 27–33.
- ¹⁰²⁶ González-Reimers, E., Santolaria-Fernández, F., Martín-González, M. C., Fernández-Rodríguez, C. M., & Quintero-Platt, G. (2014). Alcoholism: A systemic proinflammatory condition. *World Journal of Gastroenterology, 20*(40), 14660–14671.
- ¹⁰²⁷ Bjork, J. M., & Gilman, J. M. (2014). The effects of acute alcohol administration on the human brain: Insights from neuroimaging. *Neuropharmacology, 84*, 101–110.
- ¹⁰²⁸ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research: Current Reviews, 38*(1), 115–120.
- ¹⁰²⁹ Qato, D. M., Manzoor, B. S., & Lee, T. A. (2015). Drug-alcohol interactions in older U.S. adults. *Journal of the American Geriatrics Society, 63*(11), 2324–2331.
- ¹⁰³⁰ Panza, F., Capurso, C., D'Introno, A., Colacicco, A. M., Frisardi, V., Lorusso, M., ... Solfrizzi, V. (2009). Alcohol drinking, cognitive functions in older age, predementia, and dementia syndromes. *Journal of Alzheimer's Disease, 17*(1), 7–31.
- ¹⁰³¹ GBD 2016 Alcohol Collaborators. (2018). Alcohol use and burden for 195 countries and territories, 1990–2016: A systematic analysis for the Global Burden of Disease Study 2016. *Lancet, 392*(10152), 1015–1035.
- ¹⁰³² Hein, C., Forgues, A., Piau, A., Sommet, A., Vellas, B., & Nourhashemi, F. (2014). Impact of polypharmacy on occurrence of delirium in elderly emergency patients. *Journal of the American Medical Directors Association, 15*(11), e811–e855.
- ¹⁰³³ Inouye, S. K., Robinson, T., Blaum, C., Busby-Whitehead, J., Boustani, M., Chalian, A., ... Richter, H. (2015). Postoperative delirium in older adults: Best practice statement from the American Geriatrics Society. *Journal of the American College of Surgeons, 220*(2), 136–148.
- ¹⁰³⁴ Inouye, S. K., Westendorp, R. G., & Saczynski, J. S. (2014). Delirium in elderly people. *Lancet, 383*(9920), 911–922.
- ¹⁰³⁵ Costin, B. N., & Miles, M. F. (2014). Molecular and neurologic responses to chronic alcohol use. *Handbook of Clinical Neurology, 125*, 157–171.
- ¹⁰³⁶ Mainerova, B., Prasko, J., Latalova, K., Axmann, K., Cerna, M., ... Bradacova, R. (2015). Alcohol withdrawal delirium: Diagnosis, course and treatment. *Biomedical Papers of the Medical Faculty of the University Palacky, Olomouc, Czechoslovakia, 159*(1), 44–52.
- ¹⁰³⁷ Schuckit, M. A. (2014). Recognition and management of withdrawal delirium (delirium tremens). *New England Journal of Medicine, 371*(22), 2109–2113.
- ¹⁰³⁸ Schuckit, M. A. (2014). Recognition and management of withdrawal delirium (delirium tremens). *New England Journal of Medicine, 371*(22), 2109–2113.
- ¹⁰³⁹ Sachdeva, A., Chandra, M., Choudhary, M., Dayal, P., & Anand, K. S. (2016). Alcohol-related dementia and neurocognitive impairment: A review study. *International Journal of High-Risk Behaviors and Addiction, 5*(3), e27976.
- ¹⁰⁴⁰ Cheng, C., Huang, C. L., Tsai, C. J., Chou, P. H., Lin, C. C., & Chang, C. K. (2017). Alcohol-related dementia: A systemic review of epidemiological studies. *Psychosomatics, 58*(4), 331–342.
- ¹⁰⁴¹ Sachdeva, A., Chandra, M., Choudhary, M., Dayal, P., & Anand, K. S. (2016). Alcohol-related dementia and neurocognitive impairment: A review study. *International Journal of High Risk Behaviors and Addiction, 5*(3), e27976.
- ¹⁰⁴² Sachdeva, A., Chandra, M., Choudhary, M., Dayal, P., & Anand, K. S. (2016). Alcohol-related dementia and neurocognitive impairment: A review study. *International Journal of High Risk Behaviors and Addiction, 5*(3), e27976.
- ¹⁰⁴³ Zahr, N. M., Kaufman, K. L., & Harper, C. G. (2011). Clinical and pathological features of alcohol-related brain damage. *Nature Reviews: Neurology, 7*, 284–294.
- ¹⁰⁴⁴ Galvin, R., Bräthen, G., Ivashynka, A., Hillbom, M., Tanasescu, R., & Leone, M. A. (2010). EFNS guidelines for diagnosis, therapy and prevention of Wernicke encephalopathy. *European Journal of Neurology, 17*(12), 1408–1418.

- ¹⁰⁴⁵ Galvin, R., Bråthen, G., Ivashynka, A., Hillbom, M., Tanasescu, R., & Leone, M. A. (2010). EFNS guidelines for diagnosis, therapy and prevention of Wernicke encephalopathy. *European Journal of Neurology*, *17*(12), 1408–1418.
- ¹⁰⁴⁶ Gerritzen, I. J., Moerman-van den Brink, W. G., Depla, M. F., Verschuur, E. M., Veenhuizen, R. B., van der Wouden, J. C., ... Joling, K. J. (2017). Prevalence and severity of behavioural symptoms in patients with Korsakoff syndrome and other alcohol-related cognitive disorders: A systematic review. *International Journal of Geriatric Psychiatry*, *32*(3), 256–273.
- ¹⁰⁴⁷ Zhong, G., Wang, Y., Zhang, Y., & Zhao Y. (2015). Association between benzodiazepine use and dementia: A meta-analysis. *PLoS One*, *10*(5), e0127836.
- ¹⁰⁴⁸ Billioti de Gage, S., Pariente, A., & Bégaud, B. (2015). Is there really a link between benzodiazepine use and the risk of dementia? *Expert Opinions in Drug Safety*, *14*(5), 733–747.
- ¹⁰⁴⁹ Zhong, G., Wang, Y., Zhang, Y., & Zhao Y. (2015). Association between benzodiazepine use and dementia: A meta-analysis. *PLoS One*, *10*(5), e0127836.
- ¹⁰⁵⁰ 2019 American Geriatrics Society Beers Criteria® Update Expert Panel. (2019). Updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, *67*(4), 674–694.
- ¹⁰⁵¹ 2019 American Geriatrics Society Beers Criteria® Update Expert Panel. (2019). Updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, *67*(4), 674–694.
- ¹⁰⁵² Zhong, G., Wang, Y., Zhang, Y., Guo, J. J., & Zhao, Y. (2015). Smoking is associated with an increased risk of dementia: A meta-analysis of prospective cohort studies with investigation of potential effect modifiers. *PLoS One*, *10*(3), e0118333.
- ¹⁰⁵³ Peters, R., Poulter, R., Warner, J., Beckett, N., Burch, L., & Bulpitt, C. (2008). Smoking, dementia and cognitive decline in the elderly: A systematic review. *BMC Geriatrics*, *8*, 36.
- ¹⁰⁵⁴ Cataldo, J. K., Prochaska, J. J., & Glantz, S. A. (2010). Cigarette smoking is a risk factor for Alzheimer's disease: An analysis controlling for tobacco industry affiliation. *Journal of Alzheimer's Disease*, *19*(2), 465–480.
- ¹⁰⁵⁵ Anstey, K. J., von Sanden, C., Salim, A., & O'Kearney, R. (2007). Smoking as a risk factor for dementia and cognitive decline: A meta-analysis of prospective studies. *American Journal of Epidemiology*, *166*(4), 367–378.
- ¹⁰⁵⁶ Beydoun, M. A., Beydoun, H. A., Gamaldo, A. A., Teel, A., Zonderman, A. B., & Wang, Y. (2014). Epidemiologic studies of modifiable factors associated with cognition and dementia: Systematic review and meta-analysis. *BMC Public Health*, *14*, 643.
- ¹⁰⁵⁷ Wu, L. T., & Blazer, D. G. (2014). Substance use disorders and psychiatric comorbidity in mid and later life: A review. *International Journal of Epidemiology*, *43*(2), 304–317.
- ¹⁰⁵⁸ Wu, L. T., & Blazer, D. G. (2014). Substance use disorders and psychiatric comorbidity in mid and later life: A review. *International Journal of Epidemiology*, *43*(2), 304–317.
- ¹⁰⁵⁹ Mowbray, O., Washington, T., Purser, G., & O'Shields, J. (2017). Problem drinking and depression in older adults with multiple chronic health conditions. *Journal of the American Geriatrics Society*, *65*(1), 146–152.
- ¹⁰⁶⁰ Shimada, H., Park, H., Makizako, H., Doi, T., Lee, S., & Suzuki, T. (2014). Depressive symptoms and cognitive performance in older adults. *Journal of Psychiatric Research*, *57*, 149–156.
- ¹⁰⁶¹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ¹⁰⁶² Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ¹⁰⁶³ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing*, *36*(2), 104–111.
- ¹⁰⁶⁴ Sacco, P., Unick, G. J., Zanjani, F., & Camlin, E. A. S. (2015). Hospital outcomes in major depression among older adults: Differences by alcohol comorbidity. *Journal of Dual Diagnosis*, *11*(1), 83–92.
- ¹⁰⁶⁵ Bartels, S. J., Coakley, E., Oxman, T. E., Constantino, G., Oslin, D., Chen, H., ... Sanchez, H. (2002). Suicidal and death ideation in older primary care patients with depression, anxiety, and at-risk alcohol use. *American Journal of Geriatric Psychiatry*, *4*, 417–427.
- ¹⁰⁶⁶ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ¹⁰⁶⁷ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing*, *36*(2), 104–111.



- ¹⁰⁶⁸ Kuring, J. K., Mathias, J. L., & Ward, L. (2018). Prevalence of depression, anxiety and PTSD in people with dementia: A systematic review and meta-analysis. *Neuropsychology Reviews*, 28(4), 393–416.
- ¹⁰⁶⁹ Mowbray, O., Washington, T., Purser, G., & O'Shields, J. (2017). Problem drinking and depression in older adults with multiple chronic health conditions. *Journal of the American Geriatrics Society*, 65(1), 146–152.
- ¹⁰⁷⁰ Hunt, S. A., Kay-Lambkin, F. J., Baker, A. L., & Michie, P. T. (2015). Systematic review of neurocognition in people with co-occurring alcohol misuse and depression. *Journal of Affective Disorders*, 179, 51–64.
- ¹⁰⁷¹ Bennett, S., & Thomas, A. J. (2014). Depression and dementia: Cause, consequence or coincidence? *Maturitas*, 79(2), 184–190.
- ¹⁰⁷² Ownby, R. L., Crocco, E., Acevedo, A., John, V., & Loewenstein, D. (2006). Depression and risk for Alzheimer's disease: Systematic review, meta-analysis, and metaregression analysis. *Archives of General Psychiatry*, 63, 530–538.
- ¹⁰⁷³ Diniz, B. S., Butters, M. A., Albert, S. M., Dew, M. A., & Reynolds, C. F. (2013). Late-life depression and risk of vascular dementia and Alzheimer's disease: Systematic review and meta-analysis of community-based cohort studies. *British Journal of Psychiatry*, 202(5), 329–335.
- ¹⁰⁷⁴ Spira, A. P., Rebok, G. W., Stone, K. L., Kramer, J. H., & Yaffe, K. (2012). Depressive symptoms in oldest-old women: Risk of mild cognitive impairment and dementia. *American Journal of Geriatric Psychiatry*, 20(12), 1006–1015.
- ¹⁰⁷⁵ da Silva, J., Gonçalves-Pereira, M., Xavier, M., & Mukaetova-Ladinska, E. B. (2013). Affective disorders and risk of developing dementia: Systematic review. *British Journal of Psychiatry*, 202(3), 177–186.
- ¹⁰⁷⁶ Bower, E. S., Wetherell, J. L., Mon, T., & Lenze, E. J. (2015). Treating anxiety disorders in older adults: Current treatments and future directions. *Harvard Review of Psychiatry*, 23(5), 329–342.
- ¹⁰⁷⁷ Reynolds, K., Pietrzak, R. H., El-Gabalawy, R., Mackenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry*, 14(1), 74–81.
- ¹⁰⁷⁸ Wolitzky-Taylor, K. B., Castriotta, N., Lenze, E. J., Stanley, M. A., & Craske, M. G. (2010). Anxiety disorders in older adults: A comprehensive review. *Depression and Anxiety*, 27(2), 190–211.
- ¹⁰⁷⁹ Reynolds, K., Pietrzak, R. H., El-Gabalawy, R., Mackenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry*, 14(1), 74–81.
- ¹⁰⁸⁰ Lin, J. C., Karno, M. P., Grella, C. E., Ray, L. A., Liao, D. H., & Moore, A. A. (2014). Psychiatric correlates of alcohol and tobacco use disorders in U.S. adults aged 65 years and older: Results from the 2001–2002 National Epidemiologic Survey of Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry*, 22(11), 1356–1363.
- ¹⁰⁸¹ Wu, L. T., & Blazer, D. G. (2014). Substance use disorders and psychiatric comorbidity in mid and later life: A review. *International Journal of Epidemiology*, 43(2), 304–317.
- ¹⁰⁸² Mackenzie, C. S., El-Gabalawy, R., Chou, K. L., & Sareen, J. (2014). Prevalence and predictors of persistent versus remitting mood, anxiety, and substance disorders in a national sample of older adults. *American Journal of Geriatric Psychiatry*, 22(9), 854–865.
- ¹⁰⁸³ Schutte, K., Lemke, S., Moos, R. H., & Brennan, P. L. (2015). Age-sensitive psychosocial treatment for older adults with substance abuse. In I. Crome, L.-T. Wu, R. T. Rao, & P. Crome (Eds.), *Substance use and older people* (pp. 314–339). West Sussex, UK: Wiley-Blackwell.
- ¹⁰⁸⁴ Beaudreau, S. A., & O'Hara, R. (2008). Late-life anxiety and cognitive impairment: A review. *American Journal of Geriatric Psychiatry*, 16(10), 790–803.
- ¹⁰⁸⁵ Beaudreau, S. A., & O'Hara, R. (2008). Late-life anxiety and cognitive impairment: A review. *American Journal of Geriatric Psychiatry*, 16(10), 790–803.
- ¹⁰⁸⁶ Lin, J. C., Karno, M. P., Grella, C. E., Ray, L. A., Liao, D. H., & Moore, A. A. (2014). Psychiatric correlates of alcohol and tobacco use disorders in U.S. adults aged 65 years and older: Results from the 2001–2002 National Epidemiologic Survey of Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry*, 22(11), 1356–1363.
- ¹⁰⁸⁷ Kuring, J. K., Mathias, J. L., & Ward, L. (2018). Prevalence of depression, anxiety and PTSD in people with dementia: A systematic review and meta-analysis. *Neuropsychology Reviews*, 28(4), 393–416.
- ¹⁰⁸⁸ Burton, C., Campbell, P., Jordan, K., Strauss, V., & Mallen, C. (2013). The association of anxiety and depression with future dementia diagnosis: A case-control study in primary care. *Family Practice*, 30(1), 25–30.
- ¹⁰⁸⁹ Burton, C., Campbell, P., Jordan, K., Strauss, V., & Mallen, C. (2013). The association of anxiety and depression with future dementia diagnosis: A case-control study in primary care. *Family Practice*, 30(1), 25–30.
- ¹⁰⁹⁰ Burton, C., Campbell, P., Jordan, K., Strauss, V., & Mallen, C. (2013). The association of anxiety and depression with future dementia diagnosis: A case-control study in primary care. *Family Practice*, 30(1), 25–30.

- ¹⁰⁹¹ Gulpers, B., Ramakers, I., Hamel, R., Köhler, S., Oude Voshaar, R., & Verhey, F. (2016). Anxiety as a predictor for cognitive decline and dementia: A systematic review and meta-analysis. *American Journal of Geriatric Psychiatry, 24*(10), 823–842.
- ¹⁰⁹² Andreescu, C., & Varon, D. (2015). New research on anxiety disorders in the elderly and an update on evidence-based treatments. *Current Psychiatry Reports, 17*(7), 53.
- ¹⁰⁹³ Reynolds, K., Pietrzak, R. H., El-Gabalawy, R., Mackenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry, 14*(1), 74–81.
- ¹⁰⁹⁴ Pietrzak, R. H., Goldstein, R. B., Southwick, S. M., & Grant, B. F. (2012). Psychiatric comorbidity of full and partial posttraumatic stress disorder among older adults in the United States: Results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry, 20*(5), 380–390.
- ¹⁰⁹⁵ Kuring, J. K., Mathias, J. L., & Ward, L. (2018). Prevalence of depression, anxiety and PTSD in people with dementia: A systematic review and meta-analysis. *Neuropsychological Reviews, 28*(4), 393–416.
- ¹⁰⁹⁶ Kang, B., Xu, H., & McConnell, E. S. (2019). Neurocognitive and psychiatric comorbidities of posttraumatic stress disorder among older veterans: A systematic review. *International Journal of Geriatric Psychiatry, 34*(4), 522–538.
- ¹⁰⁹⁷ Substance Abuse and Mental Health Services Administration. (2014). *SAMHSA's concept of trauma and guidance for a trauma-informed approach*. Retrieved from <https://store.samhsa.gov/product/SAMHSA-s-Concept-of-Trauma-and-Guidance-for-a-Trauma-Informed-Approach/SMA14-4884>
- ¹⁰⁹⁸ Substance Abuse and Mental Health Services Administration. (2014). *Trauma-informed care in behavioral health services*. Treatment Improvement Protocol (TIP) Series 57. HHS Publication No. (SMA) 13-4801. Retrieved from <https://store.samhsa.gov/product/TIP-57-Trauma-Informed-Care-in-Behavioral-Health-Services/SMA14-4816>
- ¹⁰⁹⁹ Hiskey, S., & McPherson, S. (2013). That's just life: Older adult constructs of trauma. *Aging and Mental Health, 17*(6), 689–696.
- ¹¹⁰⁰ Searby, A., Maude, P., & McGrath, I. (2015). Dual diagnosis in older adults: A review. *Issues in Mental Health Nursing, 36*(2), 104–111.
- ¹¹⁰¹ Wu, L. T., & Blazer, D. G. (2014). Substance use disorders and psychiatric comorbidity in mid and later life: A review. *International Journal of Epidemiology, 43*(2), 304–317.
- ¹¹⁰² Lin, J. C., Karno, M. P., Grella, C. E., Ray, L. A., Liao, D. H., & Moore, A. A. (2014). Psychiatric correlates of alcohol and tobacco use disorders in U.S. adults aged 65 years and older: Results from the 2001–2002 National Epidemiologic Survey of Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry, 22*(11), 1356–1363.
- ¹¹⁰³ Balsamo, M., Cataldi, F., Carlucci, L., & Fairfield, B. (2018). Assessment of anxiety in older adults: A review of self-report measures. *Clinical Interventions in Aging, 13*, 573–593.
- ¹¹⁰⁴ Wuthrich, V. M., Johnco, C., & Knight, A. (2014). Comparison of the Penn State Worry Questionnaire (PSWQ) and abbreviated version (PSWQ-A) in a clinical and non-clinical population of older adults. *Journal of Anxiety Disorders, 28*(7), 657–663.
- ¹¹⁰⁵ Pietrzak, R. H., Goldstein, R. B., Southwick, S. M., & Grant, B. F. (2012). Psychiatric comorbidity of full and partial posttraumatic stress disorder among older adults in the United States: Results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. *American Journal of Geriatric Psychiatry, 20*(5), 380–390.
- ¹¹⁰⁶ Satre, D. D., & Leibowitz, A. (2015). Brief alcohol and drug interventions and motivational interviewing. In P. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma and substance abuse* (pp. 163–180). Washington, DC: American Psychological Association.
- ¹¹⁰⁷ Satre, D. D., & Leibowitz, A. (2015). Brief alcohol and drug interventions and motivational interviewing. In P. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma and substance abuse* (pp. 163–180). Washington, DC: American Psychological Association.
- ¹¹⁰⁸ Oyebode, J. R., & Parveen, S. (2019). Psychosocial interventions for people with dementia: An overview and commentary on recent developments. *Dementia (London), 18*(1), 8–35.
- ¹¹⁰⁹ de Oliveira, A. M., Radanovic, M., de Mello, P. C., Buchain, P. C., Vizzotto, A. D., ... Forlenza, O. V. (2015). Nonpharmacological interventions to reduce behavioral and psychological symptoms of dementia: A systematic review. *BioMed Research International, 21*8980.
- ¹¹¹⁰ Bernabei, V., De Ronchi, D., La Ferla, T., Moretti, F., Tonelli, L., Ferrari, B., ... Atti, A. R. (2013). Animal-assisted interventions for elderly patients affected by dementia or psychiatric disorders: A review. *Journal of Psychiatric Research, 47*(6), 762–773.
- ¹¹¹¹ Rooney, R. F. (2014). Preventing dementia: How lifestyle in midlife affects risk. *Current Opinion in Psychiatry, 27*(2), 149–157.
- ¹¹¹² Yaffe, K., & Hoang, T. (2013). Nonpharmacologic treatment and prevention strategies for dementia. *Continuum (Minneapolis, Minnesota), 19*(2 Dementia), 372–381.




- ¹¹¹³ Cipriani, G., Lucetti, C., Danti, S., & Nuti, A. (2015). Sleep disturbances and dementia. *Psychogeriatrics*, *15*(1), 65–74.
- ¹¹¹⁴ Lindauer, A., Sexson, K., & Harvath, T. A. (2017). Medication management for people with dementia. *American Journal of Nursing*, *117*(2), 60–64.
- ¹¹¹⁵ AARP and National Alliance for Caregiving. (2020). *Caregiving in the U.S. 2020*. Retrieved from www.caregiving.org/caregiving-in-the-us-2020/
- ¹¹¹⁶ National Association of Social Workers. (2010). *NASW standards for social work practice with family caregivers of older adults*. Retrieved from www.socialworkers.org/LinkClick.aspx?fileticket=aUwQL98exRM%3d&portalid=0
- ¹¹¹⁷ Chiao, C. Y., Wu, H. S., & Hsiao, C. Y. (2015). Caregiver burden for informal caregivers of patients with dementia: A systematic review. *International Nursing Review*, *62*(3), 340–350.
- ¹¹¹⁸ Moon, H., & Dilworth-Anderson, P. (2015). Baby boomer caregiver and dementia caregiving: Findings from the National Study of Caregiving. *Age and Ageing*, *44*(2), 300–306.
- ¹¹¹⁹ Dong, X., Chen, R., & Simon, M. A. (2014). Elder abuse and dementia: A review of the research and health policy. *Health Affairs (Millwood)*, *33*(4), 642–649.
- ¹¹²⁰ Perkins, M., Howard, V. J., Wadley, V. G., Crowe, M., Safford, M. M., Haley, W. E., ... Roth, D. L. (2013). Caregiving strain and all-cause mortality: Evidence from the REGARDS study. *Journal of Gerontology, Series B, Psychological Sciences and Social Sciences*, *68*(4), 504–512.
- ¹¹²¹ Kim, Y., Carver, C. S., Cannady, R. S., & Shaffer, K. M. (2013). Self-reported medical morbidity among informal caregivers of chronic illness: The case of cancer. *Quality of Life Research*, *22*(6), 1265–1272.
- ¹¹²² Fonareva, I., & Oken, B. S. (2014). Physiological and functional consequences of caregiving for relatives with dementia. *International Psychogeriatrics*, *26*(5), 725–747.
- ¹¹²³ Martín-Carrasco, M., Ballesteros-Rodríguez, J., Domínguez-Panchón, A. I., Muñoz-Hermoso, P., & González-Fraile, E. (2014). Interventions for caregivers of patients with dementia. *Actas Españolas de Psiquiatría*, *42*(6), 300–314.
- ¹¹²⁴ Brodaty, H., & Donkin, M. (2009). Family caregivers of people with dementia. *Dialogues in Clinical Neuroscience*, *11*(2), 217–228.
- ¹¹²⁵ Gilhooly, K. J., Gilhooly, M. L., Sullivan, M. P., McIntyre, A., Wilson, L., Harding, E., ... Crutch, S. (2016). A meta-review of stress, coping and interventions in dementia and dementia caregiving. *BMC Geriatrics*, *16*, 106.
- ¹¹²⁶ Sattar, S. P., Padala, P. R., McArthur-Miller, D., Roccaforte, W. H., Wengel, S. P., & Burke, W. J. (2007). Impact of problem alcohol use on patient behavior and caregiver burden in a geriatric assessment clinic. *Journal of Geriatric Psychiatry and Neurology*, *20*(2), 120–127.
- ¹¹²⁷ García-Fernández, F. P., Arrabal-Orpez, M. J., Rodríguez-Torres Mdel, C., Gila-Selas, C., Carrascosa-García, I., & Laguna-Parras, J. M. (2014). Effect of hospital case-manager nurses on the level of dependence, satisfaction and caregiver burden in patients with complex chronic disease. *Journal of Clinical Nursing*, *23*(19–20), 2814–2821.
- ¹¹²⁸ Labrum, T. (2018). Caregiving for relatives with psychiatric disorders vs. co-occurring psychiatric and substance use disorders. *Psychiatric Quarterly*, *89*(3), 631–644.
- ¹¹²⁹ Yesavage, J. A. (n.d.). Geriatric Depression Scale. Retrieved from <https://web.stanford.edu/~yesavage/GDS.html>
- ¹¹³⁰ Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing*, *41*(11), 15–21.
- ¹¹³¹ Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing*, *41*(11), 15–21.
- ¹¹³² Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing*, *41*(11), 15–21.
- ¹¹³³ Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). The PTSD Checklist for DSM-5 (PCL-5). Retrieved from <https://www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp>
- ¹¹³⁴ Family Caregiver Alliance. (2019). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- ¹¹³⁵ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ¹¹³⁶ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ¹¹³⁷ Satre, D. D., Chi, F. W., Mertens, J. R., & Weisner, C. M. (2012). Effects of age and life transitions on alcohol and drug treatment outcome over nine years. *Journal of Studies on Alcohol and Drugs*, *73*(3), 459–468.
- ¹¹³⁸ Nicholson, N. R. (2012). A review of social isolation: An important but underassessed condition in older adults. *Journal of Primary Prevention*, *33*(2–3), 137–152.

- ¹¹³⁹ Koenig, H. G. (2015). Religion, spirituality, and health: A review and update. *Advances*, 29(3), 19–26.
- ¹¹⁴⁰ Zimmer, Z., Jagger, C., Chiu, C. T., Ofstedal, M. B., Rojo, F., & Saito, Y. (2016). Spirituality, religiosity, aging and health in global perspective: A review. *SSM-Population Health*, 2, 373–381.
- ¹¹⁴¹ Zimmer, Z., Jagger, C., Chiu, C. T., Ofstedal, M. B., Rojo, F., & Saito, Y. (2016). Spirituality, religiosity, aging and health in global perspective: A review. *SSM-Population Health*, 2, 373–381.
- ¹¹⁴² Koenig, H. G. (2012). Religion, spirituality, and health: The research and clinical implications. *ISRN Psychiatry*, 2012, 278730.
- ¹¹⁴³ Zimmer, Z., Jagger, C., Chiu, C. T., Ofstedal, M. B., Rojo, F., & Saito, Y. (2016). Spirituality, religiosity, aging and health in global perspective: A review. *SSM-Population Health*, 2, 373–381.
- ¹¹⁴⁴ Kim, S., Spilman, S. L., Liao, D. H., Sacco, P., & Moore, A. A. (2018). Social networks and alcohol use among older adults: A comparison with middle-aged adults. *Aging and Mental Health*, 22(4), 550–557.
- ¹¹⁴⁵ Cohen-Mansfield, J., Hazan, H., Lerman, Y., & Shalom, V. (2016). Correlates and predictors of loneliness in older-adults: A review of quantitative results informed by qualitative insights. *International Psychogeriatrics*, 28(4), 557–576.
- ¹¹⁴⁶ Gardiner, C., Geldenhuys, G., & Gott, M. (2018). Interventions to reduce social isolation and loneliness among older people: An integrative review. *Health and Social Care in the Community*, 26(2), 147–157.
- ¹¹⁴⁷ Nicholson, N. R. (2012). A review of social isolation: An important but underassessed condition in older adults. *Journal of Primary Prevention*, 33(2–3), 137–152.
- ¹¹⁴⁸ Mannes, Z. L., Burrell, L. E., Bryant, V. E., Dunne, E. M., Hearn, L. E., & Whitehead, N. E. (2016). Loneliness and substance use: The influence of gender among HIV+ Black/African American adults 50+. *AIDS Care*, 28(5), 598–602.
- ¹¹⁴⁹ Rainer, J. P. (2013). *Life after loss: Contemporary grief counseling and therapy*. Eau Claire, WI: PESI Publishing & Media.
- ¹¹⁵⁰ Winokuer, H. R., & Harris, D. L. (2015). *Principles and practice of grief counseling* (2nd ed.). New York, NY: Springer.
- ¹¹⁵¹ Nicholson, N. R. (2012). A review of social isolation: An important but underassessed condition in older adults. *Journal of Primary Prevention*, 33(2–3), 137–152.
- ¹¹⁵² Wethington, E., & Pillemer, K. (2014). Social isolation among older people. In R. J. Coplan & J. C. Bowker (Eds.), *The handbook of solitude: Psychological perspectives on social isolation, social withdrawal, and being alone* (pp. 242–259). Chichester, England: Wiley-Blackwell.
- ¹¹⁵³ Bhatti, A. B., & Haq, A. U. (2017). The pathophysiology of perceived social isolation: Effects on health and mortality. *Cureus*, 9(1), e994. doi:10.7759/cureus.994
- ¹¹⁵⁴ Cacioppo, J. T., Hawkley, L. C., Norman, G. J., & Berntson, G. G. (2011). Social isolation. *Annals of the New York Academy of Sciences*, 1231, 17–22.
- ¹¹⁵⁵ Bhatti, A. B., & Haq, A. U. (2017). The pathophysiology of perceived social isolation: Effects on health and mortality. *Cureus*, 9(1), e994. doi:10.7759/cureus.994
- ¹¹⁵⁶ Cacioppo, J. T., Hawkley, L. C., Norman, G. J., & Berntson, G. G. (2011). Social isolation. *Annals of the New York Academy of Sciences*, 1231, 17–22.
- ¹¹⁵⁷ Wethington, E., & Pillemer, K. (2014). Social isolation among older people. In R. J. Coplan & J. C. Bowker (Eds.), *The handbook of solitude: Psychological perspectives on social isolation, social withdrawal, and being alone* (pp. 242–259). Chichester, England: Wiley-Blackwell.
- ¹¹⁵⁸ Bhatti, A. B., & Haq, A. U. (2017). The pathophysiology of perceived social isolation: Effects on health and mortality. *Cureus*, 9(1), e994. doi:10.7759/cureus.994
- ¹¹⁵⁹ Nicholson, N. R. (2012). A review of social isolation: An important but underassessed condition in older adults. *Journal of Primary Prevention*, 33(2–3), 137–152.
- ¹¹⁶⁰ Doukas, N. (2017). Older adults prescribed methadone for opiate replacement therapy: A literature review. *Journal of Addiction and Preventive Medicine*, 2(1), 1–6.
- ¹¹⁶¹ Wethington, E., & Pillemer, K. (2014). Social isolation among older people. In R. J. Coplan & J. C. Bowker (Eds.), *The handbook of solitude: Psychological perspectives on social isolation, social withdrawal, and being alone* (pp. 242–259). Chichester, England: Wiley-Blackwell.
- ¹¹⁶² Gouveia, O. M. R., Matos, A. D., & Schouten, M. J. (2016). Social networks and quality of life of elderly persons: A review and critical analysis of literature. *Revista Brasileira de Geriatria e Gerontologia*, 19, 1030–1040.
- ¹¹⁶³ Gardiner, C., Geldenhuys, G., & Gott, M. (2018). Interventions to reduce social isolation and loneliness among older people: An integrative review. *Health and Social Care in the Community*, 26(2), 147–157.
- ¹¹⁶⁴ Gardiner, C., Geldenhuys, G., & Gott, M. (2018). Interventions to reduce social isolation and loneliness among older people: An integrative review. *Health and Social Care in the Community*, 26(2), 147–157.



- ¹¹⁶⁵ Momtaz, Y. A., Haron, S. A., Ibrahim, R., & Hamid, T. A. (2014). Social embeddedness as a mechanism for linking social cohesion to well-being among older adults: Moderating effect of gender. *Clinical Interventions in Aging, 9*, 863–870.
- ¹¹⁶⁶ Jackson, S. L. (2014). All elder abuse perpetrators are not alike: The heterogeneity of elder abuse perpetrators and implications for intervention. *International Journal of Offender Therapy and Comparative Criminology, 60*(3), 265–285.
- ¹¹⁶⁷ Bassuk, E. L., Hanson, J., Greene, R. N., Richard, M., & Laudet, A. (2016). Peer-delivered recovery support services for addictions in the United States: A systematic review. *Journal of Substance Abuse Treatment, 63*, 1–9.
- ¹¹⁶⁸ Reif, S., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., ... Delphin-Rittmon, M. E. (2014). Peer recovery support for individuals with substance use disorders: Assessing the evidence. *Psychiatric Services, 65*(7), 853–861.
- ¹¹⁶⁹ Stevens, E., Jason, L. A., Ram, D., & Light, J. (2015). Investigating social support and network relationships in substance use disorder recovery. *Substance Abuse, 36*(4), 396–399.
- ¹¹⁷⁰ Bassuk, E. L., Hanson, J., Greene, R. N., Richard, M., & Laudet, A. (2016). Peer-delivered recovery support services for addictions in the United States: A systematic review. *Journal of Substance Abuse Treatment, 63*, 1–9.
- ¹¹⁷¹ Center for Substance Abuse Treatment. (2009). *What are peer recovery support services?* HHS Publication No. (SMA) 09-4454. Retrieved from <https://store.samhsa.gov/product/What-Are-Peer-Recovery-Support-Services-/SMA09-4454>
- ¹¹⁷² Gardiner, C., Geldenhuys, G., & Gott, M. (2018). Interventions to reduce social isolation and loneliness among older people: An integrative review. *Health and Social Care in the Community, 26*(2), 147–157.
- ¹¹⁷³ Leist, A. K. (2013). Social media use of older adults: A mini-review. *Gerontology, 59*(4), 378–384.
- ¹¹⁷⁴ Anderson, M., & Perrin, A. (2017). Tech adoption climbs among older adults. Retrieved June 13, 2019, from http://assets.pewresearch.org/wp-content/uploads/sites/14/2017/05/16170850/PI_2017.05.17_Older-Americans-Tech_FINAL.pdf
- ¹¹⁷⁵ Kuerbis, A., Mulliken, A., Muench, F., Moore, A. A., & Gardner, D. (2017). Older adults and mobile technology: Factors that enhance and inhibit utilization in the context of behavioral health. *Mental Health and Addiction Research, 2*(2), 1–11.
- ¹¹⁷⁶ Fang, M. L., Canham, S. L., Battersby, L., Sixsmith, J., Wada, M., & Sixsmith, A. (2019). Exploring privilege in the digital divide: Implications for theory, policy, and practice. *Gerontologist, 59*(1), e1–e15.
- ¹¹⁷⁷ Federal Communications Commission. (2018). 2018 broadband deployment report. Retrieved from www.fcc.gov/reports-research/reports/broadband-progress-reports/2018-broadband-deployment-report
- ¹¹⁷⁸ Chernick, R., & Kuerbis, A. (2016). Social and familial contexts for drinking among older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 149–166). New York, NY: Springer.
- ¹¹⁷⁹ Fishleder, S., Schonfeld, L., Corvin, J., Tyler, S., & VandeWeerd, C. (2016). Drinking behavior among older adults in a planned retirement community: Results from The Villages survey. *International Journal of Geriatric Psychiatry, 31*(5), 536–543.
- ¹¹⁸⁰ Kobrin, M. (2019). Promoting wellness for better behavioral and physical health. Retrieved from https://mfpc.samhsa.gov/ENewsArticles/Article12b_2017.aspx
- ¹¹⁸¹ McMahon, S., & Fleury, J. (2012). Wellness in older adults: A concept analysis. *Nursing Forum, 47*(1), 39–51.
- ¹¹⁸² Kobrin, M. (2019). Promoting wellness for better behavioral and physical health. Retrieved from https://mfpc.samhsa.gov/ENewsArticles/Article12b_2017.aspx
- ¹¹⁸³ Substance Abuse and Mental Health Services Administration. (2016). Learn the eight dimensions of wellness. Retrieved from <https://store.samhsa.gov/product/Learn-the-Eight-Dimensions-of-Wellness-Poster-/SMA16-4953>
- ¹¹⁸⁴ Gerontological Society of America. (2012). Communicating with older adults: An evidence-based review of what really works. Retrieved from www.changetogether.com/app/uploads/2016/03/GSA_Communicating-with-Older-Adults-high-Final.pdf
- ¹¹⁸⁵ Satre, D. D., & Leibowitz, A. (2015). Brief alcohol and drug interventions and motivational interviewing. In P. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma and substance abuse* (pp. 163–180). Washington, DC: American Psychological Association.
- ¹¹⁸⁶ Cummings, S. M., Cooper, R. L., & Cassie, K. M. (2009). Motivational interviewing to affect behavioral change in older adults. *Research on Social Work Practice, 19*(2), 195–204.
- ¹¹⁸⁷ Purath, J., Keck, A., & Fitzgerald, C. E. (2014). Motivational interviewing for older adults in primary care: A systematic review. *Geriatric Nursing, 35*(3), 219–224.

- ¹¹⁸⁸ Cherniack, E. P., & Cherniack, A. R. (2014). The benefit of pets and animal-assisted therapy to the health of older individuals. *Current Gerontology and Geriatrics Research, 2014*, 1–9.
- ¹¹⁸⁹ Harvard Women’s Health Watch. (2015). The health benefits of tai chi. Retrieved from www.health.harvard.edu/staying-healthy/the-health-benefits-of-tai-chi
- ¹¹⁹⁰ Hackney, M. E., & Wolf, S. L. (2014). Impact of Tai Chi Chu’an practice on balance and mobility in older adults: An integrative review of 20 years of research. *Journal of Geriatric Physical Therapy, 37*(3), 127–135.
- ¹¹⁹¹ Irwin, M. R., Olmstead, R., & Motivala, S. J. (2008). Improving sleep quality in older adults with moderate sleep complaints: A randomized controlled trial of Tai Chi Chih. *Sleep, 31*(7), 1001–1008.
- ¹¹⁹² Fountain-Zaragoza, S., & Prakash, R. S. (2017). Mindfulness training for healthy aging: Impact on attention, well-being, and inflammation. *Frontiers in Aging Neuroscience, 9*, 1–15.
- ¹¹⁹³ Krause, N., & Hayward, R. D. (2014). Religious involvement, practical wisdom, and self-rated health. *Journal of Aging and Health, 26*(4), 540–558.
- ¹¹⁹⁴ Kelly, J. F., Stout, R. L., Magill, M., Tonigan, J. S., & Pagano, M. E. (2011). Spirituality in recovery: A lagged mediational analysis of Alcoholics Anonymous’ principal theoretical mechanism of behavior change. *Alcoholism, Clinical and Experimental Research, 35*(3), 454–463.
- ¹¹⁹⁵ Zimmer, Z., Jagger, C., Chiu, C. T., Ofstedal, M. B., Rojo, F., & Saito, Y. (2016). Spirituality, religiosity, aging and health in global perspective: A review. *SSM-Population Health, 2*, 373–381.
- ¹¹⁹⁶ Ponnuswami, I., Francis, A., & Udhayakumar, P. (2012). *Strengths-based approach to social work practice with older persons*. Retrieved from [www.academia.edu/3470933/Strengths-based Approach to Social Work Practice with Older Persons](http://www.academia.edu/3470933/Strengths-based-Approach-to-Social-Work-Practice-with-Older-Persons)
- ¹¹⁹⁷ National Council on Aging. (2016). *Fact sheet: Chronic disease self-management*. Arlington, VA: National Council on Aging. Retrieved from www.ncoa.org/resources/fact-sheet-cdsmp
- ¹¹⁹⁸ Schulman-Green, D., Jaser, S. S., Park, C., & Whittemore, R. (2016). A metasynthesis of factors affecting self-management of chronic illness. *Journal of Advanced Nursing, 72*(7), 1469–1489.
- ¹¹⁹⁹ National Council on Aging. (2016). *Fact sheet: Chronic disease self-management*. Arlington, VA: National Council on Aging. Retrieved from www.ncoa.org/resources/fact-sheet-cdsmp
- ¹²⁰⁰ Erdem, E., & Korda, H. (2014). Self-management program participation by older adults with diabetes: Chronic Disease Self-Management Program and Diabetes Self-Management Program. *Family and Community Health, 37*(2), 134–146.
- ¹²⁰¹ Satre, D. D., Mertens, J. R., Areán, P. A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction, 99*(10), 1286–1297.
- ¹²⁰² Litt, M. D., Kadden, R. M., Kabela-Cormier, E., & Petry, N. M. (2009). Changing network support for drinking: Network Support Project 2-year follow-up. *Journal of Consulting and Clinical Psychology, 77*(2), 229–242.
- ¹²⁰³ Davidoff, J., Higgins, R., & Kipnis, S. (2004). Working with aging client populations: Preventing, identifying and treating alcohol, and substance abuse and supporting recovery [Presentation slides]. Retrieved June 1, 2019, from <https://omh.ny.gov/omhweb/geriatric/resources.html>
- ¹²⁰⁴ Davidoff, J., Higgins, R., & Kipnis, S. (2004). Working with aging client populations: Preventing, identifying and treating alcohol & substance abuse and supporting recovery [Presentation slides]. Retrieved June 1, 2019, from <https://omh.ny.gov/omhweb/geriatric/resources.html>
- ¹²⁰⁵ Schonfeld, L., & MacFarland, N. S. (2015). Relapse prevention treatment for substance abuse disorders in older adults. In P. A. Areán (Ed.), *Treatment of late-life depression, anxiety, trauma, and substance abuse* (pp. 211–234). Washington, DC: American Psychological Association.
- ¹²⁰⁶ Burzinski, C. A., & Zgierska, A. (2014). Reducing relapse risk: Clinical tool. Retrieved from http://projects.hsl.wisc.edu/SERVICE/modules/35/M35_CT_Reducing_Relapse_Risk.pdf
- ¹²⁰⁷ Alim, T. N., Lawson, W. B., Feder, A., Iacoviello, B. M., Saxena, S., Bailey, C. R., ... Neumeister, A. (2012). Resilience to meet the challenge of addiction: Psychobiology and clinical considerations. *Alcohol Research: Current Reviews, 34*(4), 506–515.
- ¹²⁰⁸ Nilsson, H., Bülow, P. H., & Kazemi, A. (2015). Mindful sustainable aging: Advancing a comprehensive approach to the challenges and opportunities of old age. *Europe’s Journal of Psychology, 11*(3), 494–508.
- ¹²⁰⁹ American Psychological Association. (2014). Guidelines for psychological practice with older adults. *American Psychologist, 69*(1), 34–65.
- ¹²¹⁰ Hildon, Z., Smith, G., Netuveli, G., & Blane, D. (2008). Understanding adversity and resilience at older ages. *Sociology of Health and Illness, 30*(5), 726–740.
- ¹²¹¹ Walter, C. A., & McCoyd, J. L. M. (2015). *Grief and loss across the lifespan: A biopsychosocial perspective* (2nd ed.). New York, NY: Springer.




- ¹²¹² Slosser, A., McKibbin, C., Lee, A., Bourassa, K., & Carrico, C. (2015). Perceived health status and social network as predictors of resilience in rural older adults. Retrieved from www.uwyo.edu/wycoa/_files/powerpoints/as_gsa%20poster%202015.pdf
- ¹²¹³ American Psychological Association. (2018). Building your resilience. Retrieved from www.apa.org/helpcenter/road-resilience
- ¹²¹⁴ Lavretsky, H. (2014). *Resilience and aging: Research and practice*. Baltimore, MD: Johns Hopkins University Press.
- ¹²¹⁵ Bovend'Eerd, T. J. H., Botell, R. E., & Wade, D. T. (2009). Writing SMART rehabilitation goals and achieving goal attainment scaling: A practical guide. *Clinical Rehabilitation*, 23(4), 352–361.
- ¹²¹⁶ National Committee for Quality Assurance. (2016). Goals to care: How to keep the person in “person-centered.” Retrieved from www.ncqa.org/Portals/0/Programs/Goals%20to%20Care%20-%20Spotlight%20Report.pdf?ver=2016-02-23-113526-113
- ¹²¹⁷ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹²¹⁸ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹²¹⁹ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹²²⁰ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹²²¹ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹²²² Lubben, J., & Gironde, M. (2004). Measuring social networks and assessing their benefits. In C. Phillipson, G. Allan, & D. Morgan (Eds.), *Social networks and social exclusion: Sociological and policy perspectives* (pp. 20–35). Aldershot, England: Ashgate.
- ¹²²³ Lubben, J., Blozik, E., Gillmann, G., Iliffe, S., von Renteln Kruse, W., Beck, J. C., & Stuck, A. E. (2006). Performance of an abbreviated version of the Lubben Social Network Scale among three European community-dwelling older adult populations. *Gerontologist*, 46(4), 503–513.
- ¹²²⁴ Lubben, J., Blozik, E., Gillmann, G., Iliffe, S., von Renteln Kruse, W., Beck, J. C., & Stuck, A. E. (2006). Performance of an abbreviated version of the Lubben Social Network Scale among three European community-dwelling older adult populations. *Gerontologist*, 46(4), 503–513.
- ¹²²⁵ Gabrielson, M. L., & Holston, E. C. (2014). Broadening definitions of family for older lesbians: Modifying the Lubben Social Network Scale. *Journal of Gerontological Social Work*, 57(2–4), 198–217.
- ¹²²⁶ White, A. M., Philogene, G. S., Fine, L., & Sinha, S. (2009). Social support and self-reported health status of older adults in the United States. *American Journal of Public Health*, 99(10), 1872–1878.
- ¹²²⁷ Hwang, E. H., & Peralta-Catipon, T. (2016). *Health Enhancement Lifestyle Profile (HELP) & HELP Screener: Older adult version; Guide for clinicians*. Dominguez Hills, CA: California State University. Retrieved from [www.csudh.edu/Assets/csudh-sites/ot/docs/3%20Health%20Enhancement%20Lifestyle%20Profile%20\(HELP\)-Guide%20for%20Clinicians-2016.pdf](http://www.csudh.edu/Assets/csudh-sites/ot/docs/3%20Health%20Enhancement%20Lifestyle%20Profile%20(HELP)-Guide%20for%20Clinicians-2016.pdf)
- ¹²²⁸ Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York, NY: Guilford Press.
- ¹²²⁹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ¹²³⁰ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, 38(1), 115–120.
- ¹²³¹ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ¹²³² Kok, R. M. (2014). Treatment of alcohol use disorders in the elderly: An overview of RCTs. *International Psychogeriatrics*, 26(11), 1767–1770.
- ¹²³³ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, 38(1), 115–120.
- ¹²³⁴ Schutte, K. K., Moos, R. H., & Brennan, P. L. (2006). Predictors of untreated remission from late-life drinking problems. *Journal of Studies on Alcohol*, 67(3), 354–362.
- ¹²³⁵ American Public Health Association & Education Development Center. (2008). *Alcohol screening and brief intervention: A guide for public health practitioners*. Washington, DC: National Highway Traffic Safety Administration, Department of Transportation.
- ¹²³⁶ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking

- ¹²³⁷ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹²³⁸ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ¹²³⁹ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ¹²⁴⁰ Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- ¹²⁴¹ Family Caregiver Alliance. (2019). Caregiver statistics: Demographics. Retrieved from www.caregiver.org/caregiver-statistics-demographics
- ¹²⁴² Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ¹²⁴³ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹²⁴⁴ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ¹²⁴⁵ Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- ¹²⁴⁶ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹²⁴⁷ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ¹²⁴⁸ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹²⁴⁹ Centers for Disease Control and Prevention. (2018). Alcohol and Public Health. Frequently Asked Questions. Retrieved from www.cdc.gov/alcohol/faqs.htm
- ¹²⁵⁰ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ¹²⁵¹ Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- ¹²⁵² Downer, B., & Boron, J. B. (2016). Alcohol and cognition. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 79–96). New York, NY: Springer.
- ¹²⁵³ Downer, B., & Boron, J. B. (2016). Alcohol and cognition. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 79–96). New York, NY: Springer.
- ¹²⁵⁴ National Institute on Alcohol Abuse and Alcoholism. (2015). *Beyond hangovers: Understanding alcohol's impact on your health*. NIH Publication No. 15–7604. Rockville, MD: National Institute on Alcohol Abuse and Alcoholism.
- ¹²⁵⁵ GBD 2016 Collaborators. (2018). Alcohol use and burden for 195 countries and territories, 1990–2016: A systematic analysis for the Global Burden of Disease Study 2016. *Lancet*, 392(10152), 1015–1035.
- ¹²⁵⁶ Substance Abuse and Mental Health Services Administration. (2012). *Older Americans Behavioral Health Issue Brief 2: Alcohol misuse and abuse prevention* (p. 1). Retrieved from www.acl.gov/sites/default/files/programs/2016-11/Issue%20Brief%20%20Alcohol%20Misuse.pdf
- ¹²⁵⁷ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ¹²⁵⁸ Substance Abuse and Mental Health Services Administration. (2012). *Older Americans Behavioral Health Issue Brief 2: Alcohol misuse and abuse prevention* (p. 1). Retrieved from www.acl.gov/sites/default/files/programs/2016-11/Issue%20Brief%20%20Alcohol%20Misuse.pdf
- ¹²⁵⁹ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ¹²⁶⁰ Substance Abuse and Mental Health Services Administration. (2012). *Older Americans Behavioral Health Issue Brief 2: Alcohol misuse and abuse prevention* (p. 1). Retrieved from www.acl.gov/sites/default/files/programs/2016-11/Issue%20Brief%20%20Alcohol%20Misuse.pdf



- ¹²⁶¹ Leggett, A., Kavanagh, J., Zivin, K., Chiang, C., Kim, H. M., & Kales, H. C. (2015). The association between benzodiazepine use and depression outcomes in older veterans. *Journal of Geriatric Psychiatry and Neurology*, 28(4), 281–287.
- ¹²⁶² Substance Abuse and Mental Health Services Administration. (2012). *Older Americans Behavioral Health Issue Brief 2: Alcohol misuse and abuse prevention* (p. 1). Retrieved from www.acl.gov/sites/default/files/programs/2016-11/Issue%20Brief%20%20Alcohol%20Misuse.pdf
- ¹²⁶³ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, 38(1), 115–120.
- ¹²⁶⁴ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ¹²⁶⁵ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Alcohol, injury, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 97–115). New York, NY: Springer.
- ¹²⁶⁶ Addiction Technology Transfer Center Network. (2001). A stomach enzyme deficit may place women at more risk from drinking alcohol. Retrieved from www.eurekalert.org/pub_releases/2001-04/ACER-Ased-1404101.php
- ¹²⁶⁷ Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research*, 38(1), 115–120.
- ¹²⁶⁸ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, 90(5), 659–666.
- ¹²⁶⁹ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Alcohol, injury, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 97–115). New York, NY: Springer.
- ¹²⁷⁰ Letizia, M., & Reinbolz, M. (2005). Identifying and managing acute alcohol withdrawal in the elderly. *Geriatric Nursing*, 26(3), 176–183.
- ¹²⁷¹ Saitz, R. (2013). Brief intervention for unhealthy alcohol use. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 41–48). New York, NY: Springer.
- ¹²⁷² Epstein, E. E., Fischer-Elber, K., & Al-Otaiba, Z. (2007). Women, aging, and alcohol use disorders. *Journal of Women and Aging*, 19(1–2), 31–48.
- ¹²⁷³ Substance Abuse and Mental Health Services Administration. (2009). *Substance abuse treatment: Addressing the specific needs of women*. Treatment Improvement Protocol (TIP) Series 51. HHS Publication No. (SMA) 15-4426. Retrieved from <https://store.samhsa.gov/product/TIP-51-Substance-Abuse-Treatment-Addressing-the-Specific-Needs-of-Women/SMA15-4426>
- ¹²⁷⁴ Alcohol Pharmacology Education Partnership. (n.d.). Gender differences in alcohol metabolism. Retrieved from <https://sites.duke.edu/apep/module-1-gender-matters/content/content-gender-differences-in-alcohol-metabolism>
- ¹²⁷⁵ Epstein, E. E., Fischer-Elber, K., & Al-Otaiba, Z. (2007). Women, aging, and alcohol use disorders. *Journal of Women and Aging*, 19(1–2), 31–48.
- ¹²⁷⁶ Blow, F., & Barry, K. (2002). Use and misuse of alcohol among older women. *Alcohol Research and Health: The Journal of the National Institute on Alcohol Abuse and Alcoholism*, 26(4), 308–315.
- ¹²⁷⁷ Substance Abuse and Mental Health Services Administration. (2009). *Substance abuse treatment: Addressing the specific needs of women*. Treatment Improvement Protocol (TIP) Series 51. HHS Publication No. (SMA) 15-4426. Retrieved from <https://store.samhsa.gov/product/TIP-51-Substance-Abuse-Treatment-Addressing-the-Specific-Needs-of-Women/SMA15-4426>
- ¹²⁷⁸ Olsson, M., King, M., & Schoenbaum, M. (2015). Benzodiazepine use in the United States. *JAMA Psychiatry*, 72(2), 136–142.
- ¹²⁷⁹ Satre, D. D., Mertens, J. R., & Weisner, C. (2004). Gender differences in treatment outcomes for alcohol dependence among older adults. *Journal of Studies on Alcohol*, 65(5), 638–642.
- ¹²⁸⁰ Wettlaufer, A. (2018). Can a label help me drink in moderation? A review of the evidence on standard drink labelling. *Substance Use and Misuse*, 53(4), 585–595.
- ¹²⁸¹ National Institute on Alcohol Abuse and Alcoholism. (n.d.). What's a “standard” drink? Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/How-much-is-too-much/What-counts-as-a-drink/Whats-A-Standard-Drink.aspx
- ¹²⁸² Kuerbis, A., Chernick, R., & Gardner, D. S. (2016). Alcohol use and comorbid psychiatric and subsyndromal disorders among older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 35–53). New York, NY: Springer.
- ¹²⁸³ Satre, D. D. (2015). Alcohol and drug use problems among older adults. *Clinical Psychology: Science and Practice*, 22, 238–254.

- ¹²⁸⁴ Haighton, C. (2016). Thinking behind alcohol consumption in old age: Psychological and sociological reasons for drinking in old age. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 3–16). New York, NY: Springer.
- ¹²⁸⁵ Kuerbis, A., Treloar Padovano, H., Shao, S., Houser, J., Muench, F. J., & Morgenstern, J. (2018). Comparing daily drivers of problem drinking among older and younger adults: An electronic daily diary study using smartphones. *Drug and Alcohol Dependence, 183*, 240–246.
- ¹²⁸⁶ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS. Pub. No. (SMA) 03-3824. Rockville, MD: Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹²⁸⁷ Kelly, S., Olanrewaju, O., Cowan, A., Brayne, C., & Lafortune, L. (2018). Alcohol and older people: A systematic review of barriers, facilitators and context of drinking in older people and implications for intervention design. *PLoS One, 13*(1), e0191189.
- ¹²⁸⁸ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ¹²⁸⁹ Satre, D. D. (2015). Alcohol and drug use problems among older adults. *Clinical Psychology: Science and Practice, 22*, 238–254.
- ¹²⁹⁰ Chernick, R., & Kuerbis, A. (2016). Social and familial contexts for drinking among older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 149–166). New York, NY: Springer.
- ¹²⁹¹ Canham, S. L., & Mauro, P. M. (2016). Self-medication with alcohol: Aging issues. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 201–214). New York, NY: Springer.
- ¹²⁹² Canham, S. L., & Mauro, P. M. (2016). Self-medication with alcohol: Aging issues. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 201–214). New York, NY: Springer.
- ¹²⁹³ Blow, F. C., Brockmann, L. M., & Barry, K. L. (2004). Role of alcohol in late-life suicide. *Alcoholism, Clinical and Experimental Research, 28*(Suppl. 1), 48S–56S.
- ¹²⁹⁴ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ¹²⁹⁵ Canham, S. L., & Mauro, P. M. (2016). Self-medication with alcohol: Aging issues. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 201–214). New York, NY: Springer.
- ¹²⁹⁶ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹²⁹⁷ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS. Pub. No. (SMA) 03-3824. Rockville, MD: Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹²⁹⁸ DiBartolo, M. C., & Jarosinski, J. M. (2017). Alcohol use disorder in older adults: Challenges in assessment and treatment. *Issues in Mental Health Nursing, 38*(1), 25–32.
- ¹²⁹⁹ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³⁰⁰ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS. Pub. No. (SMA) 03-3824. Rockville, MD: Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹³⁰¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ¹³⁰² DiBartolo, M. C., & Jarosinski, J. M. (2017). Alcohol use disorder in older adults: Challenges in assessment and treatment. *Issues in Mental Health Nursing, 38*(1), 25–32.




- ¹³⁰³ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³⁰⁴ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³⁰⁵ Substance Abuse and Mental Health Services Administration & Food and Drug Administration. (2004). As you age: A guide to aging, medicines, and alcohol. Retrieved from www.fda.gov/drugs/resources-you/you-agea-guide-aging-medicines-and-alcohol
- ¹³⁰⁶ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³⁰⁷ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³⁰⁸ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³⁰⁹ Gilson, K.-M., Bryant, C., & Judd, F. (2017). Understanding older problem drinkers: The role of drinking to cope. *Addictive Behaviors, 64*, 101–106.
- ¹³¹⁰ Gordon, A. J., Gordon, J. M., & Broyles, L. M. (2013). Medical consequences of unhealthy alcohol. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 107–118). New York, NY: Springer.
- ¹³¹¹ World Health Organization. (2018). Alcohol. Retrieved from www.who.int/news-room/fact-sheets/detail/alcohol
- ¹³¹² Barry, K. L., & Blow, F. C. (2016). Drinking over the lifespan: Focus on older adults. *Alcohol Research, 38*(1), 115–120.
- ¹³¹³ GBD 2016 Collaborators. (2018). Alcohol use and burden for 195 countries and territories, 1990–2016: A systematic analysis for the Global Burden of Disease Study 2016. *Lancet, 392*(10152), 1015–1035.
- ¹³¹⁴ Rehm, J., Gmel, G. E., Sr., Gmel, G., Hasan, O. S. M., Imtiaz, S., Popova, S., ... Shuper, P. A. (2017). The relationship between different dimensions of alcohol use and the burden of disease—An update. *Addiction, 112*, 968–1001.
- ¹³¹⁵ NIH Osteoporosis and Related Bone Disease National Resource Center. (n.d.). What people recovering from alcoholism need to know about osteoporosis. Retrieved from www.bones.nih.gov/health-info/bone/osteoporosis/conditions-behaviors/alcoholism
- ¹³¹⁶ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS Publication No. (SMA) 03-3824. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹³¹⁷ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Alcohol, injury, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 97–115). New York, NY: Springer.
- ¹³¹⁸ Rehm, J., Gmel, G. E., Sr., Gmel, G., Hasan, O. S. M., Imtiaz, S., Popova, S., ... Shuper, P. A. (2017). The relationship between different dimensions of alcohol use and the burden of disease—An update. *Addiction, 112*, 968–1001.
- ¹³¹⁹ National Institute on Aging. (2017). Facts about aging and alcohol. Retrieved from www.nia.nih.gov/health/facts-about-aging-and-alcohol
- ¹³²⁰ National Institute on Alcohol Abuse and Alcoholism. (n.d.). HIV/AIDS. Retrieved from www.niaaa.nih.gov/alcohol-health/special-populations-co-occurring-disorders/hivaids
- ¹³²¹ AIDSinfo. (n.d.). HIV and older people. Retrieved from <https://aidsinfo.nih.gov/understanding-hiv-aids/fact-sheets/25/80/hiv-and-older-people>
- ¹³²² Ford, C. L., Godette, D. C., Mulatu, M. S., & Gaines, T. L. (2015). Recent HIV testing prevalence, determinants, and disparities among U.S. older adult respondents to the Behavioral Risk Factor Surveillance System. *Sexually Transmitted Diseases, 42*(8), 405–410.
- ¹³²³ Rehm, J., Gmel, G. E., Sr., Gmel, G., Hasan, O. S. M., Imtiaz, S., Popova, S., ... Shuper, P. A. (2017). The relationship between different dimensions of alcohol use and the burden of disease—An update. *Addiction, 112*, 968–1001.
- ¹³²⁴ Berkeley Wellness. (2017). Alcohol's benefits: New questions. Retrieved from www.berkeleywellness.com/self-care/preventive-care/article/alcohols-health-benefits-new-questions
- ¹³²⁵ Andréasson, S., Chikritzhs, T., Dangardt, F., Holder, H., Naimi, T., & Stockwell T. (2014). Evidence about health effects of “moderate” alcohol consumption: Reasons for skepticism and public health implications. In *Alcohol and society 2014* (pp. 6–23). Stockholm, Sweden: IOGT-NTO and Swedish Society of Medicine.
- ¹³²⁶ Molina, P. E., Gardner, J. D., Souza-Smith, F. M., & Whitaker, A. M. (2014). Alcohol abuse: Critical pathophysiological processes and contribution to disease burden. *Physiology (Bethesda, Maryland), 29*(3), 203–215.

- ¹³²⁷ Caputo, F., Vignoli, T., Leggio, L., Addolorato, G., Zoli, G., & Bernardi, M. (2012). Alcohol use disorders in the elderly: A brief overview from epidemiology to treatment options. *Experimental Gerontology*, *47*, 411–416.
- ¹³²⁸ DiBartolo, M. C., & Jarosinski, J. M. (2017). Alcohol use disorder in older adults: Challenges in assessment and treatment. *Issues in Mental Health Nursing*, *38*(1), 25–32.
- ¹³²⁹ Gordon, A. J., Gordon, J. M., & Broyles, L. M. (2013). Medical consequences of unhealthy alcohol. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 107–118). New York, NY: Springer.
- ¹³³⁰ Rehm, J., Gmel, G. E., Sr, Gmel, G., Hasan, O. S. M., Imtiaz, S., Popova, S., ... Shuper, P. A. (2017). The relationship between different dimensions of alcohol use and the burden of disease—An update. *Addiction*, *112*, 968–1001.
- ¹³³¹ Savage, C. L., Finnell, D. S., & Choflet, A. (2016). Cancer, alcohol, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 65–77). New York, NY: Springer.
- ¹³³² Simou, E., Britton, J., & Leonardi-Bee, J. (2018). Alcohol and the risk of pneumonia: A systematic review and meta-analysis. *BMJ Open*, *8*(8), 1–10.
- ¹³³³ Elmets, C. A., Leonardi, C. L., Davis, D. M. R., Gelfand, J. M., Lichten, J., Mehta, N. N., ... Menter, A. (2019). Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with awareness and attention to comorbidities. *Journal of the American Academy of Dermatology*, *80*, 1073–1113.
- ¹³³⁴ Li, S., Cho, E., Drucker, A. M., Qureshi, A. A., & Li, W. Q. (2017). Alcohol intake and risk of rosacea in US women. *Journal of the American Academy of Dermatology*, *76*(6), 1061–1067.
- ¹³³⁵ Topiwala, A., & Ebmeier, K. P. (2018). Effects of drinking on late-life brain and cognition. *Evidence-Based Mental Health*, *21*(1), 12–15.
- ¹³³⁶ Qato, D. M., Manzoor, B. S., & Lee, T. A. (2015). Drug–alcohol interactions in older U.S. adults. *Journal of the American Geriatrics Society*, *63*(11), 2324–2331.
- ¹³³⁷ Breslow, R. A., Dong, C., & White, A. (2015). Prevalence of alcohol-interactive prescription medication use among current drinkers: United States, 1999 to 2010. *Alcoholism, Clinical and Experimental Research*, *39*(2), 371–379.
- ¹³³⁸ Breslow, R. A., Dong, C., & White, A. (2015). Prevalence of alcohol-interactive prescription medication use among current drinkers: United States, 1999 to 2010. *Alcoholism, Clinical and Experimental Research*, *39*(2), 371–379.
- ¹³³⁹ National Institute on Alcohol Abuse and Alcoholism. (2014). Harmful interactions: Mixing alcohol with medicines. Retrieved from www.niaaa.nih.gov/publications/brochures-and-fact-sheets/harmful-interactions-mixing-alcohol-with-medicines
- ¹³⁴⁰ Meier, P., & Seitz, H. K. (2008). Age, alcohol metabolism and liver disease. *Current Opinion in Clinical Nutrition and Metabolic Care*, *11*, 21–26.
- ¹³⁴¹ National Institute on Alcohol Abuse and Alcoholism. (2014). Harmful interactions: Mixing alcohol with medicines. Retrieved from www.niaaa.nih.gov/publications/brochures-and-fact-sheets/harmful-interactions-mixing-alcohol-with-medicines
- ¹³⁴² Slattum, P. W., & Hassan, O. E. (2016). Medications, alcohol, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 117–129). New York, NY: Springer.
- ¹³⁴³ National Institute on Alcohol Abuse and Alcoholism. (2014). Harmful interactions: Mixing alcohol with medicines. Retrieved from www.niaaa.nih.gov/publications/brochures-and-fact-sheets/harmful-interactions-mixing-alcohol-with-medicines
- ¹³⁴⁴ Slattum, P. W., & Hassan, O. E. (2016). Medications, alcohol, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 117–129). New York, NY: Springer.
- ¹³⁴⁵ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Alcohol, injury, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 97–115). New York, NY: Springer.
- ¹³⁴⁶ Drugs.com. (n.d.). Cough syrup DM (dextromethorphan) and alcohol/food interactions. Retrieved from www.drugs.com/food-interactions/dextromethorphan,cough-syrup-dm.html
- ¹³⁴⁷ Arora, S., Baraona, E., & Lieber, C. S. (2000). Alcohol levels are increased in social drinkers receiving ranitidine. *American Journal of Gastroenterology*, *95*(1), 208–213.
- ¹³⁴⁸ Weaver, M. (2013). Choices for patients and clinicians: Ethics and legal issues. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 195–206). New York, NY: Springer.
- ¹³⁴⁹ Paquin, A. M., Zimmerman, K., & Rudolph, J. L. (2014). Risk versus risk: A review of benzodiazepine reduction in older adults. *Expert Opinion on Drug Safety*, *13*(7), 919–934.
- ¹³⁵⁰ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Alcohol, injury, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 97–115). New York, NY: Springer.




- ¹³⁵¹ Harrington, A. (2013). Psychiatric comorbidity. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 119–128). New York, NY: Springer.
- ¹³⁵² Paquin, A. M., Zimmerman, K., & Rudolph, J. L. (2014). Risk versus risk: A review of benzodiazepine reduction in older adults. *Expert Opinion on Drug Safety, 13*(7), 919–934.
- ¹³⁵³ Gould, R. L., Coulson, M. C., Patel, N., Highton-Williamson, E., & Howard, R. J. (2014). Interventions for reducing benzodiazepine use in older people: Meta-analysis of randomised controlled trials. *British Journal of Psychiatry, 204*(2), 98–107.
- ¹³⁵⁴ Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2016). Alcohol, injury, and aging. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 97–115). New York, NY: Springer.
- ¹³⁵⁵ Gudin, J. A., Mogali, S., Jones, J. D., & Comer, S. D. (2013). Risks, management, and monitoring of combination opioid, benzodiazepines, and/or alcohol use. *Postgraduate Medicine, 125*(4), 115–130.
- ¹³⁵⁶ Gunderson, E. W., & Alford, D. P. (2013). Managing pain in the context of unhealthy alcohol use. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 93–105). New York, NY: Springer.
- ¹³⁵⁷ Taheri, A., Dahri, K., Chan, P., Shaw, M., Aulakh, A., & Tashakkor, A. (2014). Evaluation of a symptom-triggered protocol approach to the management of alcohol withdrawal syndrome in older adults. *Journal of the American Geriatrics Society, 62*(8), 1551–1555.
- ¹³⁵⁸ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings, 90*(5), 659–666.
- ¹³⁵⁹ Long, D., Long, B., & Koyfman, A. (2017). The emergency medicine treatment of severe alcohol withdrawal. *American Journal of Emergency Medicine, 35*, 1005–1011.
- ¹³⁶⁰ Blondell, R. D., & Azadfard, M. (2013). Hospital management. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 207–220). New York, NY: Springer.
- ¹³⁶¹ Blondell, R. D., & Azadfard, M. (2013). Hospital management. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 207–220). New York, NY: Springer.
- ¹³⁶² Dixit, D., Endicott, J., Burry, L., Ramos, L., Yeung, S. Y., Devabhakthuni, S., ... Bulloch, M. N. (2016). Management of acute alcohol withdrawal syndrome in critically ill patients. *Pharmacotherapy, 36*(7), 797–822.
- ¹³⁶³ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ¹³⁶⁴ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings, 90*(5), 659–666.
- ¹³⁶⁵ Eberly, M. E., Lockwood, A. G., Lockwood, S., & Davis, K. W. (2016). Outcomes after implementation of an alcohol withdrawal protocol at a single institution. *Hospital Pharmacy, 51*(9), 752–758.
- ¹³⁶⁶ Letizia, M., & Reinbolz, M. (2005). Identifying and managing acute alcohol withdrawal in the elderly. *Geriatric Nursing, 26*(3), 176–183.
- ¹³⁶⁷ Blondell, R. D., & Azadfard, M. (2013). Hospital management. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 207–220). New York, NY: Springer.
- ¹³⁶⁸ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Planning for change. Retrieved June 1, 2019, from www.rethinkingdrinking.niaaa.nih.gov/Thinking-about-a-change/Its-up-to-you/Planning-For-Change.aspx
- ¹³⁶⁹ Hunter, C. L., Goodie, J. L., Oordt, M. S., & Dobbmeyer, A. C. (2017). Alcohol and prescription medication misuse. In C. L. Hunt, J. L. Goodie, M. S. Oordt, & A. C. Dobbmeyer (Eds.), *Integrated behavioral health in primary care: Step-by-step guidance for assessment and intervention* (pp. 175–186). Washington, DC: American Psychological Association.
- ¹³⁷⁰ Miller, W. R., & Muñoz, R. F. (2013). *Controlling your drinking: Tools to make moderation work for you* (2nd ed.). New York, NY: Guildford Press.
- ¹³⁷¹ National Institute on Alcohol Abuse and Alcoholism. (2016). *Rethinking drinking*. NIH Publication No. 15-3770. Rockville, MD: National Institute on Alcohol Abuse and Alcoholism.
- ¹³⁷² National Institute on Aging. (n.d.). Getting help for alcohol problems. Retrieved from www.nia.nih.gov/health/getting-help-alcohol-problems
- ¹³⁷³ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking tracker cards. Retrieved June 1, 2019, from www.rethinkingdrinking.niaaa.nih.gov/tools/Interactive-worksheets-and-more/Track-what-you-drink/Drinking-Tracker-Cards.aspx
- ¹³⁷⁴ National Institute on Aging. (n.d.). Getting help for alcohol problems. Retrieved from www.nia.nih.gov/health/getting-help-alcohol-problems
- ¹³⁷⁵ Alcoholics Anonymous. (2016). *The Twelve Steps of Alcoholics Anonymous*. Retrieved from www.aa.org/assets/en_US/smf-121_en.pdf

- ¹³⁷⁶ Alcoholics Anonymous. (2017). Serving all alcoholics: Making the A.A. message accessible. Retrieved from www.aa.org/assets/en_US/f-107_servingallalcoholics.pdf
- ¹³⁷⁷ Addiction Recovery Guide. (n.d.). Mobile apps for addiction. Retrieved from www.addictionrecoveryguide.org/resources/mobile_apps
- ¹³⁷⁸ Jewell, T. (2020). The best alcohol addiction recovery apps of 2020. Retrieved from www.healthline.com/health/addiction/top-alcoholism-iphone-android-apps#nomo
- ¹³⁷⁹ Jewell, T. (2020). The best alcohol addiction recovery apps of 2020. Retrieved from www.healthline.com/health/addiction/top-alcoholism-iphone-android-apps#nomo
- ¹³⁸⁰ Castle, N., Smith, M. L., & Wolf, D. G. (2016). Long-term care and alcohol use. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 233–246). New York, NY: Springer.
- ¹³⁸¹ Han, B. H., & Moore, A. A. (2018). Prevention and screening of unhealthy substance use by older adults. *Clinics in Geriatric Medicine*, 34, 117–129.
- ¹³⁸² Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS. Pub. No. (SMA) 03-3824. Rockville, MD: Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹³⁸³ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ¹³⁸⁴ Barry, K. L., & Blow, F. C. (2010). Screening, assessing and intervening for alcohol and medication misuse in older adults. In P. A. Lichtenberg (Ed.), *Handbook of assessment in clinical gerontology* (pp. 307–330). Burlington, MA: Elsevier.
- ¹³⁸⁵ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Why do different people need different options? Retrieved from <https://alcoholtreatment.niaaa.nih.gov/what-to-know/different-people-different-options>
- ¹³⁸⁶ Substance Abuse and Mental Health Services Administration, & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ¹³⁸⁷ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ¹³⁸⁸ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ¹³⁸⁹ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ¹³⁹⁰ Substance Abuse and Mental Health Services Administration & National Institute on Alcohol Abuse and Alcoholism. (2015). *Medication for the treatment of alcohol use disorder: A brief guide*. HHS Publication No. (SMA) 15-4907. Retrieved from <https://store.samhsa.gov/product/Medication-for-the-Treatment-of-Alcohol-Use-Disorder-A-Brief-Guide/SMA15-4907>
- ¹³⁹¹ Knopf, A. (2011, May 15). Some experts charge centers that avoid drug treatments with shunning science and ethics. *Addiction Professional*, 9(3).
- ¹³⁹² National Institute on Alcohol Abuse and Alcoholism. (2014). Treatment for alcohol problems: Finding and getting help. Retrieved from <https://pubs.niaaa.nih.gov/publications/Treatment/treatment.htm#chapter04>
- ¹³⁹³ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ¹³⁹⁴ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ¹³⁹⁵ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–200). New York, NY: Springer.




- ¹³⁹⁶ Dixit, D., Endicott, J., Burry, L., Ramos, L., Yeung, S. Y., Devabhakthuni, S., ... Bulloch, M. N. (2016). Management of acute alcohol withdrawal syndrome in critically ill patients. *Pharmacotherapy*, *36*(7), 797–822.
- ¹³⁹⁷ Bommersbach, T. J., Lapid, M. I., Rummans, T. A., & Morse, R. M. (2015). Geriatric alcohol use disorder: A review for primary care physicians. *Mayo Clinic Proceedings*, *90*(5), 659–666.
- ¹³⁹⁸ McCarty, D., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Substance abuse intensive outpatient programs: Assessing the evidence. *Psychiatric Services (Washington, D.C.)*, *65*(6), 718–726.
- ¹³⁹⁹ Rastegar, D. A. (2013). Making effective referrals to specialty care. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 63–72). New York, NY: Springer.
- ¹⁴⁰⁰ McCarty, D., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Substance abuse intensive outpatient programs: Assessing the evidence. *Psychiatric Services (Washington, D.C.)*, *65*(6), 718–726.
- ¹⁴⁰¹ McCarty, D., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Substance abuse intensive outpatient programs: Assessing the evidence. *Psychiatric Services (Washington, D.C.)*, *65*(6), 718–726.
- ¹⁴⁰² Rastegar, D. A. (2013). Making effective referrals to specialty care. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 63–72). New York, NY: Springer.
- ¹⁴⁰³ Mee-Lee, D., Shulman, G. D., Fishman, M. J., Gastfriend, D. R., & Miller, M. M. (Eds.). (2013). *The ASAM Criteria: Treatment criteria for addictive, substance-related, and co-occurring conditions* (3rd ed.). Carson City, NV: The Change Companies.
- ¹⁴⁰⁴ Satre, D. D., Mertens, J., Areán, P. A., & Weisner, C. (2003). Contrasting outcomes of older versus middle-aged and younger adult chemical dependency patients in a managed care program. *Journal of Studies on Alcohol*, *64*(4), 520–530.
- ¹⁴⁰⁵ Kuerbis, A., & Sacco, P. (2013). A review of existing treatments for substance abuse among the elderly and recommendations for future directions. *Substance Abuse: Research and Treatment*, *7*, 13–37.
- ¹⁴⁰⁶ MedLine Plus. (2017). Alcohol use disorder (AUD) treatment. Retrieved from <https://medlineplus.gov/alcoholusedisorderautreatment.html>
- ¹⁴⁰⁷ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ¹⁴⁰⁸ Petkus, A. J., & Wetherell, J. L. (2013). Acceptance and commitment therapy with older adults: Rationale and considerations. *Cognitive and Behavioral Practice*, *20*, 47–56.
- ¹⁴⁰⁹ O'Farrell, T. J., & Clements, K. (2012). Review of outcome research on marital and family therapy in treatment for alcoholism. *Journal of Marital and Family Therapy*, *38*(1), 122–144.
- ¹⁴¹⁰ McHugh, R. K., Hearon, B. A., & Otto, M. W. (2010). Cognitive behavioral therapy for substance use disorders. *Psychiatric Clinics of North America*, *33*(3), 511–525.
- ¹⁴¹¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, *30*(3), 629–654.
- ¹⁴¹² Rastegar, D. A. (2013). Making effective referrals to specialty care. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 63–72). New York, NY: Springer.
- ¹⁴¹³ Substance Abuse and Mental Health Services Administration. (2013). *Family therapy can help*. HHS Publication No. (SMA) 13-4784. Retrieved from <https://store.samhsa.gov/product/Family-Therapy-Can-Help-For-People-in-Recovery-From-Mental-Illness-or-Addiction/SMA15-4784>
- ¹⁴¹⁴ Chawla, N., Collin, S., Bowen, S., Hsu, S., Grow, J., Douglass, A., & Marlatt, G. A. (2010). The Mindfulness-Based Relapse Prevention Adherence and Competence Scale: Development, interrater reliability, and validity. *Psychotherapy Research*, *20*(4), 388–397.
- ¹⁴¹⁵ Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York, NY: Guildford Press.
- ¹⁴¹⁶ Amodeo, M., & López, L. M. (2013). Making effective referrals to Alcoholics Anonymous and other 12-Step programs. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 73–83). New York, NY: Springer.
- ¹⁴¹⁷ Doyle, T. J., Peter D., Friedmann, P. D., & Zywiak, W. H. (2013). Management of patients with alcohol dependence in recovery: Options for maintenance and anticipating and managing relapse in primary care. In R. Saitz (Ed.), *Addressing unhealthy alcohol use in primary care* (pp. 85–92). New York, NY: Springer.
- ¹⁴¹⁸ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Social support to stop drinking. Retrieved June 1, 2019, from www.rethinkingdrinking.niaaa.nih.gov/Thinking-about-a-change/Support-for-quitting/Social-Support.aspx

- ¹⁴¹⁹ Substance Abuse and Mental Health Services Administration. (2013). *Family therapy can help*. HHS Publication No. (SMA) 13-4784. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://store.samhsa.gov/product/Family-Therapy-Can-Help-For-People-in-Recovery-From-Mental-Illness-or-Addiction/SMA15-4784>
- ¹⁴²⁰ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Tips to try. Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/Thinking-about-a-change/Strategies-for-cutting-down/Tips-To-Try.aspx
- ¹⁴²¹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ¹⁴²² NAADAC, The Association for Addiction Professionals. (2014). Understanding the role of peer recovery coaches in the addiction profession. Retrieved from www.naadac.org/assets/2416/2014-05-01_understanding_role_peer_recovery_coaches_webinarslides.pdf
- ¹⁴²³ National Institute on Aging. (n.d.). Getting help for alcohol problems. Retrieved from www.nia.nih.gov/health/getting-help-alcohol-problems
- ¹⁴²⁴ Hazelden Betty Ford Foundation. (2015, September 1). How do you talk to older adults who may be addicted? Retrieved from www.hazeldenbettyford.org/articles/how-to-talk-to-an-older-person-who-has-a-problem-with-alcohol-or-medications
- ¹⁴²⁵ SeniorNavigator. (n.d.). Alcoholism and the older adult. Retrieved from <https://seniornavigator.org/article/12411/alcoholism-and-older-adult%20%20>
- ¹⁴²⁶ Substance Abuse and Mental Health Services Administration. (2019). *Get connected: Linking older adults with resources on medication, alcohol, and mental health*. HHS Publication No. (SMA) 03-3824. Retrieved from <https://store.samhsa.gov/product/Get-Connected-Linking-Older-Adults-with-Resources-on-Medication-Alcohol-and-Mental-Health-2019-Edition/SMA03-3824>
- ¹⁴²⁷ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ¹⁴²⁸ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine*, 30(3), 629–654.
- ¹⁴²⁹ National Academies of Sciences, Engineering, and Medicine. (2016). *Families caring for an aging America*. Washington, DC: National Academies Press.
- ¹⁴³⁰ Hazelden Betty Ford Foundation. (2015, September 1). How do you talk to older adults who may be addicted? Retrieved from www.hazeldenbettyford.org/articles/how-to-talk-to-an-older-person-who-has-a-problem-with-alcohol-or-medications
- ¹⁴³¹ Hazelden Betty Ford Foundation. (2019). How to talk about addiction: When a friend has a drinking or drug problem. Retrieved from www.hazeldenbettyford.org/articles/what-can-i-say-to-get-you-to-stop
- ¹⁴³² MedLine Plus. (2017). Helping a loved one with a drinking problem. Retrieved from <https://medlineplus.gov/ency/patientinstructions/000815.htm>
- ¹⁴³³ Oslin, D. W., & Zanjani, F. (2016). Treatment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 181–199). New York, NY: Springer.
- ¹⁴³⁴ HealthyAging.org (n.d.). Tools & Tips: Caregiver Self Assessment Questionnaire. Retrieved from www.healthinaging.org/tools-and-tips/caregiver-self-assessment-questionnaire
- ¹⁴³⁵ MedLine Plus. (2017). Helping a loved one with a drinking problem. Retrieved from <https://medlineplus.gov/ency/patientinstructions/000815.htm>
- ¹⁴³⁶ Hazelden Betty Ford Foundation. (2019). How to talk about addiction: When a friend has a drinking or drug problem. Retrieved from www.hazeldenbettyford.org/articles/what-can-i-say-to-get-you-to-stop
- ¹⁴³⁷ Hazelden Betty Ford Foundation. (2019). How to talk about addiction: When a friend has a drinking or drug problem. Retrieved from www.hazeldenbettyford.org/articles/what-can-i-say-to-get-you-to-stop
- ¹⁴³⁸ Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.samhsa.gov/data/
- ¹⁴³⁹ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking levels defined. Retrieved from www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking
- ¹⁴⁴⁰ Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Flifestyle%2Falcohol-seniors.html>
- ¹⁴⁴¹ U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2015). *2015–2020 Dietary Guidelines for Americans* (8th ed.). Retrieved from <https://health.gov/our-work/food-nutrition/2015-2020-dietary-guidelines>
- ¹⁴⁴² National Institute on Alcohol Abuse and Alcoholism. (2017). Cocktail content calculator. Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/Tools/Calculators/cocktail-calculator.aspx



- ¹⁴⁴³ Substance Abuse and Mental Health Services Administration. (2012). *Older Americans Behavioral Health Issue Brief 2: Alcohol misuse and abuse prevention* (p. 1). Retrieved from www.acl.gov/sites/default/files/programs/2016-11/Issue%20Brief%20%20Alcohol%20Misuse.pdf
- ¹⁴⁴⁴ National Institute on Alcohol Abuse and Alcoholism. (n.d.). What's a "standard" drink? Retrieved from www.rethinkingdrinking.niaaa.nih.gov/How-much-is-too-much/What-counts-as-a-drink/Whats-A-Standard-Drink.aspx
- ¹⁴⁴⁵ Blow, F. C., et al. (1998). Brief screening for alcohol problems in elderly populations using the Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G). Hilton Head Island, SC: Research Society on Alcoholism Annual Scientific Meeting.
- ¹⁴⁴⁶ American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- ¹⁴⁴⁷ Moore, A. A., Kuerbis, A., Sacco, P., Chen, G. I., & Garcia, M. B. (2016). Screening and assessment of unhealthy alcohol use in older adults. In A. Kuerbis, A. A. Moore, P. Sacco, & F. Zanjani (Eds.), *Alcohol and aging: Clinical and public health perspectives* (pp. 169–180). New York, NY: Springer.
- ¹⁴⁴⁸ Barry, K. L., Blow, F. C., & Oslin, D. W. (2002). Substance abuse in older adults: Review and recommendations for education and practice in medical settings. *Substance Abuse, 23*(3 Suppl.), 105–131.
- ¹⁴⁴⁹ Kuerbis, A., Sacco, P., Blazer, D. G., & Moore, A. A. (2014). Substance abuse among older adults. *Clinics in Geriatric Medicine, 30*(3), 629–654.
- ¹⁴⁵⁰ Barnes, A. J., Moore, A. A., Xu, H., Ang, A., Tallen, L., Mirkin, M., & Ettner, S. L. (2010). Prevalence and correlates of at-risk drinking among older adults: The Project SHARE study. *Journal of General Internal Medicine, 25*(8), 840–846.
- ¹⁴⁵¹ Aalto, M., Alho, H., Halme, J. T., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry, 26*(9), 881–885.
- ¹⁴⁵² Barbor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test: Guidelines for use in primary care* (2nd ed., p. 17). Geneva, Switzerland: World Health Organization.
- ¹⁴⁵³ Barbor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test: Guidelines for use in primary care* (2nd ed., p. 31). Geneva, Switzerland: World Health Organization.
- ¹⁴⁵⁴ Aalto, M., Alho, H., Halme, J. T., & Seppä, K. (2011). The Alcohol Use Disorders Identification Test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. *International Journal of Geriatric Psychiatry, 26*(9), 881–885.
- ¹⁴⁵⁵ Bush, K., Kivlahan, D. R., McDonnell, M. B., Fihn, S. D., & Bradley, K. A. (1998). The AUDIT alcohol consumption questions (AUDIT-C): An effective brief screening test for problem drinking. *Archives of Internal Medicine, 158*, 1789–1795.
- ¹⁴⁵⁶ U.S. Department of Veterans Affairs. (n.d.). AUDIT-C Frequently Asked Questions. Retrieved from www.queri.research.va.gov/tools/alcohol-misuse/alcohol-faqs.cfm#top
- ¹⁴⁵⁷ Purcell, B. (2003). *Senior Alcohol Misuse Indicator*. Toronto, Canada: Centre for Addiction and Mental Health, University of Toronto.
- ¹⁴⁵⁸ Adamson, S. J., Kay-Lambkin, F. J., Baker, A. L., Lewin, T. J., Thornton, L., Kelly, B. J., & Sellman, J. D. (2010). An improved brief measure of cannabis misuse: The Cannabis Use Disorders Identification Test–Revised (CUDIT-R). *Drug and Alcohol Dependence, 110*, 137–143.
- ¹⁴⁵⁹ Adamson, S. J., Kay-Lambkin, F. J., Baker, A. L., Lewin, T. J., Thornton, L., Kelly, B. J., & Sellman, J. D. (2010). An improved brief measure of cannabis misuse: The Cannabis Use Disorders Identification Test–Revised (CUDIT-R). *Drug and Alcohol Dependence, 110*, 137–143.
- ¹⁴⁶⁰ Brown, R. L., & Rounds, L. A. (1995). Conjoint screening questionnaires for alcohol and other drug abuse: Criterion validity in a primary care practice. *Wisconsin Medical Journal, 94*(3), 135–140.
- ¹⁴⁶¹ Substance Abuse and Mental Health Services Administration. (2011). Screening, brief intervention and referral to treatment (SBIRT) in behavioral healthcare. Retrieved from www.samhsa.gov/sites/default/files/sbirtwhitepaper_0.pdf
- ¹⁴⁶² Friedmann, P. D. (2013). Alcohol use in adults. *New England Journal of Medicine, 368*(17), 1655–1656.
- ¹⁴⁶³ Babor, T. F., & Higgins-Biddle, J. C. (2001). *Brief intervention for hazardous and harmful drinking: A manual for use in primary care*. Retrieved from <https://apps.who.int/iris/handle/10665/67210>
- ¹⁴⁶⁴ Substance Abuse and Mental Health Services Administration. (2017). *A guide to preventing older adult alcohol and psychoactive medication misuse/abuse: Screening and brief interventions* (p. 87). Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from www.ncoa.org/wp-content/uploads/SBIRT-Older-Adult-Manual-Final.pdf

- ¹⁴⁶⁵ Vasiliadis, H. M., Chudzinski, V., Gontijo-Guerra, S., & Prévile, M. (2015). The 10-item Kessler Psychological Distress Scale (K10) and the 7-item Generalized Anxiety Disorder Scale (GAD-7): Screening instruments for a population of older adults. *Gerontologist, 55*(Suppl. 2), 87.
- ¹⁴⁶⁶ Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Löwe, B. A. (2006). Brief measure for assessing generalized anxiety disorder: The GAD-7. *Archives of Internal Medicine, 166*(10), 1092–1097.
- ¹⁴⁶⁷ Segal, D. L., June, A., Payne, M., Coolidge, F. L., & Yochim, B. (2010). Development and initial validation of a self-report assessment tool for anxiety among older adults: The Geriatric Anxiety Scale. *Journal of Anxiety Disorders, 24*, 709–714.
- ¹⁴⁶⁸ Mueller, A. E., Segal, D. L., Gavett, B., Marty, M. A., Yochim, B., June, A., & Coolidge, F. L. (2015). Geriatric Anxiety Scale: Item response theory analysis, differential item functioning, and creation of a ten-item short form (GAS-10). *International Psychogeriatrics, 27*(7), 1099–1111.
- ¹⁴⁶⁹ Segal, D. L., June, A., Payne, M., Coolidge, F. L., & Yochim, B. (2010). Development and initial validation of a self-report assessment tool for anxiety among older adults: The Geriatric Anxiety Scale. *Journal of Anxiety Disorders, 24*, 709–714.
- ¹⁴⁷⁰ Meyer, T., Miller, M., Metzger, R., & Borkovec, T. D. (1990). Development and validation of the Penn State Worry Scale. *Behaviour Research and Therapy, 28*, 487–495.
- ¹⁴⁷¹ Therrien, Z., & Hunsley, J. (2012). Assessment of anxiety in older adults: A systematic review of commonly used measures. *Aging and Mental Health, 16*(1), 1–16.
- ¹⁴⁷² Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing, 41*(11), 15–21.
- ¹⁴⁷³ Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing, 41*(11), 15–21.
- ¹⁴⁷⁴ Brown, E. L., Raue, P. J., & Halpert, K. (2015). Evidence-based practice guideline: Depression detection in older adults with dementia. *Journal of Gerontological Nursing, 41*(11), 15–21.
- ¹⁴⁷⁵ Yesavage, J. A. (n.d.). Geriatric Depression Scale. Retrieved from <https://web.stanford.edu/~yesavage/GDS.html>
- ¹⁴⁷⁶ Phelan, E., Williams, B., Meeker, K., Bonn, K., Frederick, J., Logerfo, J., & Snowden, M. (2010). A study of the diagnostic accuracy of the PHQ-9 in primary care elderly. *BMC Family Practice, 11*, 63.
- ¹⁴⁷⁷ Richardson, T. M., He, H., Podgorski, C., Tu, X., & Conwell, Y. (2010). Screening for depression in aging services clients. *American Journal of Geriatric Psychiatry, 18*(12), 1116–1123.
- ¹⁴⁷⁸ Richardson, T. M., He, H., Podgorski, C., Tu, X., & Conwell, Y. (2010). Screening for depression in aging services clients. *American Journal of Geriatric Psychiatry, 18*(12), 1116–1123.
- ¹⁴⁷⁹ Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine, 16*(9), 606–613.
- ¹⁴⁸⁰ Kroene, K., & Spitzer, R. L. (2002). The PHQ-9: A new depression diagnostic and severity measure. *Psychiatric Annals, 32*, 509–521.
- ¹⁴⁸¹ Richardson, T. M., He, H., Podgorski, C., Tu, X., & Conwell, Y. (2010). Screening for depression in aging services clients. *American Journal of Geriatric Psychiatry, 18*(12), 1116–1123.
- ¹⁴⁸² Hudson, S. A., Beckford, L. A., Jackson, S. D., & Philpot, M. P. (2008). Validation of a screening instrument for post-traumatic stress disorder in a clinical sample of older adults. *Aging and Mental Health, 12*(5), 670–673.
- ¹⁴⁸³ Weathers, F. W., Litz, B. T., Herman, J. A., Huska, J. A., & Keane, T. M. (1993). The PTSD Checklist (PCL): Reliability, validity and diagnostic utility. Paper presented at the 9th Annual Conference of the International Society of Traumatic Stress Studies. San Antonio, Texas.
- ¹⁴⁸⁴ Pietrzak, R. H., Van Ness, P. H., Fried, T. R., Galea, S., & Norris, F. (2012). Diagnostic utility and factor structure of the PTSD Checklist in older adults. *International Psychogeriatrics, 24*(10), 1684–1696.
- ¹⁴⁸⁵ Yeager, D. E., & Magruder, K. M. (2014). PTSD checklist scoring rules for elderly Veterans Affairs outpatients. *American Journal of Geriatric Psychiatry, 22*(6), 545–550.
- ¹⁴⁸⁶ Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). The PTSD Checklist for DSM-5 (PCL-5). Retrieved from <https://www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp>
- ¹⁴⁸⁷ Prins, A., Bovin, M. J., Smolenski, D. J., Marx, B. P., Kimerling, R., Jenkins-Guarnieri, M. A., ... Tiet, Q. Q. (2016). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5): Development and evaluation within a veteran primary care sample. *Journal of General Internal Medicine, 31*(10), 1206–1211.
- ¹⁴⁸⁸ Prins, A., Bovin, M. J., Kimerling, R., Kaloupek, D. G., Marx, B. P., Pless Kaiser, A., & Schnurr, P. P. (2015). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5). Retrieved from www.ptsd.va.gov/professional/assessment/screens/pc-ptsd.asp



- ¹⁴⁸⁹ Yaffe, M. J., & Tazkarji, B. (2012). Understanding elder abuse in family practice. *Canadian Family Physician*, 58(12), 1336–1340.
- ¹⁴⁹⁰ Booker, S. Q., & Herr, K. A. (2016). Assessment and measurement of pain in adults in later life. *Clinics in Geriatric Medicine*, 32(4), 677–692.
- ¹⁴⁹¹ Booker, S. Q., & Herr, K. A. (2016). Assessment and measurement of pain in adults in later life. *Clinics in Geriatric Medicine*, 32(4), 677–692.
- ¹⁴⁹² Ware, L. J., Herr, K. A., Booker, S. S., Dotson, K., Key, J., Poindexter, N., ... Packard, A. (2015). Psychometric evaluation of the revised Iowa Pain Thermometer (IPT-R) in a sample of diverse cognitively intact and impaired older adults: A pilot study. *Pain Management Nursing*, 16(4), 475–482.
- ¹⁴⁹³ Booker, S. Q., & Herr, K. A. (2016). Assessment and measurement of pain in adults in later life. *Clinics in Geriatric Medicine*, 32(4), 677–692.
- ¹⁴⁹⁴ Katz, S., Ford, A. B., Moskowitz, R. W., Jackson, B. A., & Jaffe, M. W. (1963). Studies of illness in the aged: The Index of ADL; a standardized measure of biological and psychosocial function. *JAMA*, 185(12), 914–919.
- ¹⁴⁹⁵ Hartigan, I. (2007). A comparative review of the Katz ADL and the Barthel Index in assessing the activities of daily living of older people. *International Journal of Older People Nursing*, 2(3), 204–212.
- ¹⁴⁹⁶ Katz, S., Down, T. D., Cash, H. R., & Grotz, R. C. (1970). Progress in the development of the Index of ADL. *Gerontologist*, 10, 20–30.
- ¹⁴⁹⁷ Mahoney, F., & Barthel, D. (1965). Functional evaluation: The Barthel Index. *Maryland State Medical Journal*, 14, 61–65.
- ¹⁴⁹⁸ Hartigan, I. (2007). A comparative review of the Katz ADL and the Barthel Index in assessing the activities of daily living of older people. *International Journal of Older People Nursing*, 2(3), 204–212.
- ¹⁴⁹⁹ NINDS Common Data Elements. (n.d.). Report Viewer [for Barthel Index]. Retrieved from www.commondataelements.ninds.nih.gov/report-viewer/23804/www.mapi-trust.org
- ¹⁵⁰⁰ Pfeffer, R. I., Kurosaki, T. T., Harrah, C. H., Chance, J. M., & Filos, S. (1982). Measurement of functional activities in older adults in the community. *Journal of Gerontology*, 37(3), 323–329.
- ¹⁵⁰¹ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹⁵⁰² Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹⁵⁰³ Tracy, E., & Whittaker, J. (1990). The Social Network Map: Assessing social support in clinical practice. *Families in Society*, 71, 461–470.
- ¹⁵⁰⁴ National Committee for Quality Assurance. (2016). Goals to care: How to keep the person in “person-centered.” Retrieved from www.ncqa.org/Portals/0/Programs/Goals%20to%20Care%20-%20Spotlight%20Report.pdf?ver=2016-02-23-113526-113
- ¹⁵⁰⁵ Haight, B. K., and Haight, B. S. (2007). *The handbook of structured life review*. Baltimore, MD: Health Professions Press.
- ¹⁵⁰⁶ Smith, M., Robinson, L., & Segal, J. (2019). Coping with grief and loss: Understanding the grieving process and learning to heal. Retrieved from <https://staging.helpguide.org/articles/grief/coping-with-grief-and-loss.htm>
- ¹⁵⁰⁷ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Drinking tracker cards. Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/tools/Interactive-worksheets-and-more/Track-what-you-drink/Drinking-Tracker-Cards.aspx
- ¹⁵⁰⁸ Hunter, C. L., Goodie, J. L., Oordt, M. S., & Dobbmeyer, A. C. (2017). Alcohol and prescription medication misuse. In C. L. Hunt, J. L. Goodie, M. S. Oordt, & A. C. Dobbmeyer (Eds.), *Integrated behavioral health in primary care: Step-by-step guidance for assessment and intervention* (pp. 175–186). Washington, DC: American Psychological Association.
- ¹⁵⁰⁹ National Institute on Alcohol Abuse and Alcoholism. (n.d.). Planning for change. Retrieved June 14, 2019, from www.rethinkingdrinking.niaaa.nih.gov/Thinking-about-a-change/Its-up-to-you/Planning-For-Change.aspx

This page intentionally left blank.

SAMHSA Publication No. PEP20-02-01-011
Published 2020

Substance Abuse and Mental Health Services Administration
SAMHSA's mission is to reduce the impact of substance abuse
and mental illness on America's communities.

1-877-SAMHSA-7 (1-877-726-4727) | 1-800-486-4889 (TDD)
www.samhsa.gov

SAMHSA
Substance Abuse and Mental Health
Services Administration